



Technical specifications 2010

Contura / Terrestra / Integra / Activa / Profila / Quixta.
August 2009



TECHNICAL DATA		TT 590 FB	TT 660 HB
BASIC VEHICLE		Fiat Ducato	Fiat Ducato
Chassis		AL-KO	AL-KO
Output		74kw / 100 HP	74kw / 100 HP
WEIGHTS AND DIMENSIONS			
double floor height	cm	19	19
wheelbase	m	3,52	3,90
tyres		215 / 70 R 15 C	215/70R15C/ 225/75R16C
tech. admissible total mass when loaded	kg	3500	3500 / 4250 (Option)
mass when ready to drive ¹⁾	kg	2.900	3030 / 3070 (Option)
trailerload, braked (attention for authorized trailer load)	kg	2000	2000
total length	m	5,99	6,57
total width	m	2,30	2,30
total height	m	2,79	2,79
internal width	m	2,17	2,17
standing height	m	1,98	1,98
dimensions of front seating	cm	115x108	139x108
dimensions of rear bed	cm	210x135/125	210 x 150/129
dimensions of alongside bench	cm	–	65x70
beds		2 / 3**(Option)	2 / 4 (Option)
admissible numbers of persons		4	4
3-point safety belts		4	4
no. of Seitz framed windows and fly screens		3	4
number of service traps		2	2
wall thickness (walls, roof, floor)	mm	30/32/38	30/32/38
fresh water/ waste water tank	L	150(50)***/100	150(50)***/100
battery capacity	Ah	105	105
refrigerator	L	97	117

1) mass when ready to drive: empty vehicle including driver, gas and water tanks, power supply without special equipment * only in combination with reverse seat safety belts
 ** only in combination with reverse seat safety belts and chassis 40H *** during travel the tank can be filled to total capacity of 150l, if total weight limit is not exceeded ****only with 40H chassis ***** only with seat-belts in the rear

STANDARD EQUIPMENT

■ **CHASSIS**

- ABS
- AL-KO lowered chassis
- Fix & go tyre repair kit

■ **CABIN**

- isolated polyester scoop
- sleek, stylish fender tugged deep in body
- Atmospheric lighting in the hood

■ **SUPERSTRUCTURE**

- winter proofed body (EN 1646)
- light double floor construction, continuous, isolated and heated
- aluminium profiles for floor-to-wall connection
- light floor construction with aluminium supports
- storage room in double floor - GF coated (floor and walls)
- furniture in walnut wood design
- reading lights
- ambiance: Cuba, Maritim (o), Rossini (o), Ikeba (o), Cabana (o), leather (o)

- new living space with many ambiances and design elements
- wood free walls/ polyester roof, walls and floor - fully isolated
- wall thickness: wall, roof, floor 30/ 32/ 38 mm
- electrical entrance step
- new Trumatic Compact 4KW heating system (Combi 6 for TT 700 EB and TT 710 HB/QB)
- Seitz framed windows with fly screen
- exterior design in silver/champagne
- service traps
- single key for all body doors and traps
- Euratex mattress
- extra wide entrance door with window (except TT 590 FB and TT 710 QB)
- double pressed polyester sandwich roof
- optional additional bed for up to 2 persons (except TT 590 FB: 1 Person)
- TT 700 EB: possibility of transforming twin beds in double bed

■ **KITCHEN**

- drawers with metal roller guide rail
- deep hanging cupboards, with shelves and shelve edges
- refrigerator 117l (except TT 590 FB, 97l)
- 3-flame built-in hob with glass top (except TT 590FB , 2Fl.)
- metal bottle drawer (except for TT700EB, TT 590 FB, and TT 710 HB)
- floor units with deep drawers
- attractive cupboard handles
- new working surfaces

■ **BATHROOM**

- DuoMax-bathroom with new finish
- storage cabinets and mirror
- shower tup with 2 drains
- separate shower in TT670SB, TT 710 HB and TT 710 QB
- TT 590 FB with new compact bathroom
- bathroom accessories

■ **WATER INSTALLATION**

- fresh water pipe system - flexible plastic
- fixed pipe system for waste water
- fresh water tank 150l (50l) isolated and

- heated
- outflow valve for fresh water system
- waste water tank 100l, isolated and heated in double floor
- pressurised water pump
- fittings with ceramic cartridges
- corresponds to technical data 10 / 2007 (guidelines 2002 / 72/EG)

■ **ELECTRONICAL INSTALLATION**

- electr. control system for body's electr. system
- electronical onboard panel w/additional functions
- electrical high performance charger
- 105 Ah body's battery
- ceiling light - switch near entrance
- number of 230 V wall sockets: 3
- number of 12 V wall socket: 1
- adjustable living-room lights



TT 670 SB	TT 700 EB	TT 710 QB	NEW TT 710 HB
Fiat Ducato	Fiat Ducato	Fiat Ducato	Fiat Ducato
AL-KO	AL-KO	AL-KO	AL-KO
96kw / 130 HP	96kw / 130HP	96kw / 130HP	96kw / 130HP
19	19	19	19
4,04	4,04	4,04	4,04
215/70R15C / 225/75R16C	215/70R15 C / 225/75R16C	215/70R15 C / 225/75R16C	215/70R15 C / 225/75R16C
3500 / 4250 (Option)	3500 / 4250 (Option)	3500 / 4250 (Option)	3500 / 4250 (Option)
3.080 / 3.120 (Option)	3.100 / 3.140 (Option)	3.100 / 3.140 (Option)	3.100 / 3.140 (Option)
2000	2000	2000	2000
6,9	7,39	7,39	7,39
2,30	2,30	2,30	2,30
2,79	2,79	2,79	2,79
2,17	2,17	2,17	2,17
1,98	1,98	1,98	1,98
139x108	139x108	115x108	139x108
198 x138	205x90/185x90	195x140	210x150/29
2 / 4 (Option)	2 / 4**(Option)	2 / 4**(Option)	2 / 4**(Option)
4	4	3/4 (Option)	3/4 (Option)
4	4	4	4
3	4	4	4
2	2	2	2
30/32/38	30/32/38	30/32/38	30/32/38
150(50)*** /100	150(50)*** /100	150(50)*** /100	150(50)*** /100
105	105	80 (gel)	80 (gel)
117 / 175 (option)	117 / 175 (option)	117 / 175 (option)	117 / 175 (option)

**OPTION:
TOUR-EQUIPMENT
PACKAGE**

- Awning 3,5m
- Heki
- bicycle rack (for 3 bikes)

**OPTION
COMFORT CABIN PACK
TERRESTRA T**

- bumper varnished
- electr. rear view mirrors
- alternator 140A
- air conditioning
- co-driver airbag
- steering wheel with switch control
- cruise control
- height adjustable seats with 2 armrests
- radio CD





TECHNICAL DATA		C 630 SB	C 660 HB
BASIC VEHICLE		Fiat Ducato	Fiat Ducato
Chassis		AL-KO	AL-KO
Output		96kw / 130 HP	96kw / 130 HP
WEIGHTS AND DIMENSIONS			
doublefloor height	cm	19	19
wheelbase	m	3,90	4,04
tyres		215/75R15C/215/75R16C	215/70R15C/225/75R16C
tech. admissible total mass when loaded	kg	3500 / 4250 (Option)	3500 / 4250 (Option)
mass when ready to drive ¹⁾	kg	3150/ 3190 (Option)	3.150 / 3.190 (Option)
trailerload, braked (attention for authorized trailer load)	kg	2000	2000
total length	m	6,73	6,78
total width	m	2,40	2,40
total height	m	2,79	2,79
internal width	m	2,22	2,22
standing height	m	1,98	1,98
dimensions of front side seating	cm	190x108	139x108
dimensions of rear bed / rear seating	cm	198x142	220x150
dimensions of side bench	cm		
beds		4	2
admissible numbers of persons		3 / 4****/ 6**	3 (4)****
3-point safety belts		4 / 6**	4
no. of Seitz framed windows and fly screens		3	3
number of service traps		3	4
wall thickness (walls, roof, floor)	mm	40/40/38	40/40/38
fresh water / waste water tank	L	150(50)*** / 120	150(50)*** / 120
battery capacity	Ah	1x105	1x105
refrigerator	L	117	117

1) mass when ready to drive: empty vehicle including driver, gas and water tanks, power supply without special equipment * only in combination with reverse seat safety belts

** only in combination with reverse seat safety belts and chassis 40H *** during travel the tank can be filled to total capacity of 150l, if total weight limit is not exceeded ****only with 40H chassis ***** only with seat-belts in the rear

STANDARD EQUIPMENT

■ CHASSIS

- Al-ko wide track lowered chassis
- ABS
- air conditioning
- driver and passenger airbag
- Fix & Go tyre repair kit
- electrical windows
- carpet in cabin
- wheel covers
- cabin seats upholstered as seats in living area
- electrically adjusted and heated outside mirrors
- cruise control
- varnished bumper
- Radio CD
- driver's cabin steps

■ BODY

- winter proofed body / Norm EN 1646
- light double floor construction, continuous, isolated and heated
- aluminium profiles for floor-to-wall connection
- light floor construction with aluminium supports

- scoop made of polyester moulded piece
- warm water heating Alde 3010
- storage cabinets inside scoop
- storage room in double floor - GF coated (floor and walls)
- furniture design Wild Cherry
- curtain separation to the cab
- furniture „individuality“
- comfort entrance door with window and double bolt
- quiet ambiance lighting
- reading lights
- wood free walls, and floor and walls in polyester, isolated
- wall thickness: wall, roof, floor 40/ 40/ 38 mm
- electrical entrance step/ switch at driver's seat
- double pressed polyester „sandwich“ roof
- framed windows with fly screen
- service traps on both sides
- speakers above side seating bench
- Euratex mattresses
- Heki hood
- panoramic sun-roof

- Plug & Play-preparation for fuel cell (EFOY)

■ KITCHEN

- drawers with metal roller guide rail
- deep hanging cupboards, with shelves and shelve edges
- refrigerator 117l / 175l (dep.on floor plan)
- 3-flame built-in hob with glass top
- metal bottle drawer
- floor units with deep drawers

■ BATHROOM

- massive framed door with sturdy handle
- storage cabinets and mirror
- washbasin built-in design vanity unit with Corian top
- separated shower
- bath accessories: soap dispenser, toilet paper holder, toilet brush
- ceramic toilet

■ WATER INSTALLATION

- fresh water pipe system - flexible plastic
- fixed pipe system for waste water
- fresh water tank 150l (50l) isolated and

- heated in d. floor
- outflow valve for fresh water system
- waste water tank 120l, isolated and heated in d. floor
- pressurized water pump
- household quality tap fittings for washbasin and shower
- metal, heated outlet valve in double floor
- corresponds to technical level 10 / 2007 (Guidelines 2002 / 72 / EG)

■ ELECTRICAL INSTALLATION

- electr. control system for body's electr. system
- electronic onboard panel w/additional functions
- electrical high performance charger
- 1x105 Ah body's battery
- ceiling light - switch near entrance
- number of 230 V wall sockets: 3
- number of 12 V wall socket: 2
- adjustable living-room lights
- control panel for warm water heating system



C 670 SB	C 700 EB
Fiat Ducato	Fiat Ducato
AL-KO	AL-KO
96kw / 130 HP	96kw / 130 HP
19	19
4,04	4,04
215/70R15C/225/75R16C	225/75R16C
3500 / 4250 (Option)	4.250
3200 /3240 (Option)	3350
2000	2000
6,99	7,46
2,40	2,40
2,79	2,79
2,22	2,22
1,98	1,98
139x108	139x108
198x142	1x200x900, 1x 185x90
65x70	-
2(3)	2
3 (4)****	4
4	4
5	4
3	5
40/40/38	40/40/38
150(50)*** / 120	150(50)*** / 120
1x105	1x105
175	117

Panoramic sunroof
 exterior height only 2,79 m
 double floor
 warm water heating
 Al-ko lowered
 EFOY Plug & Play
 Eura Mobil
 "Sealed structure"



Semi-integrated / Contura

<p>LUXURY CLASS AMBIANCE:</p> <ul style="list-style-type: none"> - exclusive furniture design - luxurious upholstery - warm water heating system <ul style="list-style-type: none"> - Panorama sunroof - Heki hood - „ambiance“ lighting - heated double floor 	<p>INCLUDING COMFORT CABIN PACK</p> <ul style="list-style-type: none"> - varnished bumper - electr. rear view mirrors <ul style="list-style-type: none"> - alternator 140A - air conditioning in cabin <ul style="list-style-type: none"> - co-driver airbag - steering wheel with switch control - cruise control - heigth adjustable seats with 2 armrests <ul style="list-style-type: none"> - radio with CD
---	--



TECHNICAL DATA		I 730 HB	I 740 EB
BASIC VEHICLE		Fiat Ducato	Fiat Ducato
Chassis		AL-KO 3-axle	AL-KO 3-axle
Output		95kw / 130 HP	95kw / 130 HP
WEIGHTS AND DIMENSIONS			
double floor height	cm	50	50
wheelbase	m	3,75 (+0,80)	3,75 (+0,80)
tyres		225/75R16C	225/75R16C
tech. admissible total mass when loaded	kg	5.000	5.000
mass when ready to drive ¹⁾	kg	4.000	4.050
trailerload, braked (attention for authorized trailer load)	kg	2000/1600	2000/1600
total length	m	7,42	8,05
total width	m	2,40	2,40
total height	m	3,25	3,25
internal width	m	2,22	2,22
standing height	m	1,98	1,98
height above stow away bed	cm	90	90
dimensions of front site seating	cm	139x108	139x108
dimensions of rear bed/ rear seating	cm	220x150	1x210x90 + 1x195x90
dimensions of stow away bed	cm	195x135	195x135
dimensions of side bench	cm	68x60	68x60
beds		2 (4)	2 (4)
admissible numbers of persons		4	4
3-point safety belts		4	4
no. of Seitz framed windows and fly screens		4	4
number of service traps		4	4
wall thickness (walls, roof, floor)	mm	40/40/38	40/40/38
fresh water / waste water tank	L	150(50)*** / 150	150(50)*** / 150
battery capacity	Ah	2 x 105	2 x 105
refrigerator	L	117/175 (option)	117/175 (option)

1) mass when ready to drive: empty vehicle including driver, gas and water tanks, power supply without special equipment * only in combination with reverse seat safety belts
 ** only in combination with reverse seat safety belts and chassis 40H *** during travel the tank can be filled to total capacity of 150l, if total weight limit is not exceeded **** only with 40H chassis ***** only with seat-belts in the rear

STANDARD EQUIPMENT

■ CHASSIS

- Al-ko wide track lowered chassis
- ABS
- cruise control
- driver and passenger airbag
- Fix & Go tyre repair kit
- electrical windows
- carpet in cabin
- wheel covers
- electrical height adjustable driver and passenger seats
- cabin seats upholstered as seats in living area
- electrically adjusted and heated outside „coach“ mirrors
- white varnished bumper
- cabin out of polyester shell moulds
- noise absorption concept in cabin
- stainless steel radiator grill

■ CABIN WITH ISO-THERM CONCEPT

- air conditioning

- sidewindows with insulated glazing
- additional heating with Alde 3010
- double ventilation system
- electrical blinds
- panorama-glas roof

■ BODY

- winter proofed body / Norm EN 1646
- light double floor construction, continuous, isolated and heated
- aluminium profiles for floor-to-wall connection
- light floor construction with aluminium supports
- storage room in double floor - GF coated (floor and walls)
- furniture design Wild Cherry
- furniture „individuality“
- comfort entrance door with window and el. double bolt
- ambience lighting
- reading lights
- wood free walls, and floor and walls in

- polyester, isolated
- wall thickness: wall, roof, floor 40/ 40/ 38 mm
- Plug & Play-preparation for fuel cell (EFOY)

- electrical entrance step/ switch at driver's seat
- warm water heating Alde 3010
- Seitz framed windows with fly screen
- double pressed polyester sandwich roof
- service traps on both sides
- Euratex mattresses
- speakers above side seating bench (with radio switch)
- Heki

■ KITCHEN

- drawers with metal roller guide rail
- deep hanging cupboards, with shelves and shelve edges
- refrigerator 117 /175l
- 4-flame built-in hob with glass top

- (except for I 840 EB)
- metal bottle drawer
- floor units with deep drawers
- oven

■ BATHROOM

- massive framed door with sturdy handle
- storage cabinets and mirror
- washbasin built-in design vanity unit
- separated shower
- bath accessories: soap dispenser, toilet paper holder, toilet brush
- ceramic toilet

■ WATER INSTALLATION

- fresh water pipe system - flexible plastic
- fixed pipe system for waste water
- fresh water tank 150l (50l) isolated and heated in d. floor
- outflow valve for fresh water system
- waste water tank 150l, isolated and heated in d. floor
- pressurised water pump



I 840 EB	I 850 QB
Fiat Ducato	Fiat Ducato
AL-KO 3-axle	AL-KO 3-axle
95kw / 130 HP	95kw / 130 HP
50	50
4,35 (+0,80)	4,35 (+0,80)
225/75R16C	225/75 R16 C
5.000	5.000
4.100	4.150
2000/1600	2.000/1600
8,7	8,70
2,40	2,40
3,22	3,22
2,22	2,22
1,98	1,98
90	90
190x108	190x108
200x90 + 185x90	200x147
190x140	190x140
136x65	80x60
2 (4)	2 (4)
4	4
4	4
5	5
5	4
40/40/38	40/40/38
150(50)*** / 120	150(50)*** / 120
2 x 105	2 x 105
175	175

ISO-THERM concept
 double floor
 warm water heating
 Al-Ko chassis
 elec. Height adj. Seats
 exclusive floor plans
 EFOY Plug & Play
 Eura Mobil
 "Sealed structure"



Integrated / Integra

- household quality tab fittings for washbasin and shower
- metal, heated outlet valve in double floor
- corresponds to technical data 10/2007 (guidelines 2002/72/EG)

■ ELECTRICAL INSTALLATION

- electr. control system for body's electr. system
- electrical onboard panel w/additional functions
- electrical high performance charger
- 2x105 Ah body's battery
- ceiling light - switch near entrance
- number of 230 V wall sockets: 3
- number of 12 V wall socket: 2
- adjustable living-room lights

EXCLUSIVE DRIVER'S CABIN:

- electric heated cab seat, back supports and map-reading light
- electrically-controlled heated coach wing mirrors
- electric roller blinds
- steel radiator
- panoramic sun roof
- cross-over windscreen wipers
- warm-water heating in the cabin
- cabin door with electric windows and insulated side window glazing

LUXURY AMBIANCE:

- central heating
- exclusive furniture design
- exceptional upholstery with Integra „inlay“
- body door with double locking
- double floor height of 50 cm
- ambiance lighting
- extra large garage
- a.c. converter



TECHNICAL DATA		PA 580 LS	PA 600 VB
BASIC VEHICLE		Ford Transit	Ford Transit
Model / Engine		FT 350/2,2 TDCI	FT 350/2,2 TDCI
Output		81kw / 115 HP	81kw / 115 HP
WEIGHTS AND DIMENSIONS			
double floor height	cm	27	27
wheelbase	m	3,30	3,30
tyres		215/75R16C	215/75R16C
tech. admissible total mass when loaded	kg	3500	3500
mass when ready to drive ¹⁾	kg	2900	2900
trailerload, braked (attention for authorized trailer load)	kg	1000	1000
total length	m	5,99	5,99
total width	m	2,30	2,30
total height	m	2,99	2,99
internal width	m	2,15	2,15
standing height	m	1,93	1,93
height of alcove	cm	78	78
dimensions of front seating	cm	185x110	185x110
dimensions of rear bed	cm	–	2x190x85
dimensions of alcove bed	cm	211x160	211x160
dimensions of lengthways bench	cm	185x85	–
beds		5	6
admissible numbers of persons		4/6*	4/6*
3-point safety belts		4/6*	4/6*
no. of Seitz framed windows and fly screens		4	5
number of service traps		3	2
wall thickness (walls, roof, floor)	mm	35/36/38	35/36/38
fresh water/ waste water tank	L	100 (50)***/ 100	100 (50)***/ 100
battery capacity	Ah	105	105
refrigerator	L	97	97

1) mass when ready to drive: empty vehicle including driver, gas and water tanks, power supply without special equipment * only in combination with reverse seat safety belts

** only in combination with reverse seat safety belts and chassis 40H *** during travel the tank can be filled to total capacity of 150l, if total weight limit is not exceeded ****only with 40H chassis ***** only with seat-belts in the rear

STANDARD EQUIPMENT

■ CHASSIS

- ABS / ASR
- driver's and passenger's seat armrest
- driver and passenger airbag
- rear light support in Trebow design
- radio CD and steering wheel with remote control

■ BODY

- winter proofed superstructure/ Norm EN 1646
- light double floor construction, continuous, insulated and heated
- aluminium profiles for floor-to-wall connection
- light floor construction with aluminium supports
- heated and isolated alcove
- folding alcove floor
- security net for alcove
- huge alcove with decorative bed frame at the front
- storage room in double floor - GF coated

(floor and walls)

- exterior design Wingo Blue / Red
- furniture in walnut wood design
- curtains to the cabin
- adjustable reading lights
- Ambience: Beach, Rossini and Maritim
- modern living space with double stitched upholstery
- GF coated walls, roof and floor plus Eura Mobil insulation foam
- wall thickness: wall, roof, floor 35/ 36/ 38 mm
- electrical entrance step : 2 steps
- new Trumatic Heating system Combi 4
- Seitz framed windows with fly screen
- body door with fly screen
- service traps on both sides
- single key for all body doors and traps
- Euratex mattress

■ KITCHEN

- drawers with metal roller guide rail
- deep hanging cupboards, with shelves and shelve edges
- refrigerator 97l/ 150l (option for P A675VB and PA 685VB)
- 3-flame built-in hob with glass top (except for P A580: 2-flame)
- bottle drawer (P A660 HB, P A675 VB, PA 685 VB)

■ BATHROOM

- new DuoMax-bathroom with built-in shower cabin
- storage cabinets and mirror
- shower tub with 2 drains

■ WATER INSTALLATION

- fresh water pipe system - flexible plastic
- fixed pipe system for waste water
- fresh water tank 100l isolated and heated in d. floor
- 2 outflow valves for fresh water system

- waste water tank 100l, isolated and heated in d. floor
- fittings with ceramic cartridges
- corresponds to technical data 10/2007 (guidelines 2002/72/EG)

■ ELECTRICAL INSTALLATION

- electr control system for superstructure electr system
- electrical onboard panel w/additional functions
- electrical high performance charger
- superstructure battery 80Ah gel/105 Ah acid
- ceiling light - switch near entrance
- number of 230 V wall sockets: 2
- number of 12 V wall socket: 1
- adjustable living-room lights




PA 660 HB	PA 675 VB	PA 685 VB
Ford Transit	Ford Transit	Ford Transit
FT 350/2,2 TDCI	FT 350/2,2 TDCI	FT 350/2,2 TDCI
81kw / 115 HP	81kw / 115 HP	81kw / 115 HP
27	27	27
3,75	3,75	3,75
215/75R16C	215/75R16C	215/75R16C
3500	3500	3500
3050	3100	3100
1000	1000	1000
6,63	6,81	6,81
2,30	2,30	2,30
2,99	2,99	2,99
2,15	2,15	2,15
1,93	1,93	1,93
78	78	78
140x110	140x110	140x110
215x150	191x85(x2)	191x85(x2)
211x160	211x160	211x160
	140x65	140x65
4	4/5	4/5
4	4	4
4	4	4
4	5	5
2	3	3
35/36/38	35/36/38	35/36/38
100 (50)*** / 100	100 (50)*** / 100	100 (50)*** / 100
80 (Gel)	80 (Gel)	105
97	97/150 (Option)	97/150 (Option)

**OPTION:
COMFORT CABIN PACK
PROFILA**

electrical rear view
wing mirrors,
co-driver airbag,
air conditioning,
cruise control,
complete silver finish of cabin

*elegant
exterior design
sturdy interior
alcove's height is 78 cm
double floor
polyester walls
all round*





TECHNICAL DATA		TA 530 MS	TA 570 HS
BASIC VEHICLE		Fiat Ducato	
Model / Engine		Fiat CCS (track 1980mm)	Fiat CCS (track 1980mm)
Output		74kw / 100 HP	74kw / 100 HP
WEIGHTS AND DIMENSIONS			
double floor height	cm	37	37
wheelbase	m	3,00	3,45
tyres		215/70R15C	215/70R15C/225/75R16C
tech. admissible total mass when loaded ¹⁾	kg	3500	3500 / 4000 (Option)
mass when ready to drive	kg	2.900	2950 / 2990 (Option)
trailerload, braked (attention for authorized trailer load)	kg	1.500	1.600
total length	m	5,68	5,98
total width	m	2,30	2,30
total height	m	3,19	3,19
internal width	m	2,17	2,17
standing height	m	1,98	1,98
height of alcove	cm	80	80
height of double floor	cm	37	37
dimensions of front seating	cm	190x108	–
dimensions of rear bed	cm	–	215x150
dimensions of alcove bed	cm	210x162	210x162
dimensions of alongside bench	cm	–	–
beds		4	4
admissible numbers of persons		4 (6)*	2 (4)*****
3-point safety belts		4 (6)*	2 (4)*****
no. of Seitz framed windows and fly screens		3	5
number of service traps		4	4
wall thickness (walls, roof, floor)	mm	30/32/38	30/32/38
fresh water/ waste water tank	L	150(50)*** / 150	150(50)*** / 150
battery capacity	Ah	105	105
refrigerator	L	117	117

1) mass when ready to drive: empty vehicle including driver, gas and water tanks, power supply without special equipment * only in combination with reverse seat safety belts

** only in combination with reverse seat safety belts and chassis 40H *** during travel the tank can be filled to total capacity of 150l, if total weight limit is not exceeded **** only with 40H chassis ***** only with seat-belts in the rear

STANDARD EQUIPMENT

■ CHASSIS

- CCS wide track lowered chassis (track 1980 mm)
- ABS
- chassis extension
- driver airbag
- Fix & go tyre repair kit
- electrical windows

■ BODY

- winter proofed superstructure
- light double floor construction, continuous, isolated and heated
- aluminium profiles for floor-to-wall connection
- exterior design champagne/silver (o)
- light floor construction with aluminium supports
- alcove polyester moulded form
- heated and isolated alcove
- folding alcove floor
- security net for alcove
- double pressed polyester sandwich roof

- storage room in double floor - GF coated (floor and walls)
- furniture in walnut wood design
- curtains to the cabine
- reading lights
- ambiance: Cuba, Maritim (o), Cabana (o), Manosque (o), Rossini (o), leather (o), Ikeba (o)
- new living space with many ambiances and design elements
- wood free walls/ polyester roof, walls and floor - fully isolated
- wall thickness: wall, roof, floor 30/ 32/ 38 mm
- electrical entrance step
- Trumatic Combi 4 heating (T A 690 HB/HS Combi 6)
- Seitz framed windows with fly screen
- entrance door with window
- service traps on both sides
- single key for all body doors and traps
- mattress Euratex

■ KITCHEN

- drawers with metal roller guide rail
- deep hanging cupboards, with shelves and shelve edges
- kitchen with new working surfaces
- 3-flame built-in hob with glass top
- metal bottle drawer
- floor units with deep drawers
- attractive cupboard handles
- refrigerator 117l

■ BATHROOM

- DuoMax-bathroom with built-in shower cabin - new finish
- storage cabinets and mirror
- shower tap with 2 drains
- Wood finish hanging cupboard

■ WATER INSTALLATION

- fresh water pipe system - flexible plastic
- fixed pipe system for waste water
- fresh water tank 150l (50l) isolated and heated

- outflow valve for fresh water system
- waste water tank 150l, isolated and heated
- pressurised water pump
- fittings with ceramic cartridges
- corresponds to technical data 10/2007 (guidelines 2002/72/EG)

■ ELECTRICAL INSTALLATION

- electr control system for superstructure electr system
- electrical onboard panel w/additional functions
- electrical high performance charger
- superstructure battery 105 Ah
- ceiling light - switch near entrance
- number of 230 V wall sockets: 3
- number of 12 V wall socket: 1
- adjustable living-room lights



TA 640 VB	TA 690 HB	TA 690 HS
Fiat Ducato	Fiat Ducato	Fiat Ducato
Fiat CCS (track 1980mm)	Fiat CCS (track 1980mm)	Fiat CCS (track 1980mm)
96kw / 130 HP	96kw / 130 HP	96kw / 130 HP
37	37	37
4,04	4,04	4,04
215/70R15C/225/75R16C	215/70R15C/225/75R16C	215/70R15C/225/75R16C
3500 / 4000 (Option)	3500 / 4000 (Option)	3500 / 4000 (Option)
3100 / 3140 (Option)	3150 / 3190 (Option)	3150 / 3190 (Option)
1.500	1.300	1.300
6,70	7,06	7,06
2,30	2,30	2,30
3,19	3,19	3,19
2,17	2,17	2,17
1,98	1,98	1,98
80	80	80
37	37	37
139x108	190x108	190x108
215x90(x2)	215x150	215x150
210x162	210x162	210x162
75x60		
4	6	6
4	4 (6)**	4 (6)**
4	4 (6)	4 (6)**
6	5	6
4	5	5
30/32/38	30/32/38	30/32/38
150(50)** / 150	150(50)** / 150	150(50)** / 150
105	105	105
117 /175 (option)	117 /175 (option)	117 /175 (option)


**OPTION:
TOUR-EQUIPMENT
PACKAGE**

- Awning 3,5m
- Heki
- bicycle rack (for 3 bikes)

**OPTION:
COMFORT CABIN PACK
TERRESTRA A**

- bumper varnished
- electr. rear view mirrors
- alternator 140A
- air conditioning
- co-driver airbag
- steering wheel with switch control
- cruise control
- height adjustable seats with 2 armrests
- radio with CD
- antenna





TECHNICAL DATA		A 635 LS	A 820 EB
BASIC VEHICLE		Fiat Ducato	Fiat Ducato
Model / Engine		AL-KO	AL-KO 3-axle
Output		96kw / 130 HP	96kw / 130 HP
WEIGHTS AND DIMENSIONS			
double floor height	cm	50	50
wheelbase	m	3750	4350+(800)
tyres		225/75R16	225/75R16
tech. admissible total mass when loaded	kg	4.250	5.000
mass when ready to drive ¹⁾	kg	3.450	4.050
trailerload, braked (attention for authorized trailer load)	kg	2000	1600
total length	m	6,62	8,65
total width	m	2,40	2,40
total height	m	3,27	3,27
internal width	m	2,22	2,22
standing height	m	1,98	1,98
height of alcove	cm	75	75
dimensions of front seating	cm	190x108	190x108
dimensions of rear bed/ rear seating	cm		200x90 + 188x90
dimensions of alcove bed	cm	210x165	210x165
dimensions of lengthways bench	cm	190x65	136x65
beds		5	6
admissible numbers of persons		4(6)**	4 (6)**
3-point safety belts		4 (6)**	4 (6)**
no. of Seitz framed windows and fly screens		5	7
number of service traps		5	6
wall thickness (walls, roof, floor)	mm	40/40/38	40/40/38
fresh water/ waste water tank	L	150 (50) ***/ 150	150 (50) ***/ 150
battery capacity	Ah	2x105	2x105
refrigerator	L	117	117

1) mass when ready to drive: empty vehicle including driver, gas and water tanks, power supply without special equipment * only in combination with reverse seat safety belts
 ** only in combination with reverse seat safety belts and chassis 40H *** during travel the tank can be filled to total capacity of 150l, if total weight limit is not exceeded ****only with 40H chassis ***** only with seat-belts in the rear

STANDARD EQUIPMENT

■ CHASSIS

- Al-ko wide track lowered chassis
- ABS
- air conditioning
- driver and passenger airbag
- Fix & Go tyre repair kit
- electrical windows
- carpet in cabin
- wheel covers
- cabin seats upholstered as seats in living area
- electrically adjusted and heated outside mirrors
- cruise control
- white varnished bumper

■ BODY

- winter proofed body / Norm EN 1646
- light double floor construction, continuous, isolated and heated
- aluminium profiles for floor-to-wall connection
- light floor construction with aluminium supports

- alcove made of polyester moulded piece
- heated and isolated alcove, height 75cm
- folding alcove floor
- security net for alcove
- huge alcove with decorative bed frame at the front
- storage room in double floor - GF coated (floor and walls)
- panorama glass roof
- furniture design Wild Cherry
- sliding door to the cabine
- furniture „individuality“
- quiet ambiance lighting
- reading lights
- wall thickness: wall, roof, floor 40/ 40/ 38 mm
- electrical entrance step/ switch at driver's seat
- warm water central heating Alde 3010
- Seitz framed windows with fly screen
- double pressed polyester „sandwich“ roof
- Plug & Play-preparation for fuel cell (EFOY)

- service traps on both sides
- Euratex mattresses
- comfort entrance door with window and double bolt
- height of storage room in double floor: 50cm
- speakers above side seating bench (with radio switch)
- Heki

■ KITCHEN

- drawers with metal roller guide rail
- deep hanging cupboards, with shelves and shelve edges
- refrigerator 117l
- 3-flame built-in hob with glass top
- metal bottle drawer
- floor units with deep drawers
- ceramic toulets

■ BATHROOM

- massive framed door with sturdy handle
- storage cabinets and mirror
- washbasin built-in design vanity unit

- with Corian top
- separated shower
- bath accessories: soap dispenser, toilet paper holder, toilet brush

■ WATER INSTALLATION

- fresh water pipe system - flexible plastic
- fixed pipe system for waste water
- fresh water tank 150l (50l) isolated and heated in d. floor
- outflow valve for fresh water system
- waste water tank 150l, isolated and heated in d. floor
- pressurised water pump
- household quality tab fittings for washbasin and shower
- metal, heated outlet valve in double floor
- corresponds to technical data 10/2007 (guidelines 2002/72/EG)



A 820 HS

Fiat Ducato

AL-KO 3-axle
96kw / 130 HP

50
4350+(800)
225/75R16
5.000
4.050
1600

8,65
2,40
3,27
2,22
1,98
75
190x108
220x195
210x165
136x65
5
4 (6)**
4 (6)**
7

6
40/40/38
150 (50) ***/ 150
2x105
117



double floor: 50 cm
warm water heating
AL-KO lowered chassis
alcove in moulded polyester
sliding door to the cabin
EFOY Plug & Play
Eura Mobil
"Sealed structure"

■ ELECTRICAL INSTALLATION

- electr. control system for body's electr. system
- electronical onboard panel w/additional functions
- electrical high performance charger
- 105 Ah body's battery
- ceiling light - switch near entrance
- number of 230 V wall sockets: 3
- number of 12 V wall socket: 2
- adjustable living-room lights

INCLUDING COMFORT CABIN PACK

- bumper varnished electr. rear view mirrors
- alternator 140A
- air conditioning
- co-driver airbag
- steering wheel with switch control
- cruise control
- height adjustable seats with 2 armrests
- radio with CD
- antenna

UPPER CLASS AMBIANCE:

- exclusive furniture design
- exceptional upholstery
- sliding door to the cabin
 - central heating
 - Panorama sun roof
- Double floor height 50 cm
 - Premium insulation



TECHNICAL DATA		Q 580 FB	Q 580 LB
BASIC VEHICLE		Fiat Ducato	Fiat Ducato
Model/ Engine		33L	33L
Output		88kw / 120 HP 115kw / 157 HP(Option)	88kw / 120 HP 115kw / 157 HP(Option)
WEIGHTS AND DIMENSIONS			
wheelbase	m	4,04	4,04
tyres		215/705R15	215/705R15
tech. admissible total mass when loaded	kg	3.300	3.300
mass when ready to drive ¹⁾	kg	2980 / 3030	2980 / 3030
trailerload, braked (attention for authorized trailer load)	kg	2.500	2.500
total length	m	5,95	5,95
total width	m	2,05	2,05
total height	m	2,65	2,65
internal width	m	1,86	1,86
dimensions of rear bed	cm	140x190	130/110x190
beds		2	2(3)
admissible numbers of persons		4	4
3-point safety belts		4	4
fresh water/ waste water tank	L	100 l / 90l	100 l / 90l
battery capacity	Ah	105 Ah	105 Ah
refrigerator	L	80l	80l

1) mass when ready to drive: empty vehicle including driver, gas and water tanks, power supply without special equipment * only in combination with reverse seat safety belts
 ** only in combination with reverse seat safety belts and chassis 40H *** during travel the tank can be filled to total capacity of 150l, if total weight limit is not exceeded *****only with 40H chassis ***** only with seat-belts in the rear

STANDARD EQUIPMENT

■ CABIN

- 88kw/120 HP multijet-engine
- driver and codriver airbags
- ASR
- air conditioning
- radio with CD
- central locking
- cruise control (Tempomat)

■ BODY

- winter-proofed body
- freshwater tank inside cabin, heated wastewater tank
- metallic paint
- electrical entrance step
- insulation on the side panels and floor
- furniture in trendy, modern design
- ambiance: Cuba
- modern living space with double stitched upholstery
- overhead cupboard doors with cream leather look
- huge storage space under rear bed /

bunk bed

- fitted carpet in driver's cab and living room
- Air Top 3900 heating
- fold-away rear bed (Q580FB) allows bigger storage space
- extremely comfortable couch in Q580LB

■ KITCHEN

- refrigerator 80l
- 2-flame hob
- access to kitchen cupboard from inside and outside

■ BATHROOM

- integrated built-in shower
- cassette toilet
- mirror
- movable washbasin

■ WATER INSTALLATION

- 10l waterboiler
- isolated and heated fresh water system inside cabin
- heated waste-water tank under the floor
- pressurised water pump
- corresponds to technical data 10/2007 (guidelines 2002/72/EG)

■ ELECTRICAL INSTALLATION

- electr. control system for body's electr. system
- electronical onboard panel w/additional functions
- electrical high performance charger 20A
- 105 Ah body's battery

FOR NEW USERS:

- compact dimensions (< 6m)
- versatile family floor plans
- attractive metallic finish
- heated wastewatertank
- powerful diesel heating

*The light
versatile
starting model
trendy exterior design
harmonious interior
extra powerful
heating*

**INCLUDING
FIRST CLASS PACK
(STANDARD)**

driver and co- driver airbags,
air conditioning,
cruise control,
central-locking driver's cabin,
electrical and heated wing mirrors,
height adjustable seats
with 2 armrests,
wheel covers,
radio with CD and 4 loudspeakers,
steering wheel with
remote control



Equipment:

S = Standard O = Option (special equipment) — = not possible



Code	Description	Terrestre Profilé	Contura	Integra
CHASSIS				
2111	130 HP FIAT engine (surcharge on 100 HP engine)	S/O	S	S
2112	160 HP FIAT engine (surcharge on 130 HP)	O	O	O
2171	140 HP FORD engine - 6 gear gearbox (surcharge on 115 HP - 5 gear engine)	—	—	—
2361	3 axle chassis instead of 2 axles (for some models only)	—	—	O/S
2357	Additional front axel suspension (for a tech. Admissible total mass when loaded of 3,5T)	—	—	—
2151	Airbag driver	S	S	S
2155	Airbag co-driver (as part of the FIAT Comfort Pack)	O	S	S
2710	Air conditioning: manual with particle filter	O	S	S
	Air conditioning in cabin (incl. Heat isolating glazing) - only available as part of Comfort Cabin Pack Profila	—	—	—
2220	Alu wheels 6,5" x 15" for Ducato 35L	O	O/—	—
2223	Alu wheels 6,5" x 16" for Ducato 40H and Ford	O	O	O
2224	Alu wheels 6,5" x 16" for Ducato 40H 3 axles	—	—	—
2229	Alu wheels 8,5x17" for Fiat Ducato 40 H 3 axles	—	—	O/—
2133	Automatic gearbox Fiat for AL-KO Chassis - only with 160 HP engine (2112)	O	O	O
2134	Automatic Fiat gearbox including ESP, ASR and "Hill Holder" - only available with 160 HP engine (2112)	—	—	—
	Chassis 35L instead of 33L (surcharge)	S/O	S/—	—
2311	Chassis 40H instead of 35L (surcharge)	S/O/—	S/O	S
2838	Comfort Cabin Pack Profila (electrical rear view wing mirrors, co-driver airbag, air conditioning, cruise control, complete silver finish of cabin)	—	—	—
2830	Comfort Cabin Pack Terrestre A & T (bumper varnished, electr. rear view mirrors, alternator 140A, air conditioning, co-driver airbag, steering wheel with switch control, cruise control, height adjustable seats with 2 armrests, radio with CD)	O	—	—
2571	Cruise control for Fiat chassis (as part of the Comfort Cabin Packs Terrestre A&T (code 2830), as part of the First Class Pack (code 2841)	O	S	S
2561	Electrically adjusted and heated outside mirrors	O	S	S
2841	First Class Pack for Quixta (driver and co-driver airbags, air conditioning, electrical rear view mirrors, height adjustable seats with 2 armrests, cruise control, wheel covers, radio with CD and 4 loudspeakers, steering wheel with switch control, central	—	—	—
	Fix and Go Kit	S	S	S
Finish and outer designw				
2416	Complete finish of vehicle "Artic-blue"	—	—	—
2417	Complete finish of vehicle "Champagne"	—	—	—
2418	Complete finish of vehicle "Silver grey"	—	—	—
2412	Complete silver finish of cabin (as part of the Profila's Comfort Cabin Pack)	—	—	—
2411	Complete finish of vehicle	O	O	O
5465	Pack Champagne Edition consists of the Champagne finish of the cabin, skirts, roof and rear wall rails, bumper and rear wall	O	—	—
5466	Pack Silver Edition consists of the "Silver Grey" finish of the cabin, skirts, roof and rear wall rails, bumper and rear wall	O	—	—
5467	Pack Silver Frame consists of the Silver finish instead of Champagne of the skirts, roof and rear wall rails and rear wall	O	—	—
5468	Finish of rear wall - Silver Grey	O	—	—
5469	Finish of rear wall - Champagne	O	—	—
2821	Varnished Bumper: white	O	S	—

NB: options and accessories increase the empty weight of the vehicle and reduce the additional load capacity. Dimensions - interior and exterior length and height may also be altered by options and added equipment.



Profila	Terrestre Capucine	Activa	Quixta	Additional weight kg
—	S/O	S	—	15
—	O	O	O	65
O	—	—	—	2
—	—	—	—	-
—	—	—	O	1
S	S	S	S	2
O	O	S	S	2
—	O	S	S	30
O	—	—	—	18
—	O	O/—	—	4
O	O	O/—	—	4
—	—	O/—	—	6
—	—	O/—	—	6
—	—	O	—	17
—	O	—	O/—	17
—	S	—	—	-
—	O/—	S	—	40
O	—	—	—	15
—	O	—	—	15
—	O	S	S	3
—	O	S	S	4
—	—	—	S	16
—	S	S	S	-
—	—	—	S	-
—	—	—	S	-
—	—	—	S	-
O	—	—	—	10
O	O	O	—	20
—	O	—	—	-
—	O	—	—	-
—	O	—	—	-
—	O	—	—	-
—	O	—	—	-
—	O	—	—	-
—	O	S	—	2

Equipment:

S = Standard O = Option (special equipment) — = not possible



Code	Description	Terrestra Low profile	Contura	Integra
2822	Varnished bumper : silver (Terrestra A&T: as part of the Comfort Cabin Pack, code 2830)	O	—	—
2825	Varnished bumper : Champagne (Terrestra A&T: as part of the Comfort Cabin Pack, code 2830)	O	—	—
2555	Fog lights for Integra	—	—	O
2370	Fuel tank 125l	O	O	O
2759	Heated seats for driver and co-driver seats (not available with rotating seats)	—	O / —	S
2813	Mudguard (2 at the rear)	O	S	S
2118	Particle filter Fiat (not available with either automatic gearbox 2133 or 2134)	O	O	O
2251	Spare wheel	O	O	O
CABIN				
3680	Cabin blinds (wind screen and side windows)	O	O	—
3671	Carpet in cabin (one piece)	O	S	S
Communication systems				
3215	Loudspeaker (2) in the living space	O	S	S
3260	DVD navigation system with TMC, radio and integrated reversing camera	O	O	—
3271	Multimedia DVD navigation system with 19" screen, sound package, double DIN pit and reversing camera (surcharge against standard radio)	—	—	O
3211	Radio preparation with antenna in rear view mirror and loudspeakers in the cabin	O	—	—
3223	Radio with CD-player including radio preparation - As part of the Comfort Cabin Pack Terrestra A&T (code 2830)	O	S	O
3311	Reversing camera (colour) with TFT colour monitor	O	O	O
3851	Dashboard panel with Root wood effect - FIAT	O	O	O
2750	Heating: Auxiliary cabin heating (Webasto water heating system for water cooling circuit)	O	—	—
2754	Heating: Additional air heater for cabin - Integra (Webasto diesel air heater)	—	—	O
3613	Insulation curtain (all round cabin insulation)	O	O	—
3661	Insulating thermo-curtain to the cabin	—	—	—
3531	Protective seat covers matching upholstery material in living area (for driver and co-driver seats)	S	S	S
6476	Pull-out bar - Whisky bar	—	—	O
BODY				
5234	Attachment system for rear garage includes 2 anchoring rails and 3 pairs of straps	O / —	O / —	O / —
Awnings				
5241	Awning 3 m - mechanical	O / —	—	—
5242	Awning 3,5 m - mechanical	O / —	—	—
5243	Awning 4 m - mechanical	O / —	O / —	—
5244	Awning 4,5 m - mechanical	O / —	O / —	O / —
5245	Awning 5 m - mechanical	—	—	O / —
5246	Awning 5,5 m - mechanical	—	—	O / —
5328	Awning 3,7m - mechanical - with cross bar and roof rack	—	—	—
7322	Battery - second 105Ah battery with 16A charger - surcharge	O	S	S

NB: options and accessories increase the empty weight of the vehicle and reduce the additional load capacity. Dimensions - interior and exterior length and height may also be altered by options and added equipment.



Profila	Terrestra Coach Built	Activa	Quixta	Additional weight
				kg
—	0	—	—	2
—	0	—	—	2
—	—	—	—	2
—	0	0	—	37
—	0/—	0	—	2
—	0	S	—	4
—	0	0	—	10
S	0	0	0	45
—	0	0	S	7
0	0	S	0	2
0	0	S	—	1
0	0	0	—	7
—	—	—	—	7
—	0	—	—	1
—	0	S	—	2
0	0	0	—	6
—	0	0	0	1
0	0	—	—	15
—	—	—	—	5
0	0	—	0	5
0/—	0/—	—	—	4
0	S/0	S	S	1
—	—	—	—	5
—	0/—	0/—	—	4
—	0/—	—	—	25
0/—	0/—	0/—	—	31
0/—	—	—	—	36
—	0/—	—	—	44
—	—	—	—	50
—	—	0/—	—	60
—	—	—	0	45
0/—	0	S	—	24

Equipment:

S = Standard O = Option (special equipment) — = not possible



Code	Description	Terrestra Low profile	Contura	Integra
7326	Battery - third 105 Ah battery with 16A charger - surcharge	O	O	O
7328	Battery: gel instead of acid (supplement per battery)	O/S	O	O
6220	Bed - Additional bed (dinette into sleeping place) for 1 person	O	O/—	—
6224	Bed - Additional bed (dinette into sleeping place) for 2 persons	O	—	O
6231	Bed - Electric height adjustable	—	—	—
6665	Bunkbed (double width) instead of fixed bed	—	—	—
6341	Bed - Diner seat conversion into bed (with additional upholstery)	—	—	—
6430	Bed - Drop down bed instead of hanging cupboard	—	—	O
Bicycle racks				
5144	Bicycle rack for 2 bikes - mounted in garage - depending on floorplan	O/—	O/—	O/—
5147	Bicycle rack for 2 bikes (max 30 kg)	—	—	—
5141	Bicycle rack Quick-Block for 3 bikes (max 45 kg)	O	O	O
5142	Bicycle rack Quick-Block for 4 bikes (max 60 kg)	O	O	O
6453	Corian kitchen and working surfaces (depending on floor plan)	—	O	O
Fuel cells				
7339	EFOY Plug & Play - Preparation for installation of fuel cell	O	S	S
7331	EFOY fuel cell 1200 (only in coordination with code 7339)	O	O	O
7332	EFOY fuel cell 1600 (only in coordination with code 7339)	O	O	O
7332	EFOY fuel cell 2200 (only in coordination with code 7339)	O	O	O
5576	Fly screen for body door	O/S	O	O
7516	Gas installation system: SecuMotion Comfort	O	O	O
7512	Gas socket	O	O	O
Heating systems				
	Central heating system - Alde	—	S	S
7228	Central heating system - circulation pump 230 V - Alde (only together with 7227)	—	O	O
7223	Central heating system: Heat exchanger	—	O	O
7220	Heating system Combi 6 (surcharge on Combi 4)	O/S	—	—
7229	Heating system Combi 6 EH - electrical heating (surcharge on Combi 4)	O/—	—	—
7226	Heating system Combi 6 EH - electrical heating (surcharge on Combi 6)	O/—	—	—
7221	Heat Exchanger (heat of engine generated while driving is used to heat inside body while driving)	O	—	—
Kitchen				
7230	Extractor hood	O	S	S
7231	Oven grill combination (depending on floorplan, only available with 175I refrigerator)	O/—	O/—	S/O
7237	Oven grill combination with 175I AES refrigerator and extractor fan	O/—	O/—	O/—
7259	Oven grill combination with 150I AES refrigerator (Tec Tower) - only for PA675, PA675 and PA685	—	—	—
7253	175I AES refrigerator	O/—	S/O/—	S
5151	Motorbike platform - depending on chassis (for Terrestra A & Terrestra I only available with 40H chassis)	O	O	O
5411	Outside lighting	O	S	S
5441	Outside shower (cold/hot)	O	O	O
5111	Rear corner steadies	O	S	S
5535	Roof canopy HEKI	O	S	S
5534	Roof canopy Heki - electrical	O	O	O
5532	Roof canopy with electrical ventilation	O	O	O
5521	Roof - Panorama glass roof , insulated	O	S	S

NB: options and accessories increase the empty weight of the vehicle and reduce the additional load capacity. Dimensions - interior and exterior length and height may also be altered by options and added equipment.



Profila	Terrestra Coach Built	Activa	Quixta	Additional weight
				kg
—	0	0	—	24
O/S	0	0	—	-
—	—	—	S/—	10
—	—	—	—	13
—	O/—	—	—	20
—	—	—	O/—	-
O/—	O/—	—	—	3
—	—	—	—	45

O/—	O/—	O/—	—	8
—	—	—	0	6
0	0	0	—	6
0	0	0	—	7
—	—	0	—	12

—	0	S	—	-
—	0	0	—	18
—	0	0	—	18
—	0	0	—	4
S	0	0	—	-
0	0	0	—	1
0	0	0	—	1

—	—	S	—	15
—	—	0	—	3
—	—	0	—	5
0	O/S	—	—	-
0	O/—	—	—	5
—	O/—	—	—	5
0	0	—	—	4

0	0	S	—	5
—	O/—	O/—	—	38
—	O/—	O/—	—	38
O/—	—	—	—	30
—	O/—	S/O/—	—	18
0	O/—	0	—	50
0	0	S	—	1
0	0	0	—	1
0	0	S	—	8
0	0	S	—	22
0	0	0	—	25
0	0	0	—	25
—	0	S	—	15

Equipment:

S = Standard O = Option (special equipment) — = not possible



Code	Description	Terrestra Low profile	Contura	Integra
5220	Roof ladder	O	O	O
5227	Roof rack with ladder	—	—	—
5228	Crossbar for Cargosystem	O	O	O
5328	Roof rack with crossbar and 3,7m mechanical awning	—	—	—
6321	Safety belts and comfort head-rests against driving direction (2 lap belts)	—	—	—
6323	Safety belts and comfort headrests in driving direction in rear U-lounge (TA570HS)	—	—	—
5577	Security 2 Comfort body door (security door with double bolt, built in window and reinforced door frame)	O/—	S	S
6671	Shower door instead of shower curtain	S	S	S
6651	Storage trapdoor - rear (storage in double floor - depending on dimensions and floor plans)	—	—	—
6656	Storage trapdoor: additional garage trap (left) - depending on floor plan	O/—	S/—	S/—
TV systems				
3448	LCD Flat screen - 19" incl. TV kit in overhead cupboard	O/—	O	O
3442	Telescopic arm for flat screen in overhead cupboard	O/—	—	—
3443	Telescopic arm for flat screen draw in side cupboard (instead of whisky / wine bar)	—	—	O
3446	TV-Kit with 230 and 12 Volt sockets + antenna cable and flatscreen holder	O	O	O
3423	SAT aerial - mechanical (articulated mast and digital receiver included)	O/—	O	O
3426	SAT aerial - fully automatic (common interface and digital receiver included)	O	O	O
7625	Toilet ventilation (SOG system)	O	O	O
5122	Trailer coupling FIAT (removable)	O	O	O
5127	Trailer coupling FORD (max 1000 kg)	—	—	—
Upholstery / Deco (surcharge on standard equipment)				
3882	Bedspread for double bed	O/—	S	S
3881	Bedspread for single bed	O/—	S	S
6273	Carpet in body	O	S	S
6561	"Green Village" world design (interior ambiance exclusive for Integra includes emerald green curtains and bed spreads)	—	—	O
6172	Upholstery "Cuba"	S	—	—
6170	Upholstery "Beach"	—	—	—
6171	Upholstery "Maritime"	O	—	—
6176	Upholstery "Rossini"	O	O	O
6175	Upholstery "Cabana"	O	O	O
6178	Upholstery "Ikeba"	O	—	—
6177	Upholstery "Manosque"	O	O	O
6158	Upholstery "Sara"	—	S	S
6126	Upholstery "Riva"	—	O	O
6157	Upholstery "Xtra"	—	O	O
6150	Leather upholstery - Beige (incl. cab seats)	O	O	—
6151	Leather upholstery - Brown (incl. cab seats)	O	O	—
6141	Leather upholstery - Black - (incl. cab seats)	O	O	—
6161	Leather upholstery Integra - Beige (incl. cab seats)	—	—	O
6160	Leather upholstery Integra - Brown (incl. cab seats)	—	—	O
6162	Leather upholstery Integra - Black (incl. cab seats)	—	—	O
7651	Watertank - additional fresh water tank 120 l (depending on floor plan)	—	—	O
5511	Window - Alcove window - left	—	—	—
5512	Window in bathroom (depending on floor plan)	O	O	O

NB: options and accessories increase the empty weight of the vehicle and reduce the additional load capacity. Dimensions - interior and exterior length and height may also be altered by options and added equipment.



Profila	Terrestra Coach Built	Activa	Quixta	Additional weight
—	0	0	—	8
0	—	—	—	20
0	0	0	—	2
—	—	—	0	45
0/—	0/—	0/—	—	30
—	0/—	—	—	30
—	0	S	—	20
0/S	S	S	—	2
—	0/—	—	—	3
0/—	0/—	S/—	—	-

—	—	0	—	7
—	—	—	—	4
—	—	—	—	5
0	0	0	—	3
0	0/—	0	—	11
0	0	0	—	21
0	0	0	—	1
—	0	0	0	44
0	—	—	—	41

0	0	S	S	2
0/—	0	S	—	3
0	0	S	0	2-5
—	—	—	—	2
0	S	—	S	-
S	—	—	—	-
0	0	—	—	-
0	0	0	—	-
—	0	0	—	-
—	0	—	—	-
—	0	0	—	-
—	—	S	—	-
—	—	0	—	-
—	—	0	—	-
0	0	0	—	-
0	0	0	—	-
0	0	0	—	-
—	—	—	—	-
—	—	—	—	-
—	—	—	—	-
—	—	0/—	—	130
0	0	S	—	4
0/—	0/—	0/—	—	6



All details in this document refer only to the products described and sold by Eura Mobil GmbH. The models shown in this brochure are available in Germany. Certain models also include optional, not standard equipment. All weights may vary by $\pm 5\%$. In certain countries, national regulations may involve variations in models and equipment. Please request details of the whole range, available specifications and specific equipment from your Eura Mobil dealer.

No liability for errors or modifications in construction, equipment and extras. On publication, this brochure replaces previous catalogues.

© Eura Mobil GmbH 2009.

Reproduction only authorised with written permission from Eura Mobil Ltd.

August 2009

Eura Mobil

Kreuznacher Straße 78
D-55576 Sprendlingen/Rhh.
Tel. +49 (0) 67 01 / 20 3-200
Fax +49 (0) 67 01 / 20 3-210
info@euramobil.de
www.euramobil.de


EURA MOBIL