

puro Italian design | collection 2017



// WHEN THE STYLE **TURNS INTO DESIGN**

A story that has changed the leisure vehicles' world and turned the traditional handicraft into design; the Mobilvetta story has paved the way to internationalisation and anticipated the future. To be born in the sixties as furniture manufactures led Mobilvetta to develop a very innovative know how over the years.

A new product philosophy was introduced: the conception of the recreational vehicle not only as a well-equipped product but as a real "travelling home". The handicraft skills joining the advanced technology systems contribute in reaching high quality standards.

// INDEX

// MOTORHOME



K-YACHT & K-YACHT TEKNO LINE

“Marine” style and Italian design in a perfect fusion in the K-Yacht models. An exclusive and very accurate A-Class range of models with an elegant and essential shape: the pure Italian design.

// LOW PROFILE



K-SILVER

An exclusive and very accurate A-Class range of models with an elegant and essential shape: the pure Italian design.

KEA P

The perfect models for the ones that look for a unique style in the harmony of lines and design solutions. Very accurate interior design with a high standard equipment and living comfort.

// COACH BUILT




KEA M

The perfect models for the ones that look for a unique style in the harmony of lines and design solutions.

K.yacht
Tekno Line





K.yacht



Kea P



K.Silver



Kea M





// FEELING **AT HOME**



// THE PURE **ITALIAN DESIGN**



// THE TASTE **OF HOME**



// COMFORT IN **THE NIGHT AREA**



// **LIGHTING**



// THE ELEGANCE **OF ITALIAN FABRIC**



// THE BODY **STRUCTURE**



// **HEATING**



// THE BODY STRUCTURE

Rear & side walls

Wood totally removed.

Inner and outer surface made of fibreglass with composite resins in the sandwich structure. Total waterproofing.

Roof

Wood totally removed. Inner and outer surface made of fibreglass with composite resins in the sandwich structure. Total waterproofing.

Floor


Wood totally removed. Inner and outer surface made of fibreglass. Extruded materials with high insulating performance. Structure made with profiles in composite resins.

- Waterproofing
- Heat insulation
- Stability



SIDE, REAR WALLS & ROOF


Wood-free supporting frame made of newly designed plastic resins. Fibreglass underbody coupled with non-slip PVC highly resistant to abrasion. Lighter structure and higher mechanical strength than the traditional wooden panels. Elimination of thermal bridges generated by the wood with higher heat insulation. Easy maintenance. Frame assembly with sound-absorbing materials for a better soundproofing.



- Easy maintenance
- High mechanical strength

THE FLOOR STRUCTURE

Wood-free supporting frame. Exclusive design profiles with high strength thermosetting resin composites. Exterior and interior fibreglass coating. Waterproofing, elimination of thermal bridges generated by the wood. Structure made of extruded materials with higher heat insulation. Industrial type assembly to ensure high quality standards.




- Lighter walls
- Better soundproofing


- Kea Low Profiles 54 mm
- Kea Coachbuilt 54 mm
- K-Silver 54 mm
- K-Yacht 54 mm
- K-Yacht Tekno Line 54 mm




01 CONNECTION ROOF / WALL
Reinforced aluminum profiles, with 160 mm radius. High strength to the structure. Higher heat isolation and stability. Only for Kea P, K-Yacht and K-Yacht Tekno Line range foreseen.



02 ROOF STRUCTURE
33 mm thickness with exterior step-on surface in fibreglass. Total absence of wood. Internal and external surface made of fibreglass, plastic highly structured resins. Totally waterproof, soundproofing, higher heat insulation and maximum stability.




03 WALL STRUCTURE
Total absence of wood. Internal and external surface made of fibreglass, plastic highly structured resins. Totally waterproof, sound proofing, higher heat insulation and maximum stability.





04 FLOOR STRUCTURE

Total absence of wood. Sandwich structure with lower and upper fiberglass coating and a new supporting frame made of high structural plastic resins. Stronger, lighter and waterproof. High heat insulation.



05 THE WINDOWS

Insulating windows, PU frame with no thermal bridges. Black window profiles. Window blinders adjustable in every position. Comfortable opening system



06 GARAGE DOORS

Elegance and better planarity with the garage doors "in-line" with the side walls. Fibreglass coating.





11 THE GARAGE COMPARTMENT
Easy access through two doors with maximum height up to 1100 mm. Inside garage height up to 1470 mm. Inside lighting and a maximum stability thanks to the aluminium coating. Floor plane of the garage at the same level of the aluminium frame



12 EXTERNAL WATER INTAKE
External water intake with warm / cold mixer as practical shower and standard equipment.



13 STORAGE COMPARTMENTS
Two storage box at the floor level. One 13 cm deep compartment and an insulated case holding up to 6 bottles.





14 **EXTERNAL SOCKET**

Multifuntion external socket for TV - 12 / 220 volt and satellite.



15 **SKIRTS**

Aluminium skirts in metallic anthracite painting. High vehicle's strength.



16 **RCA CABLE FOR REAR VIEW CAMERA**

Rear view camera cable pre-setting in the roof for an easy and fast installation.





// FEELING AT HOME

Modern and exclusive living area. High quality of materials, care in all details.
Elegance and design made in Italy.



ACCESS BAR

Retro-illuminated handle for an easy access to the vehicle.

TV HOLDER

Rotating TV holder for a comfortable TV view from several living area locations.



MULTIFUNCTIONAL CONTROL BOARD

Color digital control board with sensor for inside/outside temperature (K-Silver, Kea P, Kea M and K-Yacht).

MULTIFUNCTIONAL TOUCHSCREEN CONTROL BOARD

Color digital control board with sensor for inside/outside temperature (K-Yacht Tekno Line).



SEPARATION DOOR

Sliding separation door night/day area (when foreseen).

ENTRANCE DOOR

Entrance door with window, blinder, integrated dustbin and pleated sliding mosquito net.





**BACK OF THE DINETTE SEAT
WITH ADJUSTABLE HEADREST.**
Sofa with adjustable headrest.

USB INPUT & LOUDSPEAKERS

Loudspeakers in the living area for an optimal sound diffusion. USB input located under the furniture cupboards.



FOLDING COACHBUILT BED
Folding bed in the coachbuilt for an easy access from and to the cabin. (Kea coachbuilt models).

THE FURNITURE

Furniture in cherry-wood Walliser color, doors in white laminate with inserts and chrome handles. Large lockers.





CONFORT & STYLE IN THE LIVING AREA


- Wide space
- 180° rotating swivel cabin seats
- Seat covers matching with living area upholstery
- Height adjustable cab seats with double armrests (when foreseen)
- High quality upholstery materials
- Comfortable side sofa with fifth place as option (when foreseen)
- LED lighting with dimmer

- L-dinette with side bench
- Ergonomic seats
- Table frame with chrome looking insert
- Sliding table
- Large storage compartments
- Spacious and functional fabric storage pockets
- Table with 360° rotation system



// THE TASTE OF HOME

Exclusive choices for an environment expressing the pure Italian style: elegance and functionality mixing together for a modern and innovative space.




OVEN WITH GRILL & FRIDGE

Large oven with thermostat, lighting and 30 liters capacity. Standard equipment in the K-Yacht range. Optional for the K-Silver, Kea P and Kea M. Fridge located at optimal height. Total capacity of 150 liters of which 25 liters space for the freezer.

DRAWERS

Wide and functional drawers with integrated cutlery tray. Soft closing. Practical ergonomic handles.





EXTRACTOR HOOD

Extractor hood integrated in the kitchen furniture.

WORKTOP

Heat resistant worktop in laminated finishing; dustbin with cover integrated in the kitchen top, elegant taps, sink in stainless steel mirror finish. (K-Silver, Kea P, Kea M and K-Yacht)




K-YACHT TEKNO LINE WORKTOP

Heat resistant worktop in acrylic stone finish; dustbin with cover integrated in the kitchen top, elegant taps, sink in stainless steel mirror finish.

MULTIFUNCTIONAL CUTTING BOARD

Double function of the kitchen sink cover with lower part made of Teflon to be used as a cutting board. Cutting board/sink cover integrated in a removable top to be stored inside the kitchen drawer (when foreseen).





// COMFORT IN THE NIGHT AREA

Night area conceived with modern solutions, high quality materials and care for details.




MATTRESSES

The newly ergonomic mattresses ensure a better sleeping quality. Non-deformable and with high density paddings made of expanded polyurethane. The upholstery fabric is removable, easily washable and with anti-mite treatment.

TV CABLE PRE-SETTING

Tv cable pre-setting in the rear night area. Rotating TV holder in the night area (when foreseen) with 220V socket and TV socket.



BED HEADRESTBOARDS

Padded headboards matching the living area upholstery. Rotating LED spot lights. (K-Silver, Kea P, Kea M and K-Yacht)

K-YACHT TEKNO LINE BED HEADRESTBOARDS

Padded headboards matching the living area upholstery. Rotating LED spot lights. (K-Yacht Tekno Line).



BED STAVES

Bed with orthopedic staves. Reclining stave to adjust the head position (when foreseen)

ROOFLIGHT

Large rooflight (50x70 cm) with blinder and fly screen.






TOILETTE SINK AND TOILETTE ACCESSORIES

Toilette sink in synthetic stone material
High quality tapware, stainless steel sink in mirror finish.
Soap and toothbrush holder made of ceramic.

THE TOILETTE WINDOW

Large window to provide a well-lit toilette room.




ROOFLIGHT OVER THE SHOWER AND TURBOVENT

Practical and functional rooflight 28x28 cm over the shower, with clothes-horse and coat hanger. Turbovent 28x28cm in the toilette standard on all models except for K-Silver 58, Kea P69, K-Yacht 79 and K-Yacht Tekno Line 79.

SEPARATE SHOWER


Separate shower with an elegant smoky methacrylate door. Shower platform in tek wood. Scratch-resistant shower column and shower cap in wenge wood coloured material.





BEST CONFORT

- Large Shower dimensions
- Chromotherapy in the shower with control board (optional)
- Stainless steel storage shelves
- LED lighting in the shower
- High quality tapware
- Shower floor in fiberglass



// LIGHTING

European leadership for interior & exterior LED lighting: innovative solutions at low consumption. Standard daytime lights in every model.

Additional lights on the ceiling and in several other spots inside the vehicle.

Dimmer for self-regulation of the light intensity.



LED LIGHTING 100%

High efficiency, low consumption for higher service battery spare charging
Instant lighting with maximum intensity
Blue courtesy light (Night Light).

COURTESY LIGHT

Care in all details: courtesy light at the entrance step right side.



SPOT LIGHTS

Side spot lights at the bed headboard.

BRIGHTNESS REGULATOR

Dimmer to regulate the lighting inside the vehicle.



WELCOME HOME

Innovative external lighting
WELCOME HOME at the entrance door.

NIGHT LIGHT MARKS

Light marks to facilitate your movements at night.





// HIGHEST RESISTANCE DURING WINTER TIME

Compact and ultra-light Combi heater 6000W

Frost control through an exhaust and safety valve

Short times for water heating and long lasting wellness under the shower

Stainless steel water tank




THE COMBI 6 HEATING SYSTEM

Heater with air ventilation. Several vents in the vehicle: direct vent in the cabin to integrate the dashboard heating; other vents in the dinette under the table and at the entrance door; additional vents in the bathroom, in the sleeping area and inside the garage (OPT K-Silver).

FLOOR HEATING

Floor heating with self-regulating polymeric heating cables. Heat spread over the whole area.

- Energy efficiency and costs saving
- No risk of overheating
- Automatically adapted heat emission (OPT KEA M, KEA P, K-Silver and K-Yacht STD K-Yacht Tekno Line).




CP PLUS

Central heating system control board Boost function for both a fast water and environment heating. Timer Heat regulator.

DASHBOARD/WINDSHIELD PROTECTION

Greater windshield protection against cold/heat. Greater protection against cold draughts inside the passenger compartment. (OPT K-Yacht and K-Yacht Tekno Line).



WINTER PACK

Waste water tank coated with 20 mm insulating material and with anti-freezing resistor.

WINDSHIELD

Windshield with double function: defroster in winter season and solar heat protection during the summer (OPT K-Yacht and K-Yacht Tekno Line).





// THE ELEGANCE OF **ITALIAN FABRIC**

The fabric selection is an important detail in the Mobilvetta interior design. The Company is constantly searching for high-quality and functional fabric to match any kind of need.

The materials of the seating, the curtains, the headboards and storage pockets are matching with each other, enhancing the elegance and the pure Italian design. All selected fabrics are easy to wash, stain resistant and with anti-mite treatment. The comfortable padding is in polyurethane foam and non-deformable.

K. Yacht
Tekno Line

K. Yacht

Kea P

Kea M



MOBY

Fabric combined
with eco leather



LUXOR

Fabric combined
with eco leather



GREY

Fabric combined
with eco leather




PRESTIGE

Eco leather



COMFORT GREY

Eco leather



MADRAS

Real leather



SERIE

OPTIONAL

K. Silver



RAVELLO

Fabric combined with eco leather



SERIE



AMALFI

Fabric combined with eco leather



SERIE



MAIORI

Fabric combined with eco leather

POSITANO

Fabric combined with eco leather

SERIE

SERIE



K. Yacht

// K - YACHT, THE MOTORHOME

- 1 Automotive design for the frontal part
- 2 Better wide angle in the front
- 3 Great aerodynamics
- 4 Curved connection between walls and roof
- 5 Garage equipped with storage pockets
- 6 External storage integrated on the sideskirts
- 7 Cabin structure reinforced with a resistant safety rollbar
- 8 Ergonomic seats with double armrest and high backrest
Centralized locking cabin/body with remote control
- 9 Multifunction heated rear wing mirrors electrically adjustable
from inside the vehicle and with integrated aerial




1



2



3



4



5



6




7




8



9




- 1 Bottom floor made of material with high insulation coefficient
- 2 Reinforcement sub-frame made of special steel
- 3 Rear floor panel made of single-block press-formed aluminium
- 4 Exterior compartments with steel load-bearing structure and panels made of Exalite



- 1 Hot air channel dedicated to the technical volume in the double floor
- 2 Electrical compartment structure
- 3 Front hatch structure
- 4 Insulated container
- 5 Rear hatch structure


AL-KO

OPT K-Yacht/K-Yacht Tekno Line 79, 85, 89




- 1 AMC lowered frame with modular construction system featuring low weight
- 2 Hot-galvanised frame
- 3 Axle with wider track
- 4 Torsion bar axle
- 5 Independent wheel suspensions

AL-KO



- 1 Bottom floor
- 2 Upper floor reinforcement structure
- 3 Drain water tank housing compartment
- 4 Fresh water tank housing compartment
- 5 Technical compartment for electric system

AL-KO



- 1 Technical volume of tank located on the rear axle (lower centreline effect)
- 2 Volume of rear locker (layout with garage)
- 3 Volume of front pass-through locker
- 4 Access to the pass-through locker (RH side)
- 5 Access to the pass-through locker (LH side)



// TEKNO LINE - COMPLETE EQUIPMENT

- 1 Automatic air conditioning
- 2 Alloy wheels 16"
- 3 Lounge trim level. High level instrument
Leather steering wheel & gear lever
- 4 Pleated blinds
- 5 Upholstery panel on the dinette
- 6 Kitchen top in acrylic stone matched with new design compartments
- 7 Heating floor
- 8 Cruise Control - Traction Plus - Esp - Hill Holder - Hill descend



1



2



3




4



5



6



7





8




K-YACHT MH79

AL-KO * 4143 / ** 2281




K-YACHT MH85


AL-KO * 4143 / ** 2231




K-YACHT MH80



K-YACHT MH87





K-YACHT MH84







K-YACHT MH89


AL-KO * 4143 / ** 2281



// K-YACHT MH89







			
4	4	-	Electric rear bed











			
4	4	-	Electric rear bed





K. Yacht **Tekno Line** MH80



			
4	4	-	Electric rear bed





K.Yacht **Tekno Line** MH89



4	4	-	Electric rear bed

AL-KO







Kea P

// KEA P

- 1 Nautical style for the modern canopy with built in Sky-Dome
- 2 Centralized locking cabin/body with remote control
- 3 Integrated FIAT DRL lights (LED OPT)
Front bumpers in white
Black gloss front grille & black bezel headlamps
Black skid plate
- 4 Swivel seats
Passenger seat with adjustable height
- 5 Mobilvetta branded carpets
- 6 Multifunctional heated electrical rear view mirrors with integrated defrosting system and aerial
- 7 Technical floor
Big stowage capacity
- 8 External storage integrated on the sideskirts



1



2



3



4



5




6




7



8




- 1 Bottom floor made of material with high insulation coefficient
- 2 Reinforcement sub-frame made of special steel
- 3 Rear floor panel made of single-block press-formed aluminium
- 4 External oddments holder




- 1 Hot air conduit dedicated to the technical volume in the double floor
- 2 Electrical system compartment
- 3 Front hatch
- 4 Insulated container
- 5 Rear hatch


KEA P63




KEA P67




KEA P64




KEA P68



KEA P65







KEA P69



// KEA P63







			
4	4	Electric drop-down bed	Electric rear bed






// KEA P65



			
4	4	Electric drop-down bed	-







K-Silver

// K-SILVER

- 1 Nautical style for the modern canopy with built in Sky-Dome
- 2 Integrated FIAT DRL lights (LED OPT)
Front bumpers in white
- 3 Spot light set into front-end profile
- 4 Aluminium skirts in metallic anthracite painting
- 5 Centralized locking cabin/body with remote control
- 6 Swivel seats
Passenger seat with adjustable height
- 7 Multifunctional heated electrical rear view mirrors with integrated integrated defrosting system and aerial
- 8 Chest of drawers with integrated cutlery tray
- 9 Sink cover to be also used as support surface



1



2



3



4



5



6



7





8




9





K-SILVER 50





K-SILVER 56





K-SILVER 52




K-SILVER 58



K-SILVER 54







K-SILVER 59




// K-SILVER 59



			
5	4	Electric drop-down bed	Electric rear bed







Kea M

// KEA M

- 1 Centralized locking cabin/body with
- 2 Integrated FIAT DRL lights (LED OPT)
Front bumpers in white
Black gloss front grille & black bezel headlamps
Black skid plate
- 3 Inset spot light in cab-over compartment
- 4 Swivel seats
Passenger seat with adjustable height
- 5 Mobilvetta branded carpets
- 6 Multifunctional heated electrical rear view mirrors
with integrated defrosting system and aerial
- 7 Folding bed in the coachbuilt for an easy access from and to the cabin
- 8 Storage box at the floor level
- 9 External storage integrated on the sideskirts



1



2



3



4



5



6



7




8




9




KEA M74



KEA M76







KEA M79



// KEA M76



			
4	4	-	-





Model	Weight OPT	K-SILVER 50			K-SILVER 52			K-SILVER 54			K-SILVER 56			K-SILVER 58			K-SILVER 59			KEA M74			KEA M76			KEA M79					
		FIAT Ducato X290 35 / 36.5 Light			FIAT Ducato X290 35 / 36.5 Light			FIAT Ducato X290 35 / 36.5 Light			FIAT Ducato X290 35 / 36.5 Light			FIAT Ducato X290 35 / 36.5 Light			FIAT Ducato X290 35 / 36.5 Light			FIAT Ducato X290 35 / 36.5 Light			FIAT Ducato X290 35 / 36.5 Light			FIAT Ducato X290 35 / 36.5 Light					
Available engines		130/150/180 Multijet			130/150/180 Multijet			130/150/180 Multijet			130/150/180 Multijet			130/150/180 Multijet			130/150/180 Multijet			130/150/180 Multijet			130/150/180 Multijet			130/150/180 Multijet					
Diesel		EURO 6			EURO 6			EURO 6			EURO 6			EURO 6			EURO 6			EURO 6			EURO 6			EURO 6			EURO 6		
Wheelbase mm		3450			3450			3800			4035			4035			4035			4035			4035			4035			4035		
Power HP		130	150	180	130	150	180	130	150	180	130	150	180	130	150	180	130	150	180	130	150	180	130	150	180	130	150	180	130	150	180
Displacement cm3		2300			2300			2300			2300			2300			2300			2300			2300			2300			2300		
Power kW		96	110	130	96	110	130	96	110	130	96	110	130	96	110	130	96	110	130	96	110	130	96	110	130	96	110	130	96	110	130
Gears		6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6
Maximum permissible mass kg		3500			3500			3500			3500			3500			3500			3500			3500			3500			3500		
Total mass in running order kg		3137			3137			3078			3078			3078			3078			3074			3158			3158			3158		
Max. user payload kg.		363			363			422			422			422			422			426			342			342			342		
max. Towing capacity kg (braked)		2000			2000			2000			2000			2000			2000			2000			2000			2000			2000		
Maximum permissible mass kg		3650			3650			3650			3650			3650			3650			3650			3650			3650			3650		
Total mass in running order kg		3137			3137			3157			3157			3157			3157			3074			3177			3177			3177		
Max. user payload kg.		513			513			493			493			493			493			576			473			473			473		
max. Towing capacity kg (braked)		2000			2000			2000			2000			2000			2000			2000			2000			2000			2000		
Seats/Beds																															
Number of beds		4			4			4			4			4			4			5			4			4			4		
Approved seats (3500 kg)		4			4			5			5			5			5			5			4			4			4		
Approved seats (3650 kg)		4			4			5			5			5			5			5			4			4			4		
5th homologated seat in running order		Opt			Opt			-----			-----			-----			-----			-----			Opt			Opt			Opt		
Cab																															
Swivel cab seats		STD			STD			STD			STD			STD			STD			STD			STD			STD			STD		
Cab seat covers	2 kg	STD			STD			STD			STD			STD			STD			STD			STD			STD			STD		
Manual cab air conditioning	18 kg	STD			STD			STD			STD			STD			STD			STD			STD			STD			STD		
Automatic cab air conditioning	18 kg	Opt			Opt			Opt			Opt			Opt			Opt			Opt			Opt			Opt			Opt		
Automatic gear box	17 kg	Opt			Opt			Opt			Opt			Opt			Opt			Opt			Opt			Opt			Opt		
Alloy wheels (16" only)	10 kg	Opt			Opt			Opt			Opt			Opt			Opt			Opt			Opt			Opt			Opt		
Elegance Pack *		STD			STD			STD			STD			STD			STD			STD			STD			STD			STD		
Equipment																															
Fresh water tank Lt. (total capacity when stopped)		120 Lit.			120 Lit.			120 Lit.			120 Lit.			120 Lit.			120 Lit.			120 Lit.			120 Lit.			120 Lit.			120 Lit.		
Fresh water tank Lt. (total capacity when on the way) **		20 Lit.			20 Lit.			20 Lit.			20 Lit.			20 Lit.			20 Lit.			20 Lit.			20 Lit.			20 Lit.			20 Lit.		
Waste water tank - Lt.		110 Lit.			110 Lit.			110 Lit.			110 Lit.			110 Lit.			110 Lit.			110 Lit.			110 Lit.			110 Lit.			110 Lit.		
WINTER PACK ***	4 kg	STD			STD			STD			STD			STD			STD			STD			STD			STD			STD		
Heated floor		Opt			Opt			Opt			Opt			Opt			Opt			Opt			Opt			Opt			Opt		
Three-way fridge L.		142 Lit.			142 Lit.			142 Lit.			150 Lit.			150 Lit.			150 Lit.			150 Lit.			150 Lit.			150 Lit.			150 Lit.		
Cooker with burners (Nr.)		2			2			3			3			3			3			3			3			3			3		
Kitchen extractor hood		-----			-----			-----			-----			-----			-----			-----			STD			STD			STD		
Oven	14 kg	Opt			Opt			Opt			Opt			Opt			Opt			Opt			Opt			Opt			Opt		
Heating system / Heater with air ventilation		COMBI 4			COMBI 4			COMBI 4			COMBI 4			COMBI 4			COMBI 4			COMBI 4			COMBI 6			COMBI 6			COMBI 6		
The new digital control panel Truma CP plus	0,5 kg	STD			STD			STD			STD			STD			STD			STD			STD			STD			STD		
Heating system COMBI Diesel/COMBI EH	1,5 kg	Opt			Opt			Opt			Opt			Opt			Opt			Opt			Opt			Opt			Opt		
Shower platform in Tek wood		-----			-----			-----			-----			-----			-----			-----			STD			STD			STD		
Rooflight living area																															
Rooflight white (40 x 40 cm)	3 kg	-----			-----			-----			-----			-----			-----			-----			-----			-----			-----		
Rooflight Mini Heki (40x40 cm)	4 kg	-----			-----			-----			-----			-----			-----			-----			-----			-----			-----		
Turbovent (40 x 40 cm)	4 kg	-----			-----			-----			-----			-----			-----			-----			-----			-----			-----		
See																															

*) Electric rear view mirrors with defroster - Cab radio & loudspeakers pre-setting - Radio Aerial - Front bumper in white - Wheel Trim - Cab passenger airbag - ASR - Cab seats with double armrest - Cruise Control

Model	Weight OPT	K-SILVER	K-SILVER	K-SILVER	K-SILVER	K-SILVER	K-SILVER	KEA	KEA	KEA
		50	52	54	56	58	59	M74	M76	M79
Chassis		FIAT Ducato X290 35 / 36,5 Light	FIAT Ducato X290 35 / 36,5 Light	FIAT Ducato X290 35 / 36,5 Light	FIAT Ducato X290 35 / 36,5 Light	FIAT Ducato X290 35 / 36,5 Light	FIAT Ducato X290 35 / 36,5 Light	FIAT Ducato X290 35 / 36,5 Light	FIAT Ducato X290 35 / 36,5 Light	FIAT Ducato X290 35 / 36,5 Light
Rooflight Midi Heki (50 x 70 cm)	7,5 kg	-----	-----	-----	-----	-----	-----	-----	-----	-----
Rooflight HEKI III (60x90 cm)	11 kg	-----	-----	-----	-----	-----	-----	-----	-----	-----
Rooflight Kristall (40x40 cm)	3,5 kg	-----	-----	-----	-----	-----	-----	-----	-----	-----
Rooflight Kitchen area										
Rooflight in bathroom (28 x 28 cm)	3 kg	-----	-----	-----	-----	-----	-----	-----	-----	-----
Rooflight MIDI-HEKI, (50x70 cm)	4 kg	-----	-----	-----	-----	-----	-----	-----	-----	-----
Turbovent (40 x 40 cm)	4 kg	Opt	Opt	Opt	Opt	Opt	Opt	-----	-----	-----
Rooflight Kristall (40x40 cm)	3,5 kg	STD	STD	STD	STD	STD	STD	-----	-----	-----
Rooflight in the Bathroom										
Rooflight in bathroom (28 x 28 cm)	2 kg	-----	-----	-----	-----	-----	-----	-----	STD	STD
Turbovent (28 x 28 cm)	2,5 kg	Opt	Opt	Opt	Opt	-----	Opt	STD	STD	STD
Rooflight Kristall (28x28 cm)	2 kg	STD	STD	-----	STD	-----	STD	-----	-----	-----
Rooflight Kristall (40x40 cm)	3,5 kg	-----	-----	-----	-----	-----	STD	-----	-----	-----
Turbovent (40 x 40 cm)	4 kg	-----	-----	-----	-----	-----	Opt	-----	-----	-----
Rear Rooflight										
Rooflight HEKI 3 (60x90 cm)	11 kg	-----	-----	-----	-----	-----	-----	-----	-----	-----
Rooflight MIDI-HEKI, (50x70 cm)	7,5 kg	Opt	Opt	Opt	Opt	Opt	Opt	STD	STD	STD
Rooflight white (40 x 40 cm)	3 kg	-----	-----	-----	-----	-----	-----	-----	-----	-----
Rooflight Kristall (40x40 cm)	3,5 kg	STD	STD	STD	STD	STD	STD	-----	-----	-----
Turbovent (40 x 40 cm)	4 kg	-----	-----	-----	-----	-----	-----	-----	-----	-----
Sky-Dome on cabin roof	12,5 kg	STD	STD	STD	STD	STD	STD	-----	-----	-----
12v - 220v and TV sockets	--	STD	STD	STD	STD	STD	STD	STD	STD	STD
Night blue light	--	STD	STD	STD	STD	STD	STD	STD	STD	STD
3 point seat belts	--	STD	STD	STD	STD	STD	STD	STD	STD	STD
Beds with orthopedic staves	--	STD	STD	STD	STD	STD	STD	STD	STD	STD
Cab folding bed	--	-----	-----	-----	-----	-----	-----	STD	STD	STD
Front / Rear Electric drop-down bed	--	STD / ----	STD / ----	STD / ----	STD / ----	STD / ----	STD / ----	-----	-----	-----
Chassis AL-KO	--	-----	-----	-----	-----	-----	-----	-----	-----	-----
Rear bed electrically adjustable (garage models)	--	STD	-----	-----	-----	-----	STD	STD	-----	-----
Matress cover	7 kg	Opt	Opt	Opt	Opt	Opt	Opt	Opt	Opt	Opt
Carpet living area	5 kg	Opt	Opt	Opt	Opt	Opt	Opt	Opt	Opt	Opt
TV plate	5 kg	STD	STD	STD	STD	STD	STD	STD	STD	STD
Insulating mats for cab	--	STD	STD	STD	STD	STD	STD	STD	STD	STD
Pleated mats + windshield roller blind - FIAT cabin	8 kg	Opt	Opt	Opt	Opt	Opt	Opt	Opt	Opt	Opt
Cab pleated mats (A-Class)	7 kg	-----	-----	-----	-----	-----	-----	-----	-----	-----
Mosquito net for entrance door	--	STD	STD	STD	STD	STD	STD	STD	STD	STD
Entrance door with window, blinder and integrated dustbin	5 kg	STD	STD	STD	STD	STD	STD	STD	STD	STD
RCA cable pre-setting for rear view camera	--	STD	STD	STD	STD	STD	STD	STD	STD	STD
Lighted garage compartment	--	STD	STD	STD	STD	STD	STD	STD	STD	STD
Skirt storage compartment	--	-----	-----	-----	-----	-----	-----	STD	STD	STD
Air conditioning pre-setting on living area	--	STD	STD	STD	STD	STD	STD	STD	STD	STD
External water intake with mixer	--	-----	-----	-----	-----	-----	-----	STD	STD	STD
COLD KIT (Outside mats for cabin + dashboard mats)	5 kg	Opt	Opt	Opt	Opt	Opt	Opt	Opt	Opt	Opt

See

**) Pls. Check 20 lts. filling before driving

***) WINTER PACK : Insulated waste water tank and exhaust valve with antifreezing resistor

Model	Weight OPT	KEA P63			KEA P64			KEA P65			KEA P67			KEA P68			KEA P69			K-YACHT MH-79			K-YACHT MH-80			K-YACHT MH-84								
		FIAT Ducato X290 35 / 36.5 Light			FIAT Ducato X290 35 / 36.5 Light			FIAT Ducato X290 35 / 36.5 Light			FIAT Ducato X290 35 / 36.5 Light			FIAT Ducato X290 35 / 36.5 Light			FIAT Ducato X290 35 / 36.5 Light			FIAT Ducato X290 35 / 36.5 Light (Opt: AL-KO)			FIAT Ducato X290 35 / 36.5 Light			FIAT Ducato X290 35 / 36.5 Light								
Available engines		130/150/180 Multijet			130/150/180 Multijet			130/150/180 Multijet			130/150/180 Multijet			130/150/180 Multijet			130/150/180 Multijet			130/150/180 Multijet			130/150/180 Multijet			130/150/180 Multijet								
Diesel		EURO 6			EURO 6			EURO 6			EURO 6			EURO 6			EURO 6			EURO 6			EURO 6			EURO 6			EURO 6					
Wheelbase mm		4035			3800			4035			3800			4035			4035			4035			3800			3800			3800					
Power HP		130	150	180	130	150	180	130	150	180	130	150	180	130	150	180	130	150	180	130	150	180	130	150	180	130	150	180	130	150	180			
Displacement cm3		2300			2300			2300			2300			2300			2300			2300			2300			2300			2300					
Power kW		96	110	130	96	110	130	96	110	130	96	110	130	96	110	130	96	110	130	96	110	130	96	110	130	96	110	130	96	110	130			
Gears		6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6			
Maximum permissible mass kg		3500			3500			3500			3500			3500			3500			3500			3500			3500			3500					
Total mass in running order kg		3158			3162			3158			3162			3158			3158			3157			3162			3162			3162					
Max. user payload kg.		342			338			342			338			342			342			343			338			338			338					
max. Towing capacity kg (braked)		2000			2000			2000			2000			2000			2000			2000			2000			2000			2000					
Maximum permissible mass kg		3650			3650			3650			3650			3650			3650			3650			3650			3650			3650					
Total mass in running order kg		3177			3177			3177			3177			3177			3177			3222			3177			3177			3177					
Max. user payload kg.		473			473			473			473			473			473			428			473			473			473					
max. Towing capacity kg (braked)		2000			2000			2000			2000			2000			2000			2000			2000			2000			2000					
Seats/Beds																																		
Number of beds		4			4			4			4			4			4			4			4			4			4			4		
Approved seats (3500 kg)		4			4			4			4			4			4			4			4			4			4			4		
Approved seats (3650 kg)		4			4			4			4			4			4			4			4			4			4			4		
5th homologated seat in running order		Opt			Opt			Opt			Opt			Opt			Opt			Opt			Opt			Opt			Opt (3650 kg)					
Cab																																		
Swivel cab seats		STD			STD			STD			STD			STD			STD			STD			STD			STD			STD			STD		
Cab seat covers	2 kg	STD			STD			STD			STD			STD			STD			-----			-----			-----			-----					
Manual cab air conditioning	18 kg	STD			STD			STD			STD			STD			STD			STD			STD			STD			STD			STD		
Automatic cab air conditioning		Opt			Opt			Opt			Opt			Opt			Opt			Opt			Opt			Opt			Opt			Opt		
Automatic gear box	17 kg	Opt			Opt			Opt			Opt			Opt			Opt			Opt			Opt			Opt			Opt			Opt		
Alloy wheels (16" only)	10 kg	Opt			Opt			Opt			Opt			Opt			Opt			STD			STD			STD			STD			STD		
Elegance Pack *		STD			STD			STD			STD			STD			STD			STD			STD			STD			STD			STD		
Equipment																																		
Fresh water tank Lt. (total capacity when stopped)		120 Lit.			120 Lit.			120 Lit.			120 Lit.			120 Lit.			120 Lit.			120 Lit.			120 Lit.			120 Lit.			120 Lit.			120 Lit.		
Fresh water tank Lt. (total capacity when on the way) **		20 Lit.			20 Lit.			20 Lit.			20 Lit.			20 Lit.			20 Lit.			20 Lit.			20 Lit.			20 Lit.			20 Lit.			20 Lit.		
Waste water tank - Lt.		110 Lit.			110 Lit.			110 Lit.			110 Lit.			110 Lit.			110 Lit.			110 Lit.			110 Lit.			110 Lit.			110 Lit.			110 Lit.		
WINTER PACK ***	4 kg	STD			STD			STD			STD			STD			STD			STD			STD			STD			STD			STD		
Heated floor		Opt			Opt			Opt			Opt			Opt			Opt			Opt			Opt			Opt			Opt			Opt		
Three-way fridge L.		150 Lit.			150 Lit.			150 Lit.			150 Lit.			150 Lit.			150 Lit.			150 Lit.			150 Lit.			150 Lit.			150 Lit.			150 Lit.		
Cooker with burners (Nr.)		3			3			3			3			3			3			3			3			3			3			3		
Kitchen extractor hood		STD			STD			STD			STD			STD			STD			STD			STD			STD			STD			STD		
Oven	14 kg	Opt			Opt			Opt			Opt			Opt			Opt			Opt			Opt			Opt			Opt			Opt		
Heating system / Heater with air ventilation		COMBI 6			COMBI 6			COMBI 6			COMBI 6			COMBI 6			COMBI 6			COMBI 6			COMBI 6			COMBI 6			COMBI 6			COMBI 6		
The new digital control panel Truma CP plus	0,5 kg	STD			STD			STD			STD			STD			STD			STD			STD			STD			STD			STD		
Heating system COMBI Diesel/COMBI EH	1,5 kg	Opt			Opt			Opt			Opt			Opt			Opt			Opt			Opt			Opt			Opt			Opt		
Shower platform in Tek wood		STD			STD			STD			STD			STD			STD			STD			STD			STD			STD			STD		
Rooflight living area																																		
Rooflight white (40 x 40 cm)	3 kg	STD			STD			STD			STD			STD			STD			-----			-----			-----			-----					
Rooflight Mini Heki (40x40 cm)	4 kg	-----			-----			-----			-----			-----			-----			-----			STD			STD			STD					
Turbovent (40 x 40 cm)	4 kg	Opt			Opt			Opt			Opt			Opt			Opt			-----			-----			-----			-----					
See																																		
*) Electric rear view mirrors with defroster - Cab radio & loudspeakers pre-setting - Radio Aerial - Front bumper in white - Wheel Trim - Cab passenger airbag - ASR - Cab seats with double armrest - Cruise Control																																		

Model	Weight OPT	KEA	KEA	KEA	KEA	KEA	KEA	K-YACHT	K-YACHT	K-YACHT
		P63	P64	P65	P67	P68	P69	MH-79	MH-80	MH-84
Chassis		FIAT Ducato X290 35 / 36,5 Light	FIAT Ducato X290 35 / 36,5 Light	FIAT Ducato X290 35 / 36,5 Light	FIAT Ducato X290 35 / 36,5 Light	FIAT Ducato X290 35 / 36,5 Light	FIAT Ducato X290 35 / 36,5 Light	FIAT Ducato X290 35 / 36,5 Light (Opt: AL-KO)	FIAT Ducato X290 35 / 36,5 Light	FIAT Ducato X290 35 / 36,5 Light
Rooflight Midi Heki (50 x 70 cm)	7,5 kg	Opt	Opt	Opt	Opt	Opt	Opt	-----	-----	-----
Rooflight HEKI III (60x90 cm)	11 kg	-----	-----	-----	-----	-----	-----	STD	STD	STD
Rooflight Kristall (40x40 cm)	3,5 kg	-----	-----	-----	-----	-----	-----	-----	-----	-----
Rooflight Kitchen area										
Rooflight in bathroom (28 x 28 cm)	3 kg	-----	-----	-----	-----	-----	-----	-----	-----	-----
Rooflight MIDI-HEKI, (50x70 cm)	4 kg	-----	-----	-----	-----	-----	-----	-----	-----	-----
Turbovent (40 x 40 cm)	4 kg	Opt	Opt	Opt	Opt	Opt	Opt	-----	Opt	Opt
Rooflight Kristall (40x40 cm)	3,5 kg	STD	STD	STD	STD	STD	STD	-----	STD	STD
Rooflight in the Bathroom										
Rooflight in bathroom (28 x 28 cm)	2 kg	STD	-----	STD	STD	STD	STD	STD	-----	-----
Turbovent (28 x 28 cm)	2,5 kg	STD	STD	STD	STD	STD	-----	-----	STD	STD
Rooflight Kristall (28x28 cm)	2 kg	-----	-----	-----	-----	-----	-----	-----	-----	-----
Rooflight Kristall (40x40 cm)	3,5 kg	-----	-----	-----	-----	-----	STD	STD	-----	-----
Turbovent (40 x 40 cm)	4 kg	-----	-----	-----	-----	-----	Opt	-----	-----	-----
Rear Rooflight										
Rooflight HEKI 3 (60x90 cm)	11 kg	-----	-----	-----	-----	-----	-----	-----	-----	-----
Rooflight MIDI-HEKI, (50x70 cm)	7,5 kg	STD	STD	STD	STD	STD	STD	STD	Opt	STD
Rooflight white (40 x 40 cm)	3 kg	-----	-----	-----	-----	-----	-----	-----	STD	-----
Rooflight Kristall (40x40 cm)	3,5 kg	-----	-----	-----	-----	-----	-----	-----	-----	-----
Turbovent (40 x 40 cm)	4 kg	-----	-----	-----	-----	-----	-----	-----	Opt	-----
Sky-Dome on cabin roof	12,5 kg	STD	STD	STD	STD	STD	STD	-----	-----	-----
12v - 220v and TV sockets	--	STD	STD	STD	STD	STD	STD	STD	STD	STD
Night blue light	--	STD	STD	STD	STD	STD	STD	STD	STD	STD
3 point seat belts	--	STD	STD	STD	STD	STD	STD	STD	STD	STD
Beds with orthopedic staves	--	STD	STD	STD	STD	STD	STD	STD	STD	STD
Cab folding bed	--	-----	-----	-----	-----	-----	-----	-----	-----	-----
Front / Rear Electric drop-down bed	--	STD / ----	STD / ----	STD / ----	STD / ----	STD / ----	STD / ----	-----	---- / STD	-----
Chassis AL-KO	--	-----	-----	-----	-----	-----	-----	Opt	-----	-----
Rear bed electrically adjustable (garage models)	--	STD	-----	-----	-----	STD	STD	STD	-----	-----
Matress cover	7 kg	Opt	Opt	Opt	Opt	Opt	Opt	Opt	Opt	Opt
Carpet living area	5 kg	Opt	Opt	Opt	Opt	Opt	Opt	Opt	Opt	Opt
TV plate	5 kg	STD	STD	STD	STD	STD	STD	STD	STD	STD
Insulating mats for cab	--	STD	STD	STD	STD	STD	STD	STD	STD	STD
Pleated mats + windshield roller blind - FIAT cabin	8 kg	Opt	Opt	Opt	Opt	Opt	Opt	-----	-----	-----
Cab pleated mats (A-Class)	7 kg	-----	-----	-----	-----	-----	-----	STD	STD	STD
Mosquito net for entrance door	--	STD	STD	STD	STD	STD	STD	STD	STD	STD
Entrance door with window, blinder and integrated dustbin	5 kg	STD	STD	STD	STD	STD	STD	STD	STD	STD
RCA cable pre-setting for rear view camera	--	STD	STD	STD	STD	STD	STD	STD	STD	STD
Lighted garage compartment	--	STD	STD	STD	STD	STD	STD	STD	STD	STD
Skirt storage compartment	--	STD	STD	STD	STD	STD	STD	STD	STD	STD
Air conditioning pre-setting on living area	--	STD	STD	STD	STD	STD	STD	STD	STD	STD
External water intake with mixer	--	STD	STD	STD	STD	STD	STD	STD	STD	STD
COLD KIT (Outside mats for cabin + dashboard mats)	5 kg	Opt	Opt	Opt	Opt	Opt	Opt	Opt	Opt	Opt

See
 **) Pls. Check 20 lts. filling before driving
 ***) WINTER PACK : Insulated waste water tank and exhaust valve with antifreezing resistor

Model	Weight OPT	K-YACHT MH-85			K-YACHT MH-87			K-YACHT MH-89			K-YACHT Tekno Line MH-79			K-YACHT Tekno Line MH-80			K-YACHT Tekno Line MH-84			K-YACHT Tekno Line MH-85			K-YACHT Tekno Line MH-87			K-YACHT Tekno Line MH-89		
		FIAT Ducato X290 35 / 36,5 Light (Opt: AL-KO)			FIAT Ducato X290 35 / 36,5 Light			FIAT Ducato X290 35 / 36,5 Light (Opt: AL-KO)			FIAT Ducato X290 35 / 36,5 Light (Opt: AL-KO)			FIAT Ducato X290 35 / 36,5 Light			FIAT Ducato X290 35 / 36,5 Light			FIAT Ducato X290 35 / 36,5 Light (Opt: AL-KO)			FIAT Ducato X290 35 / 36,5 Light			FIAT Ducato X290 35 / 36,5 Light (Opt: AL-KO)		
Available engines		130/150/180 Multijet			130/150/180 Multijet			130/150/180 Multijet			130/150/180 Multijet			130/150/180 Multijet			130/150/180 Multijet			130/150/180 Multijet			130/150/180 Multijet			130/150/180 Multijet		
Diesel		EURO 6			EURO 6			EURO 6			EURO 6			EURO 6			EURO 6			EURO 6			EURO 6			EURO 6		
Wheelbase mm		4035			3800			4035			4035			3800			3800			4035			3800			4035		
Power HP		130	150	180	130	150	180	130	150	180	130	150	180	130	150	180	130	150	180	130	150	180	130	150	180	130	150	180
Displacement cm3		2300			2300			2300			2300			2300			2300			2300			2300			2300		
Power kW		96	110	130	96	110	130	96	110	130	96	110	130	96	110	130	96	110	130	96	110	130	96	110	130	96	110	130
Gears		6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6
Maximum permissible mass kg		3500			3500			3500			3500			3500			3500			3500			3500			3500		
Total mass in running order kg		3158			3162			3157			3157			3162			3162			3158			3162			3157		
Max. user payload kg.		342			338			343			343			338			338			342			338			343		
max. Towing capacity kg (braked)		2000			2000			2000			2000			2000			2000			2000			2000			2000		
Maximum permissible mass kg		3650			3650			3650			3650			3650			3650			3650			3650			3650		
Total mass in running order kg		3223			3177			3222			3222			3177			3177			3223			3177			3222		
Max. user payload kg.		427			473			428			428			473			473			427			473			428		
max. Towing capacity kg (braked)		2000			2000			2000			2000			2000			2000			2000			2000			2000		
Seats/Beds																												
Number of beds		4			4			4			4			4			4			4			4			4		
Approved seats (3500 kg)		4			4			4			4			4			4			4			4			4		
Approved seats (3650 kg)		4			4			4			4			4			4			4			4			4		
5th homologated seat in running order		Opt			Opt (3650 kg)			Opt			Opt			Opt			Opt (3650 kg)			Opt			Opt (3650 kg)			Opt		
Cab																												
Swivel cab seats		STD			STD			STD			STD			STD			STD			STD			STD			STD		
Cab seat covers	2 kg	-----			-----			-----			-----			-----			-----			-----			-----			-----		
Manual cab air conditinig	18 kg	STD			STD			STD			-----			-----			-----			-----			-----			-----		
Automatic cab air conditioning	18 kg	Opt			Opt			Opt			STD			STD			STD			STD			STD			STD		
Automatic gear box	17 kg	Opt			Opt			Opt			Opt			Opt			Opt			Opt			Opt			Opt		
Alloy wheels (16" only)	10 kg	STD			STD			STD			STD			STD			STD			STD			STD			STD		
Elegance Pack *		STD			STD			STD			STD			STD			STD			STD			STD			STD		
Equipment																												
Fresh water tank Lt. (total capacity when stopped)		120 Lit.			120 Lit.			120 Lit.			120 Lit.			120 Lit.			120 Lit.			120 Lit.			120 Lit.			120 Lit.		
Fresh water tank Lt. (total capacity when on the way)**		20 Lit.			20 Lit.			20 Lit.			20 Lit.			20 Lit.			20 Lit.			20 Lit.			20 Lit.			20 Lit.		
Waste water tank - Lt.		110 Lit.			110 Lit.			110 Lit.			110 Lit.			110 Lit.			110 Lit.			110 Lit.			110 Lit.			110 Lit.		
WINTER PACK ***	4 kg	STD			STD			STD			STD			STD			STD			STD			STD			STD		
Heated floor		Opt			Opt			Opt			STD			STD			STD			STD			STD			STD		
Three-way fridge L.		150 Lit.			150 Lit.			150 Lit.			150 Lit.			150 Lit.			150 Lit.			150 Lit.			150 Lit.			150 Lit.		
Cooker with burners (Nr.)		3			3			3			3			3			3			3			3			3		
Kitchen extractor hood		STD			STD			STD			STD			STD			STD			STD			STD			STD		
Oven	14 kg	STD			STD			STD			STD			STD			STD			STD			STD			STD		
Heating system / Heater with air ventilation		COMBI 6			COMBI 6			COMBI 6			COMBI 6			COMBI 6			COMBI 6			COMBI 6			COMBI 6			COMBI 6		
The new digital control panel Truma CP plus	0,5 kg	STD			STD			STD			STD			STD			STD			STD			STD			STD		
Heating system COMBI Diesel/COMBI EH	1,5 kg	Opt			Opt			Opt			Opt			Opt			Opt			Opt			Opt			Opt		
Shower platform in Tek wood		STD			STD			STD			STD			STD			STD			STD			STD			STD		
Rooflight living area																												
Rooflight white (40 x 40 cm)	3 kg	-----			-----			-----			-----			-----			-----			-----			-----			-----		
Rooflight Mini Heki (40x40 cm)	4 kg	STD			STD			STD			STD			STD			STD			STD			STD			STD		
Turbovent (40 x 40 cm)	4 kg	-----			-----			-----			-----			-----			-----			-----			-----			-----		
See																												
*) Electric rear view mirrors with defroster - Cab radio & loudspeakers pre-setting - Radio Aerial - Front bumper in white - Wheel Trim - Cab passenger airbag - ASR - Cab seats with double armrest - Cruise Control																												

Model	Weight OPT	K-YACHT		K-YACHT		K-YACHT		K-YACHT		K-YACHT		K-YACHT		K-YACHT	
		MH-85	MH-87	MH-89	MH-79	MH-80	MH-84	MH-85	MH-87	MH-89	MH-85	MH-87	MH-89	MH-85	MH-87
Chassis		FIAT Ducato X290 35 / 36,5 Light (Opt: AL-KO)	FIAT Ducato X290 35 / 36,5 Light	FIAT Ducato X290 35 / 36,5 Light (Opt: AL-KO)	FIAT Ducato X290 35 / 36,5 Light (Opt: AL-KO)	FIAT Ducato X290 35 / 36,5 Light	FIAT Ducato X290 35 / 36,5 Light	FIAT Ducato X290 35 / 36,5 Light	FIAT Ducato X290 35 / 36,5 Light (Opt: AL-KO)	FIAT Ducato X290 35 / 36,5 Light	FIAT Ducato X290 35 / 36,5 Light (Opt: AL-KO)	FIAT Ducato X290 35 / 36,5 Light	FIAT Ducato X290 35 / 36,5 Light (Opt: AL-KO)	FIAT Ducato X290 35 / 36,5 Light	FIAT Ducato X290 35 / 36,5 Light (Opt: AL-KO)
Rooflight Midi Heki (50 x 70 cm)	7,5 kg	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Rooflight HEKI III (60x90 cm)	11 kg	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD
Rooflight Kristall (40x40 cm)	3,5 kg	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Rooflight Kitchen area															
Rooflight in bathroom (28 x 28 cm)	3 kg	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Rooflight MIDI-HEKI, (50x70 cm)	4 kg	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Turbovent (40 x 40 cm)	4 kg	-----	-----	-----	-----	-----	-----	Opt	-----	Opt	-----	-----	-----	-----	-----
Rooflight Kristall (40x40 cm)	3,5 kg	-----	-----	-----	-----	-----	-----	STD	-----	STD	-----	-----	-----	-----	-----
Rooflight in the Bathroom															
Rooflight in bathroom (28 x 28 cm)	2 kg	STD	STD	STD	STD	-----	-----	-----	-----	STD	-----	STD	STD	STD	STD
Turbovent (28 x 28 cm)	2,5 kg	STD	STD	STD	-----	-----	-----	STD	-----	STD	-----	STD	STD	STD	STD
Rooflight Kristall (28x28 cm)	2 kg	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Rooflight Kristall (40x40 cm)	3,5 kg	-----	-----	-----	-----	-----	-----	STD	-----	-----	-----	-----	-----	-----	-----
Turbovent (40 x 40 cm)	4 kg	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Rear Rooflight															
Rooflight HEKI 3 (60x90 cm)	11 kg	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Rooflight MIDI-HEKI, (50x70 cm)	7,5 kg	STD	STD	STD	STD	-----	-----	Opt	-----	STD	-----	STD	STD	STD	STD
Rooflight white (40 x 40 cm)	3 kg	-----	-----	-----	-----	-----	-----	STD	-----	-----	-----	-----	-----	-----	-----
Rooflight Kristall (40x40 cm)	3,5 kg	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Turbovent (40 x 40 cm)	4 kg	-----	-----	-----	-----	-----	-----	Opt	-----	-----	-----	-----	-----	-----	-----
Sky-Dome on cabin roof	12,5 kg	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
12v - 220v and TV sockets	--	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD
Night blue light	--	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD
3 point seat belts	--	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD
Beds with orthopedic staves	--	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD
Cab folding bed	--	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Front / Rear Electric drop-down bed	--	-----	-----	-----	-----	-----	-----	--- / STD	-----	-----	-----	-----	-----	-----	-----
Chassis AL-KO	--	Opt	-----	Opt	Opt	-----	-----	-----	-----	Opt	-----	-----	-----	Opt	Opt
Rear bed electrically adjustable (garage models)	--	-----	-----	STD	STD	-----	-----	-----	-----	-----	-----	-----	-----	-----	STD
Matress cover	7 kg	Opt	Opt	Opt	Opt	Opt	Opt	Opt	Opt	Opt	Opt	Opt	Opt	Opt	Opt
Carpet living area	5 kg	Opt	Opt	Opt	Opt	Opt	Opt	Opt	Opt	Opt	Opt	Opt	Opt	Opt	Opt
TV plate	5 kg	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD
Insulating mats for cab	--	STD	STD	STD	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Pleated mats + windshield roller blind - FIAT cabin	8 kg	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Cab pleated mats (A-Class)	7 kg	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD
Mosquito net for entrance door	--	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD
Entrance door with window, blinder and integrated dustbin	5 kg	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD
RCA cable pre-setting for rear view camera	--	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD
Lighted garage compartment	--	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD
Skirt storage compartment	--	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD
Air conditioning pre-setting on living area	--	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD
External water intake with mixer	--	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD
COLD KIT (Outside mats for cabin + dashboard mats)	5 kg	Opt	Opt	Opt	Opt	Opt	Opt	Opt	Opt	Opt	Opt	Opt	Opt	Opt	Opt

See
 **) Pls. Check 20 lts. filling before driving
 ***) WINTER PACK : Insulated waste water tank and exhaust valve with antifreezing resistor





VEHICLES' ORNAMENTS **DELIVERED BY:**

Livellara - Milano;

Villa d'Este - Tivoli;

Coralba - Pistoia

Salvadori - Prato

Wally - Montemurlo

The masses indicated in this catalogue refer to the provisions of European Directive 2007/46/EC.

MASS IN RUNNING ORDER

It includes the weight of the empty BASE vehicle, of the driver (75 kg), 90% of the fuel (60-l tank), fresh water (tank filled with 20 l while travelling), and a gas tank for living purposes (20 kg).

The mass in running order, and consequently the payload and/or certified seats may vary depending on the accessories installed.

PAYLOAD

This consists of the difference between the maximum technically permissible laden mass and the mass in running order. It includes elements for living purposes, the transported passengers defined by the manufacturer (driver excluded), and the personal effects.

The payload calculation is based on the following parameters: 75 kg for each passenger (driver excluded), 10 kg of baggage for each passenger and for the driver, 10 kg for each metre of length of the vehicle, plus the remaining payload, which can be used for the installation of accessories or for additional baggage.

All masses and loads of the empty vehicle have a tolerance of +/- 5%, in compliance with Directive 2007/46/EC.

Any optional equipment increases the mass in running order and decreases the payload. The weight of non-standard accessories is not included in the mass in running order indicated in this catalogue.

Additional accessories and devices reduce the payload by a quantity equal to their weight; the incidence of the weight of the individual accessories is shown in the special column in the technical data sheets or can be requested at our dealers.

In case certain accessories are installed (for example, additional elements such as coupling device or motorbike rack), the mass of these accessories will affect the payload, possibly reducing it along with the number of certified seats.

Please make sure that the maximum loads on the axles and the maximum technically permissible load mass are not exceeded during the complete loading phase of the vehicle.

The regulations and requirements of each country may entail changes in the characteristics of this table. The number of certified seats may vary depending on the traffic regulations in force in each country.

NOTES:

SEA S.P.A. – MOBILVETTA reserves itself the right to change the characteristics and the furnishings of all its models with no advance notice required; all data contained in this leaflet must therefore be considered approximate and non-binding.

Despite thorough checks of the contents, we cannot exclude possible printing and/or translating errors.

This catalogue does not constitute contractual documentation.

Any reproduction, including in part, of the text or of the content of this document is prohibited.

The indicated weights are exclusively approximated. Tolerances of +/- 5 % are allowed.

Generally speaking, special equipment and options increase the no-load weight and entail a reduction in the payload.

We hereby decline any and all responsibility in case structural changes are made to the vehicle; any assembly, disassembly or changes carried out by unauthorised workshops may jeopardise your safety and cause the warranty clauses to be forfeited.

For additional information on installation and technical details, please contact one of our dealers.

SEA S.p.A. - MOBILVETTA

Via Val d'Aosta, 4 - I - 53036 Poggibonsi (SI)

Tel : +39 0577 99511

Fax : +39 0577 995219

Website : www.mobilvetta.it