
WELCOME HOME











WELCOME

Anybody who travels a lot enjoys being at home. And the comfort it offers.

The MORELO HOME surrounds you with luxury and gives you a home on the move. It gives you the freedom to be untethered, to travel to the most scenic locations, to reach new destinations, to make new discoveries. And to feel at home every step of the way.

Nobody feels neglected in a MORELO. With a body length of 8.21 metres, the HOME model offers everything the heart desires for travelling in luxury: the first-class "WELCOME HOME" feeling paired with 180 bhp of driving pleasure. Even in our smallest MORELO, you are guaranteed to fully experience the MORELO style of travelling.

- **■** External adhesives in black
- **■** Turbo diesel engine
- 90-litre fuel tank



TECHNICAL SPECIFICATIONS (excerpt)


Chassis: IVECO Daily 50 C 18

Emission class: EURO VI e

Engine: 3,0 l

Power: 132 kW / 180 metric HP

Gross vehicle weight rating: Up to 5,800 kg





GREATNESS IS IN THE DETAILS

Even our smallest model is big where it counts. The spitting image of its MORELO siblings, it takes just one look at the body and new front end to know that this is a MORELO. Compared to the LOFT, this model is more compact with a slightly lighter chassis, but it has the same impressive 42 mm-thick walls and outstanding insulation characteristics. That is anything but ordinary in this class.

Except, of course, for a MORELO.





- **■** MORELO look
- **■** IVECO chassis
- Rear-wheel drive
- **₹** 42 mm roof and wall thickness
- Body free of thermal bridges
- Underbody free of corrosion-prone materials and wood
- **Extra wide entrance door** with central locking
- Awning integrated in the roof profile




CONVENIENT CONTROL CENTRE

First-class travel and living comfort comes from the HOME's cockpit, which features a lavish amount of space, a standalone instrument panel and thorough attention to every detail, such as the bus-style wiper system and exterior mirrors. The removable leather steering wheel (optional) makes it easy to turn the driver's seat, allowing it to be integrated into the living room. The raised seating position creates an excellent panoramic view.





- **■** Removable steering wheel (optional)
- Swivel pilot seats
- **➡** Large passageway
- Panorama windscreen



MORE ROOM FOR LIFE


Bigger inside than it is outside? It only seems that way. Despite its compact dimensions, the HOME offers much more room to move about than comparable vehicles thanks to the special MORELO furniture design. The comfortable and upholstered furniture, the level living room floor which stretches throughout the entire vehicle and plenty of first-class extras mean the HOME has everything that defines a MORELO.







- Interior that feels truly immense
- Optimal space utilisation
- **■** Level living room floor
- Multifunctional table
- **■** High-quality materials
- **■** High-quality cushions



ONE BEAUTIFUL KITCHEN

What does a kitchen need to make you feel at home? Exactly what we have fitted it with in the HOME. The HOME's kitchen provides everything necessary to make first-class cuisine on the go, and in one space-saving package: A high-performance three-burner gas hob, a sink located for perfect ergonomics and plenty of stowage space for everything that belongs in your fully equipped kitchen.







- + Three-burner hob
- + Drawers with soft close
- + Large stowage spaces




A GOOD MOOD TO START THE DAY

Enjoying the comfort of your own bathroom provides a happy start to your day of travel. And a final stop full of relaxation before you head to bed. The bathroom in the HOME gives you every creature comfort you could never do without at home. The partitionable bathroom area features a separate toilet stall for privacy. The large shower features a real glass door and lets you enjoy a refreshing start to every day. The feeling of home.





- + Partitionable bathroom area
- + Separate toilet room
- + Spacious shower cubicle
- + Shower door made of real glass



MORE ROOM FOR BEAUTIFUL DREAMS

Sleeping in the HOME is more than spending the night just anywhere. The two bed variants with spring system, multi-zone cold foam mattress and adjustable head sections let you drift off to sleep in bliss. As the moon slowly rises and the starry sky twinkles through the roof window above, you can let the events of the day drift through your mind as you begin to look forward to tomorrow ...

Dreaming in a HOME is a wonderful experience. What are you still waiting for?







QUEEN BED

The queen bed is accessible from both sides and provides enough room for two additional wardrobes.

Convenient size: 150 x 200 cm

FRONT-TO-BACK BED

The front-to-back bed maximises your available space and is available as a double bed or two separate beds.

Premium size: Twice 103 x 200 cm



PLENTY OF ROOM FOR THE LITTLE DETAILS


Don't fret about your luggage. You can be generous when loading your HOME since the immense stowage spaces always have a little room left over for this and that. The scooter garage in the rear offers ample space for two-wheelers or large pieces of luggage. Optimally located drawer systems and shelves, practical storage boxes in the side bench, plenty of stowage space in the intermediate floor: Even a few extras can find room without any problems.









- + Generous 366 mm intermediate floor height
- + Large doors to the stowage area
- + Through-loading option in the front stowage space
- + Scooter and bicycle garage











NEXT LEVEL TRAVEL COMFORT

How do you make First Class even better? By taking the best and making it even better. The new MORELO PALACE fascinates with a particularly striking, modern and dynamic design. The clean lines give your travels an elegant touch. Thanks to the extra wide WideAxle (optional), you have a whole new driving experience. And so you travel in even more comfort to the most beautiful places in the world.

At MORELO, not only the appearance counts, but also the inner

values. That's why you find real EMPIRE LINER genes in our MORELO PALACE. And in terms of safety, the PALACE also shifts up a gear. After all, what could be better than being able to fully rely on a vehicle? Probably only the first-class "WELCOME HOME" feeling.

- **■** Elegant, unmistakable design
- **■** High quality roof profile
- **■** Ergonomic rear spoiler
- Typical rear lighting
- Underride protection



TECHNICAL SPECIFICATIONS (excerpt)

Chassis: IVECO Daily 70 C 18

Emission class: EURO VI e

Engine: 3,0 l

Power: 132 kW / 180 metric HP

Gross vehicle weight rating: 7,490 kg





FUNCTIONAL AND PERFECTLY FORMED

The MORELO PALACE. With the typical MORELO rear end it's a real eye-catcher. Thanks to the ergonomic rear spoiler, like the MORELO EMPIRE LINER, you also get a more efficient driving experience with reduced dirt circulation. You are looking good even after your trip.





- Extra wide entrance door
- **■** Code lock and remote control
- Retractable, wide entry steps
- **■** Striking front design
- **■** Heated windscreen
- **■** Flush cockpit side windows
- Awning integrated in the roof profile
- Panoramic outside mirrors



FIRST CLASS

Enjoy the view. Thanks to the narrow A-columns and the new panoramic windscreen. Arriving at the destination, the intelligent darkening system on the front and side windows ensures privacy. You may lean back undisturbed.






- Premium cockpit
- **■** Ergonomic seats
- Optimally placed control elements
- Removable steering wheel (optional)
- Glove compartment and map pocket
- Cooling compartment
- Completely flat cab side windows made of insulating glass with new divisible blackout blind and flyscreen




EVERYTHING HAS ITS PLACE

Inside as well as outside. The MORELO PALACE is characterized by functionality. Extra deep wall units and drawers underneath the seats leave nothing to be desired in terms of storage space. The clear lines, atmospheric lighting and a new color concept create a homely yet elegant ambience. No matter where you are right now.





- **■** Spacious entrance area
- **■** Light-flooded living space
- Largest living space in its class
- **■** Elegant, clear lines
- **■** Cleverly placed sockets
- **■** Voluminous storage spaces
- **■** Drawers underneath the seats
- **■** Unique look
- **■** Convincing haptics



MORE ROOM FOR LIFE

The expansive living space is unique in its class. You can unwind completely. The extra wide entrance door of the MORELO PALACE offers an even more comfortable entry.

Take the first step in a first-class living experience.









FOR EACH TASTE

Feast for the eyes. But you will not get enough of it at the MORELO PALACE.

In the practical pull-out cabinet you have all the ingredients always at hand. And the generous worktop offers enough space for all cooking utensils. Everyone simply becomes a First Class star chef.









- + Clever design
- + Practical pull-out cabinet
- + Three-burner luxury hob
- + Drawers with soft-close
- + Single lever mixing valve in chrome
- + Pull-out rubbish bins
- + Back-lit window trim



FEELING GOOD AROUND THE CLOCK

Fresh during the day and relaxed at night. That is everything that the bathroom in the PALACE offers. But that is also what counts. This is everything you need to feel comfortable in your bathroom and energise for a day full of new experiences.

What could you improve about the perfect bathroom? Nothing really. But you can build it in different variants so that people are guaranteed to find the one that fits them personally. Regardless of which bathroom variant you choose, every one has plenty of room to move.

- Shower cubicle made of real glass
- **■** Back-lit mirrors
- Hand towel dryer and heater






- + Extendable towel rails
- + Wardrobe with LED lighting
- + Single lever mixing valve in chrome with pullout
- Spacious drawers
- + Wall cladding in noble stone look




TRAVEL TO THE PALACE OF DREAMS

Paradise for sleeping in. The cozy ambience of the bedroom in the MORELO PALACE invites you to dream. Maybe even from your next destination? And the multi-zone cold foam mattresses or the EvoPore mattresses with water gel top layer (optional) ensure a restful sleep in seventh heaven.










COMFORTABLE SLEEP IN ANY POSITION

Some people need Arabian Nights to fall asleep. On the other hand, in a MORELO PALACE, with its fantastically comfortable beds, it is almost impossible not to fall into a pleasant sleep. Queen bed or front-to-back bed, you have the choice of how you want to spend the night. First-class sleeping comfort—classic MORELO as you expect.













WELCOME HOME

Anybody who travels a lot enjoys being at home. And the comfort it offers.

The MORELO HOME surrounds you with luxury and gives you a home on the move. It gives you the freedom to be untethered, to travel to the most scenic locations, to reach new destinations, to make new discoveries. And to feel at home every step of the way.

HOME 82 M-RHD



HOME 82 LS-RHD





HOME 82 M-RHD

HOME 82 LS-RHD







والم

	IVECO Daily 50 C 18	IVECO Daily 50 C 18
Serial diesel engine (cylinders)	4	4
Cubic capacity (litres)	3	3
Max. power (KW/HP)	132 / 180	132 / 180
Max. torque (Nm)	430	430
Emission class	EURO VI e	EURO VI e
Technically permissible max. weight (kg) ¹	5.600 (5.800) ²	5.600 (5.800)²
Mass in running order (kg) ¹	4.475	4.475
Payload (kg) ¹	1.125 (1.325) ²	1.125 (1.325) ²
Tow load with fixed / removable ball head (kg)	3.500	3.500
Permissible max. train weight w. fixed / removable ball head (kg)	9.100	9.100
Total length (mm)	8.210	8.210
Total width (mm)	2.350	2.350
Total height (mm)	3.320 ³	3.320 ³
Wheel base (mm)	4.350	4.350
Lounge bench, left (mm)	1.360 x 1.000	1.360 x 1.000
Couch, right (mm)	760 x 630	760 x 630
Rear bed (mm)	2.000 x 1.500	2 x 2.000 x 1.030
Folding bed (option) (mm)	1.950 x 1.300	1.950 x 1.300
Garage door passenger's side (Clear height x width in mm)	1.080 × 850	1.080 x 850

ENGINE . CHASSIS . COCKPIT . LIGHTS . STRUCTURE

BASE VEHICLE MORELO HOME	IVECO Daily 5,6 / 5,8 t
Turbo diesel engine, with rear wheel drive	3,0 Liter, 132 KW / 180 HP
Fuel tank, in litres	90
Emission class EURO VI e	AdBlue, 20 liters
Manual transmission	6-gear
Alternator	14 V / 250 A / 3.080 W
Rear wheel drive with twin tires on the rear axle with traction profile 🗥 м+s	195 / 75 R 16
Disc brakes, on front and rear axle	•
Breakdown set, with warning triangle, first-aid kit, warning light, wheel chock and tire pressure kit	•
Steering wheel, adjustable in height and angle	•
Electronic anti-lock braking system (ABS)	-
Traction control system (ASR)	•
Electronical Stability Program (ESP)	•
Cruise control	•
Active tire pressure monitoring system	•
Driver's cab seats, swiveling, with armrests and integrated belt system	
Roller plissee behind windscreen, electrically activated, privacy screen function, darkening and s	sunblind
Panoramic windscreen with laminated glass, tinted	
Side windows in driver's cab with tinted insulating glass	
Independent dashboard	
Steering wheel, adjustable in height and angle	
Outside side mirrors	
Raised driver's cab on special platform	
Fully insulated driver's cab, new GRP module	
Optimized noise insulation of engine compartment	
Sockets, 1 x USB charging and 2 x 230 V	
Halogen main headlights, with optical lens and additional main beam	
Fog lights	
LED daytime running lights	
Side walls and roof are 42 mm thick, 38 mm of which consists of closed-cell RTM hard foam	
Aluminium side bars on the roof, with rainwater channels to help keeping side walls clean	
Side walls in ALU-RTM-ALU sandwich design, smooth and high-gloss	
Roof in GRP-RTM-ALU sandwich design, hail protection and low heat conductivity	
Underfloor in GRP-RTM-GRP sandwich design, robust, corrosion-free, no timber used	
Cold-bridge-free wall joint technology, using highly compressed rigid PU profiles	
Lightning protection, Faraday cage	
Light mile protection, i draday eage	

STRUCTURE . LIVING ROOM + BEDROOM . KITCHEN

-	Interior entrance step, heated Fixture and the step of the step o
-	Exterior entrance step, 1-step, electrically extendable with safety circuit
-	Rear garage with door to the right, floor rails with lashing eyelets and 230 V socket
	Rear wall with fibreglass compound sandwich design, PU foam core
-	Plastic windows in living area, double-glazed and tinted, collapsible outwards or sliding, with pleated blackout blind and flyscreen
	Entirely wood-free exterior structure
-	Front and lateral skirting, from highly sturdy fibreglass compound
	External adhesives HOME in black
	Sturdy handle for easy entry, backlighted
-	
-	
ı	
▋.	
-	Floor covering made from easy-care, high-grade vinyl
-	Flat living area floor, from the rear to the dashboard
_	Skylight, with flyscreen and pleated blackout blind in the bedroom
-	Double-glazed, Midi roof window with flyscreen and pleated blackout blind in the living area
-	Rear bed with slatted frame and multi-zone mattress
_	Wardrobes with LED lighting
	Furniture fronts with metal hinges
	Microfibre upholstery, including driver and passenger seats
	Seating group with ergonomic upholstery, comfortable multi-layer design with diol-based padding and zip fasteners
_	Extensible, sturdy table, with extensive sliding range, laminated
	Glass cabinet with LED lighting at the entrance, with assorted glassware and space for a TV set,
- - - -	incl. small pull-out furniture
	Sockets in the living area and in the bedroom
	Wall panelling with colour-coordinated carpet
	Elegant pleated curtains
ļ.	
١.	177 litres compressor refrigerator with separate freezer compartment and dark mirrored fridge door
	Kitchen worktop with laminated surface
	3-flame stainless steel gas cooker, installed countersunk with automatic ignition and glass cover
	Single-lever mixer tap, chrome
	Chrome railing mounted to the worktop
	Drawers with super-soft closing and cutlery insert
	Pull-out waste bin with two removable containers
	Skylight, with flyscreen and pleated blackout blind
	LED spots
	Sockets 2 x 230 V

	Skylight, with flyscreen and pleated blackout blind
	Washstand, with seamlessly integrated sink, push open valve and domestic drain
	Single-lever mixer tap, chrome
	Soap dispenser, cup holder and towel hook
	Lighted wardrobe
	Separate shower, with wall rail, height-adjustable showerhead and drying rail
	Cassette toilet
	Toilet paper holder and toilet brush
	LED spots
	Sockets 2 x 230 V
	Gas bottle compartment, for 2 x 11 kg gas bottles side by side, with gas controller gas leak protection, gas filter and automatic switchover
	5.500W hot water gas central heating, with thermostat control, automatic ventilation valve and backflow shut-off
	Electrical heating element, 230V, up to 3.000W
	Integrated hot water boiler, serving all tapping points
	Ca. 240 litres fresh water tank, ca. 200 litres wastewater tank
	Emptying of wastewater and toilet tank, via drain tap with large cross section in heated double floor and drain hose with bayonet connection
	Domestic style wastewater pipes
	Flushing connections for wastewater tank and optional toilet tank
	Central pressure water supply
_	230 V socket in the garage
	230 V socket in the garage 230 V CEE connection, with insulated floor inlet
	230 V CEE connection, with insulated floor inlet
	230 V CEE connection, with insulated floor inlet 140 Ah gel battery in intermediate floor including battery monitoring system with overloading and total discharge protection
	230 V CEE connection, with insulated floor inlet 140 Ah gel battery in intermediate floor including battery monitoring system with overloading and total discharge protection
	230 V CEE connection, with insulated floor inlet 140 Ah gel battery in intermediate floor including battery monitoring system with overloading and total discharge protection
	230 V CEE connection, with insulated floor inlet 140 Ah gel battery in intermediate floor including battery monitoring system with overloading and total discharge protection
	230 V CEE connection, with insulated floor inlet 140 Ah gel battery in intermediate floor including battery monitoring system with overloading and total discharge protection Automatic charger, electronically controlled, with battery temperature sensor, maximum charge rate of 25 A
	230 V CEE connection, with insulated floor inlet 140 Ah gel battery in intermediate floor including battery monitoring system with overloading and total discharge protection Automatic charger, electronically controlled, with battery temperature sensor, maximum charge rate of 25 A Central control and monitoring panel, with colour touch screen
	230 V CEE connection, with insulated floor inlet 140 Ah gel battery in intermediate floor including battery monitoring system with overloading and total discharge protection Automatic charger, electronically controlled, with battery temperature sensor, maximum charge rate of 25 A Central control and monitoring panel, with colour touch screen Shut-off function for on-board electrical system, in case of undervoltage/overheating
	230 V CEE connection, with insulated floor inlet 140 Ah gel battery in intermediate floor including battery monitoring system with overloading and total discharge protection Automatic charger, electronically controlled, with battery temperature sensor, maximum charge rate of 25 A Central control and monitoring panel, with colour touch screen Shut-off function for on-board electrical system, in case of undervoltage/overheating On-board electronics, microprocessor-controlled
	230 V CEE connection, with insulated floor inlet 140 Ah gel battery in intermediate floor including battery monitoring system with overloading and total discharge protection Automatic charger, electronically controlled, with battery temperature sensor, maximum charge rate of 25 A Central control and monitoring panel, with colour touch screen Shut-off function for on-board electrical system, in case of undervoltage/overheating On-board electronics, microprocessor-controlled Buttons for switching on/off, lighting, water pump and special equipment, including main switch for all consumers
	230 V CEE connection, with insulated floor inlet 140 Ah gel battery in intermediate floor including battery monitoring system with overloading and total discharge protection Automatic charger, electronically controlled, with battery temperature sensor, maximum charge rate of 25 A Central control and monitoring panel, with colour touch screen Shut-off function for on-board electrical system, in case of undervoltage/overheating On-board electronics, microprocessor-controlled Buttons for switching on/off, lighting, water pump and special equipment, including main switch for all consumers Alarm devices for 'step extended', 'fresh water tank empty', reserve gas bottle in use' and diverse others LCD control panel for monitoring of external and internal temperature, external mains supply, parallel battery circuit,
	230 V CEE connection, with insulated floor inlet 140 Ah gel battery in intermediate floor including battery monitoring system with overloading and total discharge protection Automatic charger, electronically controlled, with battery temperature sensor, maximum charge rate of 25 A Central control and monitoring panel, with colour touch screen Shut-off function for on-board electrical system, in case of undervoltage/overheating On-board electronics, microprocessor-controlled Buttons for switching on/off, lighting, water pump and special equipment, including main switch for all consumers Alarm devices for 'step extended', 'fresh water tank empty', reserve gas bottle in use' and diverse others LCD control panel for monitoring of external and internal temperature, external mains supply, parallel battery circuit, battery voltage of the vehicle and leisure batteries LCD control panel for monitoring of wastewater tank and fresh water tank levels, gas level (when a gas tank is fitted),

CHASSIS PACKAGE. SAFETY PACKAGE. CHASSIS

Item / Weight'	all mode	els

011298 / 82	Chassis Package IVECO Daily 50 C 18	17.690,00€
	L Engine 3,0l, 154 kW, 270 HP (instead of 132 kW/180 HP)	
	L Technically permissible max. weight 5.800 kg	
	L ZF torque converter transmission	
	L Airconditioning in driver's cap	
	L Leather steering wheel with multifunctional buttons (not removable)	
	L Electrical and technical preparation for trailer coupling	
	L Differential lock for rear axle	
	L Bus-style windscreen wiper system	
	L Engine heat exchanger	
	L LED rear lights, with chrome ring	
	L Light metal rims	
011280 / 20	Driving safety package	7.690,00€
	L Electric parking brake	
	L Emergency brake assits, adaptive cruise control	
	L Active lane departure warning with warning tone	
	L Traction PLUS with downhill assist	
011207 / 0	Machanical transmission, social standard for engine version 3.0 L 132 KW / 180 HP	no surcharr
011207 / 0 018215 / 25	Mechanical transmission, serial standard for engine version 3.0 l, 132 KW / 180 HP Air suspension on rear axle only	
	Mechanical transmission, serial standard for engine version 3.0 l, 132 KW / 180 HP Air suspension on rear axle only Air suspension on front and rear axle, automatic leveling and various special features (only combined with light metal rims)	6.290,00 €
018215 / 25	Air suspension on rear axle only Air suspension on front and rear axle, automatic leveling and various special features	6.290,00 € 10.290,00 €
018215 / 25 018211 / 63	Air suspension on rear axle only Air suspension on front and rear axle, automatic leveling and various special features (only combined with light metal rims) Light metal rims MORELO Silver on front axle with spur widening, 235 / 65 R 16 tires,	6.290,00 € 10.290,00 € 3.340,00€
018215 / 25 018211 / 63 018185 / 08	Air suspension on rear axle only Air suspension on front and rear axle, automatic leveling and various special features (only combined with light metal rims) Light metal rims MORELO Silver on front axle with spur widening, 235 / 65 R 16 tires, incl. higher load carrying index, steel rims with wheel trims on rear axle Light metal rims MORELO Graphite on front axle with spur widening, 235 / 65 R 16 tires,	6.290,00 € 10.290,00 € 3.340,00€
018215 / 25 018211 / 63 018185 / 08 018185-01 / 08	Air suspension on rear axle only Air suspension on front and rear axle, automatic leveling and various special features (only combined with light metal rims) Light metal rims MORELO Silver on front axle with spur widening, 235 / 65 R 16 tires, incl. higher load carrying index, steel rims with wheel trims on rear axle Light metal rims MORELO Graphite on front axle with spur widening, 235 / 65 R 16 tires, incl. higher load carrying index, steel rims with wheel trims on rear axle	6.290,00 € 10.290,00 € 3.340,00€ 3.340,00 €
018215 / 25 018211 / 63 018185 / 08 018185-01 / 08 018170D / 08	Air suspension on rear axle only Air suspension on front and rear axle, automatic leveling and various special features (only combined with light metal rims) Light metal rims MORELO Silver on front axle with spur widening, 235 / 65 R 16 tires, incl. higher load carrying index, steel rims with wheel trims on rear axle Light metal rims MORELO Graphite on front axle with spur widening, 235 / 65 R 16 tires, incl. higher load carrying index, steel rims with wheel trims on rear axle Spur widening on front axle, steel rims only	6.290,00 € 10.290,00 € 3.340,00 € 3.340,00 € 590,00 €
018215 / 25 018211 / 63 018185 / 08 018185-01 / 08 018170D / 08 018182 / 16	Air suspension on rear axle only Air suspension on front and rear axle, automatic leveling and various special features (only combined with light metal rims) Light metal rims MORELO Silver on front axle with spur widening, 235 / 65 R 16 tires, incl. higher load carrying index, steel rims with wheel trims on rear axle Light metal rims MORELO Graphite on front axle with spur widening, 235 / 65 R 16 tires, incl. higher load carrying index, steel rims with wheel trims on rear axle Spur widening on front axle, steel rims only Spur widening on rear axle	6.290,00 € 10.290,00 € 3.340,00 € 3.340,00 € 590,00 € 890,00 €
018215 / 25 018211 / 63 018185 / 08 018185-01 / 08 018170D / 08 018182 / 16 018222 / 05	Air suspension on rear axle only Air suspension on front and rear axle, automatic leveling and various special features (only combined with light metal rims) Light metal rims MORELO Silver on front axle with spur widening, 235 / 65 R 16 tires, incl. higher load carrying index, steel rims with wheel trims on rear axle Light metal rims MORELO Graphite on front axle with spur widening, 235 / 65 R 16 tires, incl. higher load carrying index, steel rims with wheel trims on rear axle Spur widening on front axle, steel rims only Spur widening on rear axle Adjustable shock absorbers on front axle (not combined with front air supension)	no surcharg 6.290,00 € 10.290,00 € 3.340,00 € 3.340,00 € 590,00 € 890,00 € 990,00 € 990,00 €
018215 / 25 018211 / 63 018185 / 08 018185-01 / 08 018170D / 08 018182 / 16 018222 / 05 018223 / 05	Air suspension on rear axle only Air suspension on front and rear axle, automatic leveling and various special features (only combined with light metal rims) Light metal rims MORELO Silver on front axle with spur widening, 235 / 65 R 16 tires, incl. higher load carrying index, steel rims with wheel trims on rear axle Light metal rims MORELO Graphite on front axle with spur widening, 235 / 65 R 16 tires, incl. higher load carrying index, steel rims with wheel trims on rear axle Spur widening on front axle, steel rims only Spur widening on rear axle Adjustable shock absorbers on front axle (not combined with front air supension) Adjustable shock absorberts on rear axle (not combined with full air suspension) Fixed trailer coupling up to max. 3.500 kg	6.290,00 € 10.290,00 € 3.340,00 € 3.340,00 € 590,00 € 890,00 € 990,00 € 1.490,00 €
018215 / 25 018211 / 63 018185 / 08 018185-01 / 08 018170D / 08 018182 / 16 018222 / 05 018223 / 05 018103 / 35	Air suspension on rear axle only Air suspension on front and rear axle, automatic leveling and various special features (only combined with light metal rims) Light metal rims MORELO Silver on front axle with spur widening, 235 / 65 R 16 tires, incl. higher load carrying index, steel rims with wheel trims on rear axle Light metal rims MORELO Graphite on front axle with spur widening, 235 / 65 R 16 tires, incl. higher load carrying index, steel rims with wheel trims on rear axle Spur widening on front axle, steel rims only Spur widening on rear axle Adjustable shock absorbers on front axle (not combined with front air supension) Adjustable shock absorberts on rear axle (not combined with full air suspension) Fixed trailer coupling up to max. 3.500 kg (only combined with electrical and technical preparation for trailer coupling)	6.290,00 € 10.290,00 € 3.340,00 € 3.340,00 € 590,00 € 890,00 € 990,00 € 1.490,00 € 500,00 €
018215 / 25 018211 / 63 018185 / 08 018185-01 / 08 018170D / 08 018182 / 16 018222 / 05 018223 / 05 018103 / 35 018120D / 03	Air suspension on rear axle only Air suspension on front and rear axle, automatic leveling and various special features (only combined with light metal rims) Light metal rims MORELO Silver on front axle with spur widening, 235 / 65 R 16 tires, incl. higher load carrying index, steel rims with wheel trims on rear axle Light metal rims MORELO Graphite on front axle with spur widening, 235 / 65 R 16 tires, incl. higher load carrying index, steel rims with wheel trims on rear axle Spur widening on front axle, steel rims only Spur widening on rear axle Adjustable shock absorbers on front axle (not combined with front air supension) Adjustable shock absorberts on rear axle (not combined with full air suspension) Fixed trailer coupling up to max. 3.500 kg (only combined with electrical and technical preparation for trailer coupling) Surcharge for removable trailer coupling head (only in combination with trailer coupling)	6.290,00 € 10.290,00 € 3.340,00 € 3.340,00 € 590,00 € 990,00 € 990,00 € 1.490,00 € 500,00 € 2.240,00 €
018215 / 25 018211 / 63 018185 / 08 018185-01 / 08 018170D / 08 018182 / 16 018222 / 05 018223 / 05 018103 / 35 018120D / 03 017002 / 0	Air suspension on rear axle only Air suspension on front and rear axle, automatic leveling and various special features (only combined with light metal rims) Light metal rims MORELO Silver on front axle with spur widening, 235 / 65 R 16 tires, incl. higher load carrying index, steel rims with wheel trims on rear axle Light metal rims MORELO Graphite on front axle with spur widening, 235 / 65 R 16 tires, incl. higher load carrying index, steel rims with wheel trims on rear axle Spur widening on front axle, steel rims only Spur widening on rear axle Adjustable shock absorbers on front axle (not combined with front air supension) Adjustable shock absorberts on rear axle (not combined with full air suspension) Fixed trailer coupling up to max. 3.500 kg (only combined with electrical and technical preparation for trailer coupling) Surcharge for removable trailer coupling head (only in combination with trailer coupling) LED headlights 12 V (only combined with rear axle air suspension)	6.290,00 € 10.290,00 € 3.340,00 € 3.340,00 € 590,00 € 890,00 € 990,00 €

COCKPIT . STRUCTURE . LIFE + STYLE . KITCHEN

017402 / 23	Bus-style outside mirrors like LOFT		1.990,00
017307 / 04	MORELO Select leather steering wheel, removable to improve seat rotation and de	ter theft	990,00
020226 / 06	Premium Cockpit (leather covering, cupholder, shelf with wooden frame, cooling co	ompartment)	1.150,00
052038 / 04	Heating for driver's and passenger's seat		690,00
031909 / 01	USB socket at dashboard		190,00
022006 / 60	Electrically operated roof awning 6.0 m, with LED lighting, dimmable with remote of	control ²	3.040,00
022051 / 03	LED lighting underneath of roof profile on driver's side, dimmable with remote con	itrol	790,00
025235 / 07	Midi roof window in bedroom (instead of standard mini heki)		790,00
025069 / 13	Panoramic roof window Heki 3 in bedroom (instead of standard mini heki)		1.390,00
025068 / 08	Panoramic roof window Heki 3 in living room (instead of standard midi roof window	w)	990,00
037500 / 07	Furniture safe with electronic locking, motor-driven locking system, 8.3 l volume		390,00
021031 / 03	Parking sensors in the rear bumper		890,00
020314 / 05	Lighted MORELO logo on front mask		690,00
020400 / 13 (020258 / 04) (031945 / 05) (020437 / 04)	Life & Style package (also available as individual items), saving 790,00 € L Carbon look exterior (PALACE style) incl. front mask L Double floor lighting L Garage door right-hand side 1.080 x 850 mm	(1.950,00 €) (690,00 €) (840,00 €)	2.690,00
(020258 / 04)	L Carbon look exterior (PALACE style) incl. front mask L Double floor lighting	(690,00 €)	
(020258 / 04) (031945 / 05) (020437 / 04)	L Carbon look exterior (PALACE style) incl. front mask L Double floor lighting L Garage door right-hand side 1.080 x 850 mm	(690,00 €)	
(020258 / 04) (031945 / 05) (020437 / 04) 042921 / 43	L Carbon look exterior (PALACE style) incl. front mask L Double floor lighting L Garage door right-hand side 1.080 x 850 mm Kitchen package (also available as individual items), saving 970,00 €	(690,00 €) (840,00 €)	2.690,00
(020258 / 04) (031945 / 05) (020437 / 04) 042921 / 43 (043405 / 20)	L Carbon look exterior (PALACE style) incl. front mask L Double floor lighting L Garage door right-hand side 1.080 x 850 mm Kitchen package (also available as individual items), saving 970,00 € L Microwave oven with grill and hot air function L Mineral material kitchen worktop with seamlessly integrated wash/waste bowl,	(690,00 €) (840,00 €)	
(020258 / 04) (031945 / 05) (020437 / 04) 042921 / 43 (043405 / 20) (043114 / 15)	L Carbon look exterior (PALACE style) incl. front mask L Double floor lighting L Garage door right-hand side 1.080 x 850 mm Kitchen package (also available as individual items), saving 970,00 € L Microwave oven with grill and hot air function L Mineral material kitchen worktop with seamlessly integrated wash/waste bowl, towel rail and luxury cooker	(690,00 €) (840,00 €) (890,00 €) (1.890,00 €)	
(020258 / 04) (031945 / 05) (020437 / 04) 042921 / 43 (043405 / 20) (043114 / 15) (031511 / 04)	L Carbon look exterior (PALACE style) incl. front mask L Double floor lighting L Garage door right-hand side 1.080 x 850 mm Kitchen package (also available as individual items), saving 970,00 € L Microwave oven with grill and hot air function L Mineral material kitchen worktop with seamlessly integrated wash/waste bowl, towel rail and luxury cooker L LED ambiance lighting above ceiling canopy	(690,00 €) (840,00 €) (890,00 €) (1.890,00 €)	
(020258 / 04) (031945 / 05) (020437 / 04) 042921 / 43 (043405 / 20) (043114 / 15) (031511 / 04) (043261 / 05)	L Carbon look exterior (PALACE style) incl. front mask L Double floor lighting L Garage door right-hand side 1.080 x 850 mm Kitchen package (also available as individual items), saving 970,00 € L Microwave oven with grill and hot air function L Mineral material kitchen worktop with seamlessly integrated wash/waste bowl, towel rail and luxury cooker L LED ambiance lighting above ceiling canopy L Nespresso coffee machine with shelf, capsule rack and 230 V socket	(690,00 €) (840,00 €) (890,00 €) (1.890,00 €)	2.890,00 990,00
(020258 / 04) (031945 / 05) (020437 / 04) 042921 / 43 (043405 / 20) (043114 / 15) (031511 / 04) (043261 / 05) 043110 / 10	L Carbon look exterior (PALACE style) incl. front mask L Double floor lighting L Garage door right-hand side 1.080 x 850 mm Kitchen package (also available as individual items), saving 970,00 € L Microwave oven with grill and hot air function L Mineral material kitchen worktop with seamlessly integrated wash/waste bowl, towel rail and luxury cooker L LED ambiance lighting above ceiling canopy L Nespresso coffee machine with shelf, capsule rack and 230 V socket Morelosan kitchen worktop, mat finish, flush sink covers, in various designs	(690,00 €) $(840,00 €)$ $(890,00 €)$ $(1.890,00 €)$ $(590,00 €)$ $(490,00 €)$	2.890,00
(020258 / 04) (031945 / 05) (020437 / 04) 042921 / 43 (043405 / 20) (043114 / 15) (031511 / 04) (043261 / 05) 043110 / 10 025167 / 05	L Carbon look exterior (PALACE style) incl. front mask L Double floor lighting L Garage door right-hand side 1.080 x 850 mm Kitchen package (also available as individual items), saving 970,00 € L Microwave oven with grill and hot air function L Mineral material kitchen worktop with seamlessly integrated wash/waste bowl, towel rail and luxury cooker L LED ambiance lighting above ceiling canopy L Nespresso coffee machine with shelf, capsule rack and 230 V socket Morelosan kitchen worktop, mat finish, flush sink covers, in various designs Extractor fan instead of standard mini heki SILWY glass assortment: magnetic wine and sparkling wine glasses in the dinette upp	(690,00 €) $(840,00 €)$ $(890,00 €)$ $(1.890,00 €)$ $(590,00 €)$ $(490,00 €)$	2.890,00 990,00 790,00

SPECIAL EQUIPMENT MORELO HOME

BATHROOM . LIVING ROOM + BEDROOM . MULTIMEDIA

USABUZ / 12 Ceramic tollet bow, for cassette tollet, incl. SOS foliet ventilation	Item / Weight ¹		all models
2990.00			
Bathroom door with satinated glass filling 390.00 035984 / 45 Seat belts for 2 persons on multifunctional seating bench 990.00 05208 / 34 Flectrically activated folding bed (instead of front overhead lockers) 2390.00 05203 / 30 Mechanically activated folding bed (instead of front overhead lockers) 1490.00 05203 / 30 Mechanically activated folding bed (instead of front overhead lockers) 1490.00 05203 / 30 Mechanically activated folding bed (instead of front overhead lockers) 1490.00 05203 / 30 Mechanically activated folding bed (instead of front overhead lockers) 1490.00 05209 / 0 Wall and celling covering in smooth finish, with artificial leather 1290.00 03209 / 0 Camfort suspension for rear bed with 5-zone mattress 590.00 037107 / 08 Double-DIN moniceiver radio with CD / DVD player, twin reversing camera and 2 toudspeakers in the driver's cubin Navigation and the finish with a flutter 1290.00 037111 / 08 Double-DIN moniceiver radio with CD / DVD player, twin reversing camera and 2 toudspeakers in the driver's cubin Navigation and the finish with a flutter 1290.00 037111 / 08 Double-DIN moniceiver radio with CD / DVD player, twin reversing camera and 2 tought player for twin reversing camera with shutter, integrated DAB+ timer, hands-free set for telephone with Blueboth and four loudspeakers 1290.00 037111 / 08 Typackage with 27 LD flat screen TV underneath plass cablinet in the entrance area, and 27 LD flat screen TV in the bedroom finet. Smart TV functionly with wiring, without SAT system 490.00 037064 / 05 Soundbar 120 flat conditioning, in the corridor of the bethroom, with infrared remote control (tectal vehicle height × 130 mm), use with mains 230 V mains connection 13300.00 037064 / 05 Solar panels, with 2 x 130 W max power (instead of serial standard) Lithium battery 1 x 210 Ah (discharging level 1006 × 210 Ah), combined charger / inverter 120 A / 3000 W with power sharing, fully submartic top class pathernia control panel with electrical package Lithium Power* max 2 satteries in total 369	036002 / 12	Ceramic toilet bowl for cassette toilet, incl. SOG toilet ventilation	490,00
038984 / 45 Seat belts for 2 persons on multifunctional seating bench 990.08 05208 / 34 Electrically activated folding bed (instead of front overhead lockers) 2.390.08 05203 / 30 Mechanically activated folding bed (instead of front overhead lockers) 1.490.00 05203 / 30 Mechanically activated folding bed (instead of front overhead lockers) 1.490.00 05200 / 05 Wall and celling covering in smooth firish, with artificial leather 1.790.00 05200 / 05 Wall and celling covering in smooth firish, with artificial leather 1.790.00 03620 / 0 Comfort suspension for rear bed with 5-zone mattress 590.00 03710 / 08 Double-DIN moniceiver radio with CD / DVD player, twin reversing camera and 2 loudspeakers in the driver's cabin 1.990.00 03710 / 08 Twin reversing camera with shutter 1.290.00 03711 / 08 Navigation system: removable 10* touch screen panel with vehicle-specific navigation, steering wheel remote control, twin reversing camera with shutter, integrated DAP+ tuner, hands-free set for telephone with Bluetoeth and four loudspeakers 1.290.00 03710 / 08 Ty package with 27* LED fills screen TV underneath glass cabinet in the entrance area, and 27* LED filat screen TV in the bedroom (incl. Smart TV function), with wiring, without SAT system 1.390.00 03706 / 02 Alarm system 1.390.00 03706 / 02 Alarm system 1.390.00 03706 / 03 Soler pensis, with 2 x 130 W max, power 1.990.00 03716 / 23 Soler pensis, with 2 x 130 W max, power 1.990.00 03716 / 24 Soler panels, with 2 x 130 W max, power 1.990.00 03716 / 25 Soler pensis, with 2 x 130 W max, power (instead of serial standard) Lithium battery 1 x 210 Ah (discharging level 1009s 2 700 Ah), cambined charger / inventer 120 A / 3.000 W, with power sharing, fully submatice top class batter protection. Premium control pound 1.00 Area (instead of serial standard) Lithium battery 1 x 210 A 3.490.00 031473 / 25 Sie wave inventer 200 W (with separate sacket for continuous us of small appliances, fe a respirator) 550.00	036123 / 25	Fixed-tank toilet with ceramic toilet bowl, with 200 litres toilet tank (not for model 74)	2.990,00
Description	036092 / 06	Bathroom door with satinated glass filling	390,00
Discrete			
Mechanically activated folding bed (instead of front overhead tockers) 1.490,00	035984 / 45	Seat belts for 2 persons on multifunctional seating bench	990,00
052203 / 30 Mechanically activated folding bed (instead of front overhead tockers) 1.490,00	052208 / 34	Electrically activated folding bed (instead of front overhead lockers)	2.390,00
1.790.00	052203 / 30		1.490,00
1.790.00	042204 / 07		890,00
Comfort suspension for rear bed with 5-zone mattress 590.00 200.00			
2 loudspeakers in the driver's cabin 1,990,00 37090 / 04 Twin reversing camera with shutter 1,290,00 Navigation system: removable 10' touch screen panel with vehicle-specific navigation, steering wheel remote control, twin reversing camera with shutter, integrated DAB+ tuner, hands-free set for telephone with Bluetooth and four loudspeakers TV package with 27' LED flat screen TV underneath glass cabinet in the entrance area, and 27' LED flat screen TV in the bedroom (incl. Smart TV function); with wiring, without SAT system 3,990,00 37064 / 05 Soundbar 490,00 37301 / 05 LTE - WIFI Router with DualSIM card slot 2,190,00 27301 / 05 LTE - WIFI Router with DualSIM card slot 2,190,00 25237 / 40 Roof air conditioning, in the corridor of the bathroom, with infrared remote control (total vehicle height + 130 mm), use with mains 230 V mains connection 3,390,00 37161 / 23 Solar panels, with 2 x 130 W max. power 1,990,00 37163 / 44 Solar panels, with 4 x 130 W max. power; if enough space on the roof 3,490,00 Electrical Package "Energy Lithium Power" (instead of serial standard) Lithium battery 1 x 210 Ah (discharging level 100% = 210 Ah), combined charger / inverter 120 A / 3,000 W, with power sharing, fully automatic top class battery protection, Premium control panel 3,490,00 3,442 / 28 Additional Lithium battery 210 Ah (only combined with electrical package "Lithium Power", max. 2 batteries in total) 3,690,00 3,1450 / 05 Sine wave inverter 300 W (with separate socket for continuous us of small appliances, fe. a respirator) 550,00	036209 / 0		
2 loudspeakers in the driver's cabin 1.990.00 37090 / 04 Twin reversing camera with shutter 1.290.00 Navigation system: removable 10' touch screen panel with vehicle-specific navigation, steering wheel remote control, twin reversing camera with shutter, integrated DAB+ tuner, hands-free set for telephone with Bluetooth and four loudspeakers TV package with 27' LED flat screen TV underneath glass cabinet in the entrance area, and 27' LED flat screen TV in the bedroom (incl. Smart TV function); with wiring, without SAT system 3.990.00 37064 / 05 Soundbar 490.00 37301 / 05 LTE - WIFI Router with DualSIM card slot 2.190.00 37301 / 05 LTE - WIFI Router with DualSIM card slot 2.190.00 37301 / 05 Solar panels, with 2 x 130 mm), use with mains 230 V mains connection 3.390.00 37161 / 23 Solar panels, with 2 x 130 W max. power 1.990.00 37163 / 44 Solar panels, with 4 x 130 W max. power; if enough space on the roof 3.490.00 281473 / 35 Electrical Package "Energy Lithium Power" (instead of serial standard) Lithium battery 1 x 210 Ah (discharging level 100% = 210 Ah), combined charger / inverter 120 A / 3.000 W, with power sharing, fully automatic top class battery protection, Premium control panel 37400 Sine wave inverter 300 W (with separate socket for continuous us of small appliances, fe. a respirator) 550.00			
Navigation system: removable 10" touch screen panel with vehicle-specific navigation, steering wheel remote control, twin reversing camera with shutter, integrated DAB+ tuner, hands-free set for telephone with Bluetooth and four loudspeakers TV package with 27" LED flat screen TV underneath glass cabinet in the entrance area, and 27" LED flat screen TV in the bedroom (incl. Smart TV function); with wiring, without SAT system 3,990,00 377064 / 05 Soundbar LTE - WIFI Router with DualSIM card slot 2,190,00 205237 / 40 Roof air conditioning, in the corridor of the bathroom, with infrared remote control (total vehicle height + 130 mm), use with mains 230 V mains connection 3,390,00 37163 / 44 Solar panels, with 2 x 130 W max. power Electrical Package "Energy Lithium Power" (instead of serial standard) Lithium battery 1 x 210 Ah (discharging level 100% = 210 Ah), combined charger / inverter 120 A / 3,000 W, with power sharing, fully automatic top class battery protection, Premium control panel 3,490,00 3,490,00 3,450 / 05 Sine wave inverter 300 W (with separate socket for continuous us of small appliances, fe. a respirator) 5,50,00	037107 / 08		1.990,00
Navigation system: removable 10" touch screen panel with vehicle-specific navigation, steering wheel remote control, twin reversing camera with shutter, integrated DAB+ tuner, hands-free set for telephone with Bluetooth and four loudspeakers 71 V package with 27" LED flat screen TV underneath glass cabinet in the entrance area, and 27" LED flat screen TV in the bedroom (incl. Smart TV function); with wiring, without SAT system 72 Soundbar 73 Soundbar 74 Soundbar 75 LTE - WIFI Router with DualSIM card slot 76 Soundbar 77 LED flat screen TV in the bedroom (incl. Smart TV function); with wiring, without SAT system 77 Soundbar 78 Soundbar 79 LTE - WIFI Router with DualSIM card slot 79 Soundbar 79 Soundbar 79 Solar panels, with 2 x 130 W max. power 79 Solar panels, with 2 x 130 W max. power 79 Solar panels, with 4 x 130 W max. power, if enough space on the roof 89 Solar panels, with 4 x 130 W max. power (instead of serial standard) Lithium battery 1 x 210 Ah (discharging level 100% = 210 Ah), combined charger / inverter 120 A / 3.000 W, with power sharing, fully automatic top class battery protection, Premium control panel 79 Solar panels, with 4 x 130 W max. power (instead of serial standard) Lithium battery 1 x 210 Ah (discharging level 100% = 210 Ah), combined charger / inverter 120 A / 3.000 W, with power sharing, fully automatic top class battery protection, Premium control panel 79 Solar panels, with 4 x 130 W max. power of inverter 120 A / 3.000 W, with power sharing, fully automatic top class battery protection, Premium control panel 79 Solar panels, with 4 x 130 W max. power of inverter 120 A / 3.000 W, with power sharing, fully automatic top class battery protection, Premium control panel 79 Solar panels, with 4 x 130 W max. power of inverter 120 A / 3.000 W, with power sharing, fully automatic top class battery protection, Premium control panel 70 Solar panels, with 4 x 130 W max. power of inverter 120 A / 3.000 W, with power sharing, fully automatic top class battery protection, Prem	037090 / 04		1.290.00
screen TV in the bedroom (incl. Smart TV function); with wiring, without SAT system 3.990,00 3		Navigation system: removable 10" touch screen panel with vehicle-specific navigation, steering wheel remote control, twin reversing camera with shutter, integrated DAB+ tuner, hands-free set for telephone	
D37301 / 05 LTE - WIFI Router with DualSIM card slot 2.190,000 D31050 / 02 Alarm system 1.390,000 D31050 / 02 Roof air conditioning, in the corridor of the bathroom, with infrared remote control (total vehicle height + 130 mm), use with mains 230 V mains connection 3.390,000 D37161 / 23 Solar panels, with 2 x 130 W max. power 1.990,000 D37163 / 44 Solar panels, with 4 x 130 W max. power, if enough space on the roof 3.490,000 Electrical Package "Energy Lithium Power" (instead of serial standard) Lithium battery 1 x 210 Ah (discharging level 100% = 210 Ah), combined charger / inverter 120 A / 3.000 W, with power sharing, fully automatic top class battery protection, Premium control panel D31442 / 28 Additional Lithium battery 210 Ah (only combined with electrical package "Lithium Power", max. 2 batteries in total) 3.690,000 D31450 / 05 Sine wave inverter 300 W (with separate socket for continuous us of small appliances, f.e. a respirator) 550,000	018930 / 48		3.990,00
031050 / 02 Alarm system 1.390,00 Control of the bathroom, with infrared remote control (total vehicle height + 130 mm), use with mains 230 V mains connection 3.390,00 Control of the bathroom, with infrared remote control (total vehicle height + 130 mm), use with mains 230 V mains connection 1.990,00 Control of the panels, with 2 x 130 W max. power 1.990,00 Control of the panels, with 4 x 130 W max. power, if enough space on the roof 1.990,00 Control of the panels, with 4 x 130 W max. power (instead of serial standard) Lithium battery 1 x 210 Ah (discharging level 100% = 210 Ah), combined charger / inverter 120 A / 3.000 W, with power sharing, fully automatic top class battery protection, Premium control panel 1.990,00 Control of the panels of the	037064 / 05	Soundbar	490,00
Roof air conditioning, in the corridor of the bathroom, with infrared remote control (total vehicle height + 130 mm), use with mains 230 V mains connection 037161 / 23 Solar panels, with 2 x 130 W max. power 1.990,00 037163 / 44 Solar panels, with 4 x 130 W max. power, if enough space on the roof Electrical Package "Energy Lithium Power" (instead of serial standard) Lithium battery 1 x 210 Ah (discharging level 100% = 210 Ah), combined charger / inverter 120 A / 3.000 W, with power sharing, fully automatic top class battery protection, Premium control panel 031442 / 28 Additional Lithium battery 210 Ah (only combined with electrical package "Lithium Power", max. 2 batteries in total) 3.390,00 3.490,00 Sine wave inverter 300 W (with separate socket for continuous us of small appliances, f.e. a respirator) 550,00	037301 / 05	LTE - WIFI Router with DualSIM card slot	2.190,00
Roof air conditioning, in the corridor of the bathroom, with infrared remote control (total vehicle height + 130 mm), use with mains 230 V mains connection 3.390,00 3.7161 / 23 Solar panels, with 2 x 130 W max. power 3.490,00 Solar panels, with 4 x 130 W max. power, if enough space on the roof Electrical Package "Energy Lithium Power" (instead of serial standard) Lithium battery 1 x 210 Ah (discharging level 100% = 210 Ah), combined charger / inverter 120 A / 3.000 W, with power sharing, fully automatic top class battery protection, Premium control panel Additional Lithium battery 210 Ah (only combined with electrical package "Lithium Power", max. 2 batteries in total) Sine wave inverter 300 W (with separate socket for continuous us of small appliances, f.e. a respirator) 550,00			
025237 / 40 (total vehicle height + 130 mm), use with mains 230 V mains connection 037161 / 23 Solar panels, with 2 x 130 W max. power 037163 / 44 Solar panels, with 4 x 130 W max. power, if enough space on the roof Electrical Package "Energy Lithium Power" (instead of serial standard) Lithium battery 1 x 210 Ah (discharging level 100% = 210 Ah), combined charger / inverter 120 A / 3.000 W, with power sharing, fully automatic top class battery protection, Premium control panel 031442 / 28 Additional Lithium battery 210 Ah (only combined with electrical package "Lithium Power", max. 2 batteries in total) 031450 / 05 Sine wave inverter 300 W (with separate socket for continuous us of small appliances, f.e. a respirator) 550,00	031050 / 02	Alarm system	1.390,00
037163 / 44 Solar panels, with 4 x 130 W max. power, if enough space on the roof Electrical Package "Energy Lithium Power" (instead of serial standard) Lithium battery 1 x 210 Ah (discharging level 100% = 210 Ah), combined charger / inverter 120 A / 3.000 W, with power sharing, fully automatic top class battery protection, Premium control panel Additional Lithium battery 210 Ah (only combined with electrical package "Lithium Power", max. 2 batteries in total) Sine wave inverter 300 W (with separate socket for continuous us of small appliances, f.e. a respirator) 550,000	025237 / 40	1	3.390,00
Electrical Package "Energy Lithium Power" (instead of serial standard) Lithium battery 1 x 210 Ah (discharging level 100% = 210 Ah), combined charger / inverter 120 A / 3.000 W, with power sharing, fully automatic top class battery protection, Premium control panel Additional Lithium battery 210 Ah (only combined with electrical package "Lithium Power", max. 2 batteries in total) Sine wave inverter 300 W (with separate socket for continuous us of small appliances, f.e. a respirator) 550,000	037161 / 23	Solar panels, with 2 x 130 W max. power	1.990,00
031473 / 35 (discharging level 100% = 210 Ah), combined charger / inverter 120 A / 3.000 W, with power sharing, fully automatic top class battery protection, Premium control panel 031442 / 28 Additional Lithium battery 210 Ah (only combined with electrical package "Lithium Power", max. 2 batteries in total) 031450 / 05 Sine wave inverter 300 W (with separate socket for continuous us of small appliances, f.e. a respirator) 550,00	037163 / 44	Solar panels, with 4 x 130 W max. power, if enough space on the roof	3.490,00
031450 / 05 Sine wave inverter 300 W (with separate socket for continuous us of small appliances, f.e. a respirator) 550,00	031473 / 35	(discharging level 100% = 210 Ah), combined charger / inverter 120 A / 3.000 W, with power sharing,	8.190,00
031450 / 05 Sine wave inverter 300 W (with separate socket for continuous us of small appliances, f.e. a respirator) 550,00	031442 / 28	Additional Lithium battery 210 Ah (only combined with electrical package "Lithium Power", max. 2 batteries in total)	3.690,00
025057 / 0 230 V appliances on inverter operation (min. 2 lithium batteries necessary) 250,00	031450 / 05		550,00
	025057 / 0	230 V appliances on inverter operation (min. 2 lithium batteries necessary)	250,00

ELECTRONICS . SUPPLY . UPHOLSTERY + DECORATION

Item / Weight ¹		all models
034225 / 01	Central filter unit for cleaning and decalcifying the fresh water supply	990,00 €
034202 / 03	External shower	350,00€
035990 / 05	Greywater pump for transfer of wastewater into the toilet tank (only for fixed-tank toilet)	990,00€
018143 / 02	Pressure sensors for precise mesuring of fresh water and wastewater tank levels	690,00€
018142 / 03	Pressure sensors for precise mesuring of fresh water, wastewater and toilet tank levels	990,00€
018145 / 02	Bluetooth box for precise mesuring of levels (only in combination with pressure sensors)	690,00€
033022 / 02	Gas alarm, to monitor living area	490,00€
034190 / 03	Heat regulator in bedroom	490,00€
044000 / 14	Floor heating in living room and bathroom	2.700,00€
018600 / 15	Diesel auxiliary heating, with convenient continuous heating via heat exchanger (5.200 W) incl. timer	3.190,00 €
033026 / 03	Outside gas point (passenger's side)	290,00 €
033004 / 73	70 litres gas tank, with remote filling in the side wall and level indicator	2.690,00 €
		I
050100 / 0	Microfibre upholstery, in variety of patterns	standard
050507 / 20	Fabric-Leather "Trendline" upholstery combination, in variety of patterns	3.190,00 €
050500 / 27	Leather upholstery, in variety of patterns	3.790,00€
050506 / 27	BiColor leather upholstery, in variety of patterns	4.190,00€
051302 / 20	Living area carpet in Sisal Sierra or velours colours Coco 830 beige, 865 grey-brown and 2051 schoko	890,00€
051311 / 20	Living area carpet in special velours colour	1.190,00€
051276 / 05	Decoration package "Trendline" consisting of 8 cushions and Trendline decorative side curtains instead of the standard ones, in variety of patterns	690,00€
051271 / 3	Venetian blinds in the living room, pleated blinds in the bedroom	690,00€
051272 / 5	Venetian blinds in the living room and in the bedroom	1.190,00€
051280 / 05	Panel blinds in living room and bedroom	1.090,00€
020399 / 0	High-performance paint coating on ceramic basis for optimal paint protection of the side walls, front and rear. Optimal vehicle care and value preservation	2.790,00 €
	real. Optimal verificie care and value preservation	



NEXT LEVEL Travel comfort

How do you make First Class even better? By taking the best and making it even better. The MORELO PALACE fascinates with a particularly striking, modern and dynamic design. The clean lines give your travels an elegant touch. Thanks to the extra wide WideAxle (optional), you have a whole new driving experience. And so you travel in even more comfort to the most beautiful places in the world.

PALACE 88 LB-RHD



PALACE 90 LS-RHD



PALACE 93 LSB-RHD



PALACE 90 M-RHD



PALACE 93 MB-RHD



PALACE 90 G-RHD



PALACE 88 LB-RHD

PALACE 90 LS-RHD







incl. scooter darage



incl. scooter garage

	IVECO Daily 70 C 18 (7.490 kg)	IVECO Daily 70 C 18 (7.490 kg)
Serial diesel engine (cylinders)	4	4
Cubic capacity (litres)	3	3
Max. power (KW/HP)	132 / 180	132 / 180
Max. torque (Nm)	430	430
Emission class	EURO VI e	EURO VI e
Technically permissible max. weight (kg) ¹	7.490	7.490
Mass in running order (kg) ¹	5.560	5.640
Payload (kg) ¹	1.930	1.850
Tow load with fixed / removable ball head (kg)	3.500	3.500
Permissible max. train weight w. fixed / removable ball head (kg)	10.700	10.700
Total length (mm)	8.990	9.190
Total width (mm)	2.400	2.400
Total height (mm)	3.490	3.490
Wheel base (mm)	4.900	5.100
Lounge bench, left (mm)	1.740 x 1.000	1.440 × 1.000
Couch, right (mm)	1.250 × 650	1.250 x 650
Rear bed (mm)	2 x 2.000 x 1.060	2 x 2.000 x 1.060
Folding bed (option) (mm)	2.000 x 1.300	2.000 x 1.300
Garage door (driver's side / passenger's side h x w in mm)	1.230 x 1.120	1.230 x 1.120
	259.900,00 €	261.900,00 €

PALACE 93 LSB-RHD





IVECO Daily 70 C 18

(7.490 kg)

Cubic capacity (litres)	3	
Max. power (KW/HP)	132 / 180	
Max. torque (Nm)	430	
Emission class	EURO VI e	
Technically permissible max. weight $(kg)^1$	7.490	
Mass in running order $(kg)^{\rm 1}$	5.740	
Payload (kg) ¹	1.750	
Tow load with fixed / removable ball head (kg)	3.500	
Permissible max. train weight w. fixed / removable ball head (kg)	10.700	
Total length (mm)	9.490	
Total width (mm)	2.400	
Total height (mm)	3.490	
Wheel base (mm)	5.100	
Lounge bench, left (mm)	1.740 x 1.000	
Couch, right (mm)	1.250 x 650	
Rear bed (mm)	2 × 2.000 × 1.060	
Folding bed (option) (mm)	2.000 x 1.300	
Garage door (driver's side / passenger's side h x w in mm)	1.230 x 1.120	

Prices in Euro (incl. 19 % VAT)

PALACE 90 M-RHD

PALACE 93 MB-RHD







incl constar sarana



incl. scooter garage

	IVECO Daily 70 C 18 (7.490 kg)	IVECO Daily 70 C 18 (7.490 kg)
Serial diesel engine (cylinders)	4	4
Cubic capacity (litres)	3	3
Max. power (KW/HP)	132 / 180	132 / 180
Max. torque (Nm)	430	430
Emission class	EURO VI e	EURO VI e
Technically permissible max. weight (kg) ¹	7.490	7.490
Mass in running order $(kg)^{1}$	5.640	5.740
Payload (kg) ¹	1.840	1.750
Tow load with fixed / removable ball head (kg)	3.500	3.500
Permissible max. train weight w. fixed / removable ball head (kg)	10.700	10.700
Total length (mm)	9.190	9.490
Total width (mm)	2.400	2.400
Total height (mm)	3.490	3.490
Wheel base (mm)	5.100	5.100
Lounge bench, left (mm)	1.440 x 1.000	1.740 × 1.000
Couch, right (mm)	1.250 x 650	1.250 x 650
Rear bed (mm)	2.000 x 1.630	2.000 x 1.630
Folding bed (option) (mm)	2.000 x 1.300	2.000 x 1.300
Garage door (driver's side / passenger's side h x w in mm)	1.230 x 1.120	1.230 x 1.120
	261.900,00	262.900,00€

PALACE 90 G-RHD



Length: ≤ 2,75 m* Height: ≤ 1,56 m*

Starting in 2020, the Smart will only be powered by electricity. With an additional weight of 250 kg it is too heavy for the Palace 90 G-RHD. So get hold of a Smart with fuel engine in time!

Attention:

Observe the technically permissible max. weight!

IVECO Daily 70 C 18

(7.490 kg)

Serial diesel engine (cylinders)	4	
Cubic capacity (litres)	3	
Max. power (KW/HP)	132 / 180	
Max. torque (Nm)	430	
Emission class	EURO VI e	
Technically permissible max. weight (kg)¹	7.490	
Mass in running order $(kg)^1$	5.720	
Payload (kg) ¹	1.770	
Tow load with fixed / removable ball head (kg)	2.500	
Permissible max. train weight w. fixed / removable ball head (kg)	10.700	
Total length (mm)	9.540	
Total width (mm)	2.400	
Total height (mm)	3.490	
Wheel base (mm)	5.100	
Lounge bench, left (mm)	1.440 x 1.000	
Couch, right (mm)	1.250 x 650	
Rear bed (mm)	2.000 x 1.630	
Folding bed (option) (mm)	2.000 x 1.300	
Rear garage door electric (passage h x w in mm)	1.570 x 2.000	
	285.900,00 €	

Prices in Euro (incl. 19 % VAT)

ENGINE . CHASSIS . DRIVING SAFETY PACKAGE . COCKPIT

	IVECO Daily 7,49 t
urbo diesel engine, with rear wheel drive	3 litres, 132 KW / 180 HP
uel tank, in litres	90
Emission class EURO VId	AdBlue, 20 liters
Manual transmission	•
Alternator	14V / 250 A / 3.080 W
All season tires (Continental Vanco Four Season) 🔬 🗛 🖽	225 / 75 R 16
Disc brakes, on front and rear axle	•
Breakdown set, with warning triangle, first-aid kit, warning light, wheel chock and tire pressure kit	•
Air suspension on front and rear axle for PALACE 90 G	•
Electronic anti-lock braking system (ABS)	•
raction control system (ASR)	•
lectronical Stability Program (ESP)	•
ruise control	•
active tire pressure monitoring system	•
river's cab seats, swiveling, with armrests and integrated belt system	
Oriver's cab seats, swiveling, with armrests and integrated belt system Roller plissee behind windscreen, electrically activated, darkening blind with privacy screen	and sunblind function
Poller plissee behind windscreen, electrically activated, darkening blind with privacy screen	and sunblind function
Poller plissee behind windscreen, electrically activated, darkening blind with privacy screen Panoramic windscreen with laminated glass, tinted	and sunblind function
Oriver's cab seats, swiveling, with armrests and integrated belt system Roller plissee behind windscreen, electrically activated, darkening blind with privacy screen Panoramic windscreen with laminated glass, tinted Flush, double-glazed driver's cab side windows, mechanically activated Air conditioning in driver's cab	and sunblind function
Roller plissee behind windscreen, electrically activated, darkening blind with privacy screen Panoramic windscreen with laminated glass, tinted flush, double-glazed driver's cab side windows, mechanically activated	
Roller plissee behind windscreen, electrically activated, darkening blind with privacy screen Panoramic windscreen with laminated glass, tinted flush, double-glazed driver's cab side windows, mechanically activated wir conditioning in driver's cab	
coller plissee behind windscreen, electrically activated, darkening blind with privacy screen canoramic windscreen with laminated glass, tinted lush, double-glazed driver's cab side windows, mechanically activated iir conditioning in driver's cab cutside mirrors (incl. wide-angle and front mirror) and windscreen wiper system in bus-style	
oller plissee behind windscreen, electrically activated, darkening blind with privacy screen anoramic windscreen with laminated glass, tinted lush, double-glazed driver's cab side windows, mechanically activated ir conditioning in driver's cab utside mirrors (incl. wide-angle and front mirror) and windscreen wiper system in bus-styl adio in driver's cab, with CD and MP3 player ligh-performance 2-way loudspeakers in driver's cab side panelling	
oller plissee behind windscreen, electrically activated, darkening blind with privacy screen anoramic windscreen with laminated glass, tinted lush, double-glazed driver's cab side windows, mechanically activated ir conditioning in driver's cab utside mirrors (incl. wide-angle and front mirror) and windscreen wiper system in bus-styl adio in driver's cab, with CD and MP3 player	
oller plissee behind windscreen, electrically activated, darkening blind with privacy screen anoramic windscreen with laminated glass, tinted lush, double-glazed driver's cab side windows, mechanically activated ir conditioning in driver's cab utside mirrors (incl. wide-angle and front mirror) and windscreen wiper system in bus-styl adio in driver's cab, with CD and MP3 player ligh-performance 2-way loudspeakers in driver's cab side panelling ockets: 2 x USB charging and 2 x 230 V	

Halogen main headlights, with optical lens and additional main beam Fog lights LED daytime running lights LED rear lights Side walls and roof are 42 mm thick, 38 mm of which consists of closed-cell RTM hard foam Aluminium side bars on the roof, with rainwater channels to help keeping side walls clean Side walls in ALU-RTM-ALU sandwich design, smooth and high-gloss Roof in GRP-RTM-ALU sandwich design, hail protection and low heat conductivity Underfloor in GRP-RTM-GRP sandwich design, robust, corrosion-free, no timber used Cold-bridge-free wall joint technology, using highly compressed rigid PU profiles Garage door with electrical unlocking or electrical rear hatch for car garages Lightning protection, Faraday cage Heatable double floor, approximately 420 mm high, side access via external flaps Entrance door with window, extra large and remote control, flyscreen and mechanical emergency unlocking Interior entrance step, heated, with two incorporated pull-out drawers Exterior entrance step, 2-step, electrically extendable with safety circuit Rear garage with doors to the right and to the left, floor rails with lashing eyelets and 230 V socket, electrical release (not for G models) Rear wall with fibreglass compound sandwich design, PU foam core Plastic windows in living area, double-glazed and tinted, collapsible outwards or sliding, with pleated blackout blind and flyscreen Storage space flaps thermally separated with electrical release, carpeted inside Entirely wood-free exterior structure Front and lateral skirting, from highly sturdy fibreglass compound External adhesives in black and silver Sturdy handle for easy entry, backlighted Floor covering made from easy-care, high-grade vinyl Flat living area floor, from the rear to the dashboard Skylight, with flyscreen and pleated blackout blind in the bedroom Double-glazed, panoramic roof window with flyscreen and pleated blackout blind in the living area Lighting canopies with LED spots incl. indirect lighting, dimmable Rear bed with comfortably suspended multi-zone mattress and adjustable head part Wardrobes with LED lighting Microfibre upholstery, including driver and passenger seats H MOO BOOM + Seating group opened towards the living area with ergonomic upholstery, comfortable multi-layer design with diol-based padding and zip fasteners Extensible, sturdy table, with extensive sliding range, laminated Ceiling high double pull-out furniture at the entrance Sockets in the living area and in the bedroom Wall panelling with colour-coordinated carpet Elegant pleated curtains NOVEL living world: Multifunctional L-bench opened towards the living area, kitchen worktop in mineral material, double sink, generous worktop, fully

deep pull-out drawers in the kitchen block, Nespresso coffee machine with capsule holder and 230 V socket

KITCHEN . BATHROOM

177 litres compressor refrigerator with separate freezer compartment and dark mirrored fridge door

Microwave oven with grill and hot-air function

3-flame stainless steel gas cooker, installed countersunk with automatic ignition and glass cover

Single-lever mixer tap, chrome

Drawers with super-soft closing and cutlery insert

Pull-out waste bin with two removable containers

Skylight, with flyscreen and pleated blackout blind

LED spots, in lighting canopy

Sockets 2 x 230 V

Skylight, with flyscreen and pleated blackout blind

Washstand, with seamlessly integrated sink, push open valve and domestic drain

Extensible single-lever mixer tap, chrome

Soap dispenser, cup holder and towel hook

Lighted closet

Separate shower, with wall rail, height-adjustable showerhead and drying rail

Toilet window, with flyscreen and pleated blackout blind with premium bathroom

Ceramic toilet bowl with ca. 250 litres toilet tank

Toilet paper holder and toilet brush

Spacious wardrobe with LED lighting

LED spots

Sockets 2 x 230 V



ovel dryer radiator in bathroom, with thermostat control htegrated hot water boiler, serving all tapping points la. 360 litres fresh water tank, ca. 250 litres wastewater tank and ca. 250 litres toilet tank, situated in the heated double floor imptying of wastewater and toilet tank, via drain tap with large cross section in heated double floor and drain hose with bayonet connection benesits style wastewater pipes flushing connections for wastewater tank and toilet tank leintral pressure water supply 1 × 230 V socket in the garage 2 V socket in the electrical compartment 30 V CEE connection, with insulated floor inlet 40 Ah gel battery in intermediate floor including battery monitoring system with overloading and total discharge protection uutomatic charger, electronically controlled, with battery temperature sensor, maximum charge rate of 25 A entral control and monitoring panel, with colour touch screen thurt-off function for on-board electrical system, in case of undervoltage/overheating hub-off electronics, microprocessor-controlled with bus technology luttons for switching on/off, lighting, water pump and special equipment, including main switch for all consumers later devices, for 'wastewater tank full,' 'step extended,' fresh water tank empty,' reserve gas bottle in use' and diverse others CD control panel for monitoring of external and internal temperature, external mains supply, parallel battery circuit, lattery voltage of the vehicle and leisure batteries CD control panel for monitoring of wastewater tank and fresh water tank levels, gas level (when a gas tank is fitted),	ingline heat exchanger, for using engine catories to heat up the living area floor heating in living area and bathroom and driver's cab leat regulating thermostat in bedroom and rear garage owel dryer radiator in bathroom, with thermostat control thegrated hot water boiler, serving all tapping points is 380 litres fresh water tank ca. 250 litres wastewater tank and ca. 250 litres toilet tank, situated in the heated double floor implying of wastewater and toilet tank, via drain tap with large cross section in heated double floor and drain hose with bayonet connection tomestic style wastewater and toilet tank and toilet tank entral pressure water supply 1. 230 V socket in the garage 2. V socket in the elactrical compartment 30 V CEE connection, with insulated floor inlet 40. Ah get battery in intermediate floor including battery monitoring system with overloading and total discharge protection utomatic charger, electronically controlled, with battery temperature sensor, maximum charge rate of 25 A 1. Control panel for monitoring ganet, with colour touch screen 1. Control panel for monitoring ganet, with colour touch screen 1. Control panel for monitoring of external and internal temperature, external mains supply, parallel battery circuit, attery voltage of the vehicle and leisure batteries 1. Control panel for monitoring of wastewater tank and internal temperature, external mains supply, parallel battery circuit, attery voltage of the vehicle and leisure batteries 1. Control panel for monitoring of wastewater tank and fresh water tank levels, gas level (when a gas tank is fitted),	.500	W hot water gas central heating, with thermostat control, automatic ventilation valve and backflow shut-off
coor heating in living area and bathroom and driver's cab eat regulating thermostat in bedroom and rear garage swel dryer radiator in bathroom, with thermostat control tegrated hot water boiler, serving all tapping points a 360 litres fresh water tank, ca. 250 litres wastewater tank and ca. 250 litres toilet tank, situated in the heated double floor mystying of wastewater and toilet tank, via drain tap with large crass section in heated double floor and drain hose with bayonet connection omestic style wastewater pipes ushing connections for wastewater tank and toilet tank entral pressure water supply x 230 V socket in the garage 2V socket in the garage 2V socket in the electrical compartment 30 V CEE connection, with insulated floor inlet 40 Ah gel battery in intermediate floor including battery monitoring system with overloading and total discharge protection utomatic charger, electronically controlled, with battery temperature sensor, maximum charge rate of 25 A entral control and monitoring panel, with colour touch screen hut-off function for on-board electrical system, in case of undervoltage/overheating n board electronics, microprocessor controlled with bus technology utoms for switching on/off, lighting, water pump and special equipment, including main switch for all consumers larm devices, for 'wastewater tank full,' step extended,' fresh water tank empty, reserve gas bottle in use' and diverse others CD control panel for monitoring of external and internal temperature, external mains supply, parallel battery circuit, attery voltage of the vehicle and leisure batteries CD control panel for monitoring of wastewater tank and fresh water tank levels, gas level (when a gas tank is fitted),	eat regulating thermostat in bedroom and rear garage well dryer radiator in bathroom, with thermostat control tegrated hot water boiler, serving all tapping points a 50 litres fresh water tank, ca. 250 litres wastewater tank and ca. 250 litres toilet tank, situated in the heated double floor mptying of wastewater and toilet tank, via drain tap with large cross section in heated double floor and drain hose with bayonet connection omestic style wastewater pipes ushing connections for wastewater tank and toilet tank entral pressure water supply x 230 V socket in the garage 2 V socket in the garage 2 V socket in the electrical compartment 30 V CEE connection, with insulated floor inlet 40 Ah get battery in intermediate floor including battery monitoring system with everloading and total discharge protection ultomatic charger, electronically controlled, with battery temperature sensor, maximum charge rate of 25 A entral control and monitoring panel, with colour touch screen hut-off function for on-board electrical system, in case of undervoltage/overheating n-board electronics, microprocessor-controlled with bus technology uttons for switching on/off, lighting, water pump and special equipment, including main switch for all consumers larm devices, for "wastewater tank full," step extended, "tresh water tank empty," esserve gas bottle in use' and diverse others CD control panel for monitoring of external and internal temperature, external mains supply, parallel battery circuit, attery voltage of the vehicle and eleisure batteries CD control ganel for monitoring of wastewater tank and firesh water tank levels, gas level (when a gas tank is fitted),	lectr	ical heating element, 230V, up to 3.000W
teet regulating thermostat in bedroom and rear garage overlighter radiator in bathroom, with thermostat control integrated not water boiler, serving all tapping points. 3.80 litres fresh water tank, ca. 250 litres wastewater tank and ca. 250 litres toilet tank, situated in the heated double floor imptying of wastewater and toilet tank, via drain tap with large cross section in heated double floor and drain hose with bayonet connection to mestic style wastewater pipes. Iushing connections for wastewater tank and toilet tank entral pressure water supply x 230 V socket in the garage 2 V socket in the electrical compartment 30 V CEE connection, with insulated floor inlet 40 Ah gel battery in intermediate floor including battery monitoring system with overloading and total discharge protection ultimatic charger, electronically controlled, with battery temperature sensor, maximum charge rate of 25 A entral control and monitoring panel, with colour touch screen including the formation of consord electrical system, in case of undervoltage/overheating in-board electronics, microprocessor-controlled with bus technology ultrons for switching on/off, lighting, water pump and special equipment, including main switch for all consumers laarm devices, for 'wastewater tank full,' step extended,' fresh water tank empty,' reserve gas bottle in use' and diverse others CD control panel for monitoring of external and internal temperature, external mains supply, parallel battery circuit, attery voltage of the vehicle and leisure batteries CD control panel for monitoring of wastewater tank and fresh water tank levels, gas level (when a gas tank is filted),	teet regulating thermostat in bedroom and rear garage owel dryer radiator in bathroom, with thermostat control integrated hot water boiler, serving all tapping points a 360 litres fresh water tank, ca. 250 litres wastewater tank and ca. 250 litres toilet tank, situated in the heated double floor imptying of wastewater and toilet tank, via drain tap with large cross section in heated double floor and drain hose with bayonet connection tomestic style wastewater pipes. The properties of wastewater supply with the section of the	ngin	e heat exchanger, for using engine calories to heat up the living area
Integrated hot water boiler, serving all tapping points Ca. 360 litres fresh water tank, ca. 250 litres wastewater tank and ca. 250 litres toilet tank, situated in the heated double floor Emptying of wastewater and toilet tank, via drain tap with large cross section in heated double floor and drain hose with bayonet connection Comestic style wastewater pipes Clushing connections for wastewater tank and toilet tank Central pressure water supply 2 x 230 V socket in the garage (2 V socket in the electrical compartment (230 V CEE connection, with insulated floor inlet (240 Ah gel battery in intermediate floor including battery monitoring system with overloading and total discharge protection Automatic charger, electronically controlled, with battery temperature sensor, maximum charge rate of 25 A Central control and monitoring panel, with colour touch screen Shut-off function for on-board electrical system, in case of undervoltage/overheating On-board electronics, microprocessor-controlled with bus technology Suttons for switching on/off, lighting, water pump and special equipment, including main switch for all consumers Narm devices, for 'wastewater tank full,' step extended,' fresh water tank empty,' reserve gas bottle in use' and diverse others CCD control panel for monitoring of external and internal temperature, external mains supply, parallel battery circuit, battery voltage of the vehicle and leisure batteries CCD control panel for monitoring of wastewater tank and fresh water tank levels, gas level (when a gas tank is fitted),	ovel dryer radiator in bathroom, with thermostat control integrated hot water boiler, serving all tapping points a. 360 litres fresh water tank, ca. 250 litres wastewater tank and ca. 250 litres toilet tank, situated in the heated double floor implying of wastewater and toilet tank, via drain tap with large cross section in heated double floor and drain hose with bayonet connection formestic style wastewater pipes liushing connections for wastewater tank and toilet tank fentral pressure water supply 1 x 230 V socket in the garage 2 V socket in the electrical compartment 30 V CEE connection, with insulated floor inlet 40 Ah gel battery in intermediate floor including battery monitoring system with overloading and total discharge protection ultomatic charger, electronically controlled, with battery temperature sensor, maximum charge rate of 25 A sentral control and monitoring panel, with colour touch screen white-off function for on-board electrical system, in case of undervoltage/overheating in-board electronics, microprocessor-controlled with bus technology buttons for switching on/off, lighting, water pump and special equipment, including main switch for all consumers Larm devices, for 'wastewater tank full,' step extended,' fresh water tank empty, reserve gas bottle in use' and diverse others CD control panel for monitoring of external and internal temperature, external mains supply, parallel battery circuit, lettery voltage of the vehicle and leisure batteries CD control panel for monitoring of swatewater tank and fresh water tank levels, gas level (when a gas tank is fitted).	loor	heating in living area and bathroom and driver's cab
Ca. 360 litres fresh water tank, ca. 250 litres wastewater tank and ca. 250 litres toilet tank, situated in the heated double floor Emptying of wastewater and toilet tank, via drain tap with large cross section in heated double floor and drain hose with bayonet connection Comestic style wastewater pipes Flushing connections for wastewater tank and toilet tank Central pressure water supply 2 x 230 V socket in the garage 12 V socket in the electrical compartment 230 V CEE connection, with insulated floor inlet 140 Ah gel battery in intermediate floor including battery monitoring system with overloading and total discharge protection Automatic charger, electronically controlled, with battery temperature sensor, maximum charge rate of 25 A Central control and monitoring panel, with colour touch screen Schut-off function for on-board electrical system, in case of undervoltage/overheating On-board electronics, microprocessor-controlled with bus technology Buttons for switching on/off, lighting, water pump and special equipment, including main switch for all consumers Alarm devices, for 'wastewater tank full', 'step extended,' fresh water tank empty,' reserve gas bottle in use' and diverse others CCC control panel for monitoring of external and internal temperature, external mains supply, parallel battery circuit, battery voltage of the vehicle and leisure batteries CCC control panel for monitoring of wastewater tank and fresh water tank levels, gas level (when a gas tank is fitted),	the grated hot water boiler, serving all tapping points as 360 litres fresh water tank, ca. 250 litres wastewater tank and ca. 250 litres toilet tank, situated in the heated double floor implying of wastewater and toilet tank, via drain tap with large cross section in heated double floor and drain hose with bayonet connection benestic style wastewater pipes liushing connections for wastewater tank and toilet tank lentral pressure water supply 1 × 230 V socket in the garage 2 V socket in the electrical compartment 30 V CEE connection, with insulated floor inlet 40 Ah gel battery in intermediate floor including battery monitoring system with overloading and total discharge protection ulternatic charger, electronically controlled, with battery temperature sensor, maximum charge rate of 25 A sentral control and monitoring panel, with colour touch screen whith-off function for on-board electrical system, in case of undervoltage/overheating hith-off function for on-board electrical system, in case of undervoltage/overheating hith-off function for on-board electrical system, in case of undervoltage/overheating hith-off function for on-board electrical system, in case of undervoltage/overheating hith-off function for on-board electrical system, in case of undervoltage/overheating hith-off function for on-board electrical system, in case of undervoltage/overheating hith-off function for on-board electrical system, in case of undervoltage/overheating hith-off function for on-board electrical system, in case of undervoltage/overheating hith-off function for on-board electrical system, in case of undervoltage/overheating hith-off function for on-board electrical system, in case of undervoltage/overheating hith-off function for on-board electrical system, in case of undervoltage/overheating hith-off function for on-board electrical system, in case of undervoltage/overheating hith-off function for on-board electrical system, in case of undervoltage/overheating hith-off function for on-board electrical system, in case of un	Heat i	regulating thermostat in bedroom and rear garage
Central control and monitoring panel, with colour touch screen Shut-off function for on-board electrical system, in case of undervoltage/overheating On-board electronics, microprocessor-controlled with bus technology Buttons for switching on/off, lighting, water pump and special equipment, including main switch for all consumers Alarm devices, for 'wastewater tank full', 'step extended', 'fresh water tank empty', reserve gas bottle in use' and diverse others C.C. control panel for monitoring of wastewater tank and fresh water tank evels, gas level (when a gas tank is fitted), C.C. control panel for monitoring of wastewater tank and fresh water tank levels, gas level (when a gas tank is fitted),	ia. 360 litres fresh water tank, ca. 250 litres wastewater tank and ca. 250 litres toilet tank, situated in the heated double floor imptying of wastewater and toilet tank, via drain tap with large cross section in heated double floor and drain hose with bayonet connection for wastewater pipes. Itushing connections for wastewater tank and toilet tank Iterital pressure water supply Iterital compartment Iterital compartment Iterital connection, with insulated floor inlet Iterital pressure water supply Iterital control in intermediate floor including battery monitoring system with overloading and total discharge protection subomatic charger, electronically controlled, with battery temperature sensor, maximum charge rate of 25 Å Iterital control and monitoring panel, with colour touch screen should be supply to the protection of on on-board electrical system, in case of undervoltage/overheating In-board electronics, microprocessor-controlled with bus technology In-board electronics, microprocessor-controlled with bus technology Iterital control panel for monitoring of external and internal temperature, external mains supply, parallel battery circuit, altery voltage of the vehicle and leisure batteries CD control panel for monitoring of wastewater tank and fresh water tank levels, gas level (when a gas tank is fitted),	Towel	dryer radiator in bathroom, with thermostat control
Emptying of wastewater and toilet tank, via drain tap with large cross section in heated double floor and drain hose with bayonet connection connections style wastewater pipes Flushing connections for wastewater tank and toilet tank Central pressure water supply 2 x 230 V socket in the garage 12 V socket in the electrical compartment 230 V CEE connection, with insulated floor inlet 140 Ah gel battery in intermediate floor including battery monitoring system with overloading and total discharge protection Automatic charger, electronically controlled, with battery temperature sensor, maximum charge rate of 25 A Central control and monitoring panel, with colour touch screen Schut-off function for on-board electrical system, in case of undervoltage/overheating On-board electronics, microprocessor-controlled with bus technology Buttons for switching on/off, lighting, water pump and special equipment, including main switch for all consumers Narm devices, for 'wastewater tank full', 'step extended,' fresh water tank empty,' reserve gas bottle in use' and diverse others CCC control panel for monitoring of external and internal temperature, external mains supply, parallel battery circuit, battery voltage of the vehicle and leisure batteries CCC control panel for monitoring of wastewater tank and fresh water tank levels, gas level (when a gas tank is fitted),	Implying of wastewater and toilet tank, via drain tap with large cross section in heated double floor and drain hose with bayonet connection for mestic style wastewater pipes (lushing connections for wastewater tank and toilet tank (lentral pressure water supply) (ix 230 V socket in the garage 2 V socket in the electrical compartment (30 V CEE connection, with insulated floor inlet 40 Ah gel battery in intermediate floor including battery monitoring system with overloading and total discharge protection (a) which is a supply of the protection of the charger, electronically controlled, with battery temperature sensor, maximum charge rate of 25 A (a) the charger, electronically controlled, with battery temperature sensor, maximum charge rate of 25 A (a) the charger of t	ntegr	rated hot water boiler, serving all tapping points
Domestic style wastewater pipes Flushing connections for wastewater tank and toilet tank Central pressure water supply 2 x 230 V socket in the garage 12 V socket in the electrical compartment 130 V CEE connection, with insulated floor inlet 140 Ah gel battery in intermediate floor including battery monitoring system with overloading and total discharge protection Automatic charger, electronically controlled, with battery temperature sensor, maximum charge rate of 25 A Central control and monitoring panel, with colour touch screen Shut-off function for on-board electrical system, in case of undervoltage/overheating On-board electronics, microprocessor-controlled with bus technology Buttons for switching on/off, lighting, water pump and special equipment, including main switch for all consumers Alarm devices, for 'wastewater tank full', 'step extended', 'fresh water tank empty,' reserve gas bottle in use' and diverse others CCD control panel for monitoring of external and internal temperature, external mains supply, parallel battery circuit, battery voltage of the vehicle and leisure batteries CCD control panel for monitoring of wastewater tank and fresh water tank elevels, gas level (when a gas tank is fitted),	connections for wastewater pipes (lushing connections for wastewater tank and toilet tank lentral pressure water supply (x 230 V socket in the garage 2 V socket in the electrical compartment 30 V CEE connection, with insulated floor inlet 40 Ah gel battery in intermediate floor including battery monitoring system with overloading and total discharge protection automatic charger, electronically controlled, with battery temperature sensor, maximum charge rate of 25 A central control and monitoring panel, with colour touch screen shut-off function for on-board electrical system, in case of undervoltage/overheating on-board electronics, microprocessor-controlled with bus technology buttons for switching on/off, lighting, water pump and special equipment, including main switch for all consumers alarm devices, for 'wastewater tank full', 'step extended' 'fresh water tank empty, reserve gas bottle in use' and diverse others CD control panel for monitoring of external and internal temperature, external mains supply, parallel battery circuit, attery voltage of the vehicle and leisure batteries CD control panel for monitoring of wastewater tank and fresh water tank levels, gas level (when a gas tank is fitted),	Ca. 36	0 litres fresh water tank, ca. 250 litres wastewater tank and ca. 250 litres toilet tank, situated in the heated double floor
Eushing connections for wastewater tank and toilet tank Central pressure water supply 2 x 230 V socket in the garage 12 V socket in the electrical compartment 230 V CEE connection, with insulated floor inlet 140 Ah gel battery in intermediate floor including battery monitoring system with overloading and total discharge protection Automatic charger, electronically controlled, with battery temperature sensor, maximum charge rate of 25 A Central control and monitoring panel, with colour fouch screen Shut-off function for on-board electrical system, in case of undervoltage/overheating On-board electronics, microprocessor-controlled with bus technology Buttons for switching on/off, lighting, water pump and special equipment, including main switch for all consumers Alarm devices, for "wastewater tank full! "step extended", "fresh water tank empty," reserve gas bottle in use" and diverse others CCD control panel for monitoring of external and internal temperature, external mains supply, parallel battery circuit, battery voltage of the vehicle and leisure batteries CCD control panel for monitoring of wastewater tank and fresh water tank levels, gas level (when a gas tank is fitted),	Tushing connections for wastewater tank and toilet tank fentral pressure water supply It is 230 V socket in the garage 2 V socket in the electrical compartment 30 V CEE connection, with insulated floor inlet 40 Ah gel battery in intermediate floor including battery monitoring system with overloading and total discharge protection automatic charger, electronically controlled, with battery temperature sensor, maximum charge rate of 25 A sentral control and monitoring panel, with colour touch screen finith-off function for on-board electrical system, in case of undervoltage/overheating on-board electronics, microprocessor-controlled with bus technology automs for switching on/off, lighting, water pump and special equipment, including main switch for all consumers alarm devices, for "wastewater tank full," step extended," fresh water tank empty, reserve gas bottle in use, and diverse others CD control panel for monitoring of external and internal temperature, external mains supply, parallel battery circuit, autery voltage of the vehicle and leisure batteries CD control panel for monitoring of wastewater tank and fresh water tank levels, gas level (when a gas tank is fitted),	Empty	ying of wastewater and toilet tank, via drain tap with large cross section in heated double floor and drain hose with bayonet connection
Central pressure water supply 2 x 230 V socket in the garage 12 V socket in the electrical compartment 230 V CEE connection, with insulated floor inclet 140 Ah gel battery in intermediate floor including battery monitoring system with overloading and total discharge protection Automatic charger, electronically controlled, with battery temperature sensor, maximum charge rate of 25 A Central control and monitoring panel, with colour touch screen Shut-off function for on-board electrical system, in case of undervoltage/overheating On-board electronics, microprocessor-controlled with bus technology Buttons for switching on/off, lighting, water pump and special equipment, including main switch for all consumers Alarm devices, for 'wastewater tank full,' istep extended', 'fresh water tank empty,' reserve gas bottle in use' and diverse others CCD control panel for monitoring of external and internal temperature, external mains supply, parallel battery circuit, battery voltage of the vehicle and leisure batteries CCD control panel for monitoring of wastewater tank and fresh water tank levels, gas level (when a gas tank is fitted),	tentral pressure water supply (x 230 V socket in the garage 2 V socket in the electrical compartment 30 V CEE connection, with insulated floor inlet 40 Ah gel battery in intermediate floor including battery monitoring system with overloading and total discharge protection automatic charger, electronically controlled, with battery temperature sensor, maximum charge rate of 25 A identral control and monitoring panel, with colour touch screen shout-off function for on-board electrical system, in case of undervoltage/overheating in-board electronics, microprocessor-controlled with bus technology buttons for switching on/off, lighting, water pump and special equipment, including main switch for all consumers alarm devices, for 'wastewater tank full', 'step extended', 'fresh water tank empty', reserve gas bottle in use' and diverse others CD control panel for monitoring of wastewater tank and fresh water tank levels, gas level (when a gas tank is fitted),	Dome	estic style wastewater pipes
Automatic charger, electronically controlled, with battery temperature sensor, maximum charge rate of 25 A Automatic charger, electronically controlled, with battery temperature sensor, maximum charge rate of 25 A Central control and monitoring panel, with colour touch screen Shut-off function for on-board electrical system, in case of undervoltage/overheating On-board electronics, microprocessor-controlled with bus technology Buttons for switching on/off, lighting, water pump and special equipment, including main switch for all consumers Alarm devices, for 'wastewater tank full', 'step extended', 'fresh water tank empty', reserve gas bottle in use' and diverse others CD control panel for monitoring of external and internal temperature, external mains supply, parallel battery circuit, pattery voltage of the vehicle and leisure batteries CD control panel for monitoring of wastewater tank and fresh water tank levels, gas level (when a gas tank is fitted),	x 230 V socket in the garage 2 V socket in the electrical compartment 30 V CEE connection, with insulated floor inlet 40 Ah get battery in intermediate floor including battery monitoring system with overloading and total discharge protection sutomatic charger, electronically controlled, with battery temperature sensor, maximum charge rate of 25 A sentral control and monitoring panel, with colour touch screen shut-off function for on-board electrical system, in case of undervoltage/overheating shut-off function, microprocessor-controlled with bus technology southons for switching on/off, lighting, water pump and special equipment, including main switch for all consumers slarm devices, for 'wastewater tank full', 'step extended', 'fresh water tank empty', reserve gas bottle in use' and diverse others CD control panel for monitoring of external and internal temperature, external mains supply, parallel battery circuit, sattery voltage of the vehicle and leisure batteries CD control panel for monitoring of wastewater tank and fresh water tank levels, gas level (when a gas tank is fitted),	- lush	ing connections for wastewater tank and toilet tank
12 V socket in the electrical compartment 230 V CEE connection, with insulated floor inlet 140 Ah gel battery in intermediate floor including battery monitoring system with overloading and total discharge protection Automatic charger, electronically controlled, with battery temperature sensor, maximum charge rate of 25 A Automatic charger, electronically controlled, with battery temperature sensor, maximum charge rate of 25 A Central control and monitoring panel, with colour touch screen Shut-off function for on-board electrical system, in case of undervoltage/overheating On-board electronics, microprocessor-controlled with bus technology Buttons for switching on/off, lighting, water pump and special equipment, including main switch for all consumers Alarm devices, for 'wastewater tank full', 'step extended', 'fresh water tank empty', reserve gas bottle in use' and diverse others CCD control panel for monitoring of external and internal temperature, external mains supply, parallel battery circuit, battery voltage of the vehicle and leisure batteries CCD control panel for monitoring of wastewater tank and fresh water tank levels, gas level (when a gas tank is fitted),	2 V socket in the electrical compartment 30 V CEE connection, with insulated floor inlet 40 Ah gel battery in intermediate floor including battery monitoring system with overloading and total discharge protection subtomatic charger, electronically controlled, with battery temperature sensor, maximum charge rate of 25 A substitution of the control and monitoring panel, with colour touch screen shut-off function for on-board electrical system, in case of undervoltage/overheating in-board electronics, microprocessor-controlled with bus technology subtons for switching on/off, lighting, water pump and special equipment, including main switch for all consumers sharm devices, for 'wastewater tank full', 'step extended', 'fresh water tank empty', reserve gas bottle in use' and diverse others CD control panel for monitoring of external and internal temperature, external mains supply, parallel battery circuit, attery voltage of the vehicle and leisure batteries CD control panel for monitoring of wastewater tank and fresh water tank levels, gas level (when a gas tank is fitted),	Centra	al pressure water supply
230 V CEE connection, with insulated floor inlet 140 Ah gel battery in intermediate floor including battery monitoring system with overloading and total discharge protection Automatic charger, electronically controlled, with battery temperature sensor, maximum charge rate of 25 A Automatic charger, electronically controlled, with battery temperature sensor, maximum charge rate of 25 A Central control and monitoring panel, with colour touch screen Shut-off function for on-board electrical system, in case of undervoltage/overheating On-board electronics, microprocessor-controlled with bus technology Buttons for switching on/off, lighting, water pump and special equipment, including main switch for all consumers Alarm devices, for 'wastewater tank full', 'step extended', 'fresh water tank empty', reserve gas bottle in use' and diverse others CD control panel for monitoring of external and internal temperature, external mains supply, parallel battery circuit, pattery voltage of the vehicle and leisure batteries CD control panel for monitoring of wastewater tank and fresh water tank levels, gas level (when a gas tank is fitted),	30 V CEE connection, with insulated floor inlet 40 Ah gel battery in intermediate floor including battery monitoring system with overloading and total discharge protection automatic charger, electronically controlled, with battery temperature sensor, maximum charge rate of 25 A interpretation of the controlled of th	 2 × 23	30 V socket in the garage
LCD control panel for monitoring of external and internal temperature, external mains supply, parallel battery circuit, battery voltage of the vehicle and leisure batteries LCD control panel for monitoring of wastewater tank and fresh water tank levels, gas level (when a gas tank is fitted),	40 Ah gel battery in intermediate floor including battery monitoring system with overloading and total discharge protection automatic charger, electronically controlled, with battery temperature sensor, maximum charge rate of 25 A sentral control and monitoring panel, with colour touch screen shut-off function for on-board electrical system, in case of undervoltage/overheating in-board electronics, microprocessor-controlled with bus technology suttons for switching on/off, lighting, water pump and special equipment, including main switch for all consumers slarm devices, for 'wastewater tank full', 'step extended', 'fresh water tank empty', reserve gas bottle in use' and diverse others CD control panel for monitoring of external and internal temperature, external mains supply, parallel battery circuit, eattery voltage of the vehicle and leisure batteries CD control panel for monitoring of wastewater tank and fresh water tank levels, gas level (when a gas tank is fitted),	12 V s	socket in the electrical compartment
Automatic charger, electronically controlled, with battery temperature sensor, maximum charge rate of 25 A Central control and monitoring panel, with colour touch screen Shut-off function for on-board electrical system, in case of undervoltage/overheating On-board electronics, microprocessor-controlled with bus technology Buttons for switching on/off, lighting, water pump and special equipment, including main switch for all consumers Alarm devices, for 'wastewater tank full,' 'step extended', 'fresh water tank empty', reserve gas bottle in use' and diverse others CD control panel for monitoring of external and internal temperature, external mains supply, parallel battery circuit, pattery voltage of the vehicle and leisure batteries CD control panel for monitoring of wastewater tank and fresh water tank levels, gas level (when a gas tank is fitted),	internal control and monitoring panel, with colour touch screen Shut-off function for on-board electrical system, in case of undervoltage/overheating On-board electronics, microprocessor-controlled with bus technology Suttons for switching on/off, lighting, water pump and special equipment, including main switch for all consumers Sharm devices, for 'wastewater tank full', 'step extended', 'fresh water tank empty', reserve gas bottle in use' and diverse others CD control panel for monitoring of external and internal temperature, external mains supply, parallel battery circuit, leattery voltage of the vehicle and leisure batteries CD control panel for monitoring of wastewater tank and fresh water tank levels, gas level (when a gas tank is fitted),	230 V	CEE connection, with insulated floor inlet
Central control and monitoring panel, with colour touch screen Shut-off function for on-board electrical system, in case of undervoltage/overheating On-board electronics, microprocessor-controlled with bus technology Buttons for switching on/off, lighting, water pump and special equipment, including main switch for all consumers Alarm devices, for 'wastewater tank full', 'step extended', 'fresh water tank empty', reserve gas bottle in use' and diverse others CD control panel for monitoring of external and internal temperature, external mains supply, parallel battery circuit, battery voltage of the vehicle and leisure batteries CD control panel for monitoring of wastewater tank and fresh water tank levels, gas level (when a gas tank is fitted),	Tentral control and monitoring panel, with colour touch screen Shut-off function for on-board electrical system, in case of undervoltage/overheating On-board electronics, microprocessor-controlled with bus technology Buttons for switching on/off, lighting, water pump and special equipment, including main switch for all consumers Slarm devices, for 'wastewater tank full', 'step extended', 'fresh water tank empty', reserve gas bottle in use' and diverse others CD control panel for monitoring of external and internal temperature, external mains supply, parallel battery circuit, lattery voltage of the vehicle and leisure batteries CD control panel for monitoring of wastewater tank and fresh water tank levels, gas level (when a gas tank is fitted),	140 A	h gel battery in intermediate floor including battery monitoring system with overloading and total discharge protection
CD control panel for monitoring of wastewater tank and fresh water tank levels, gas level (when a gas tank is fitted),	Shut-off function for on-board electrical system, in case of undervoltage/overheating On-board electronics, microprocessor-controlled with bus technology Buttons for switching on/off, lighting, water pump and special equipment, including main switch for all consumers Alarm devices, for 'wastewater tank full', 'step extended', 'fresh water tank empty', reserve gas bottle in use' and diverse others CD control panel for monitoring of external and internal temperature, external mains supply, parallel battery circuit, Nattery voltage of the vehicle and leisure batteries CD control panel for monitoring of wastewater tank and fresh water tank levels, gas level (when a gas tank is fitted),	Auton	natic charger, electronically controlled, with battery temperature sensor, maximum charge rate of 25 A
Shut-off function for on-board electrical system, in case of undervoltage/overheating On-board electronics, microprocessor-controlled with bus technology Buttons for switching on/off, lighting, water pump and special equipment, including main switch for all consumers Alarm devices, for 'wastewater tank full', 'step extended', 'fresh water tank empty', reserve gas bottle in use' and diverse others CD control panel for monitoring of external and internal temperature, external mains supply, parallel battery circuit, battery voltage of the vehicle and leisure batteries CD control panel for monitoring of wastewater tank and fresh water tank levels, gas level (when a gas tank is fitted),	Shut-off function for on-board electrical system, in case of undervoltage/overheating On-board electronics, microprocessor-controlled with bus technology Buttons for switching on/off, lighting, water pump and special equipment, including main switch for all consumers Alarm devices, for 'wastewater tank full', 'step extended', 'fresh water tank empty', reserve gas bottle in use' and diverse others CD control panel for monitoring of external and internal temperature, external mains supply, parallel battery circuit, battery voltage of the vehicle and leisure batteries CD control panel for monitoring of wastewater tank and fresh water tank levels, gas level (when a gas tank is fitted),		
CD control panel for monitoring of wastewater tank and fresh water tank levels, gas level (when a gas tank is fitted),	Shut-off function for on-board electrical system, in case of undervoltage/overheating On-board electronics, microprocessor-controlled with bus technology Buttons for switching on/off, lighting, water pump and special equipment, including main switch for all consumers Alarm devices, for 'wastewater tank full', 'step extended', 'fresh water tank empty', reserve gas bottle in use' and diverse others CD control panel for monitoring of external and internal temperature, external mains supply, parallel battery circuit, battery voltage of the vehicle and leisure batteries CD control panel for monitoring of wastewater tank and fresh water tank levels, gas level (when a gas tank is fitted),		
On-board electronics, microprocessor-controlled with bus technology Buttons for switching on/off, lighting, water pump and special equipment, including main switch for all consumers Alarm devices, for 'wastewater tank full', 'step extended', 'fresh water tank empty', reserve gas bottle in use' and diverse others LCD control panel for monitoring of external and internal temperature, external mains supply, parallel battery circuit, battery voltage of the vehicle and leisure batteries LCD control panel for monitoring of wastewater tank and fresh water tank levels, gas level (when a gas tank is fitted),	On-board electronics, microprocessor-controlled with bus technology Buttons for switching on/off, lighting, water pump and special equipment, including main switch for all consumers salarm devices, for 'wastewater tank full', 'step extended', 'fresh water tank empty', reserve gas bottle in use' and diverse others CD control panel for monitoring of external and internal temperature, external mains supply, parallel battery circuit, sattery voltage of the vehicle and leisure batteries CD control panel for monitoring of wastewater tank and fresh water tank levels, gas level (when a gas tank is fitted),		
Buttons for switching on/off, lighting, water pump and special equipment, including main switch for all consumers Alarm devices, for 'wastewater tank full', 'step extended', 'fresh water tank empty', reserve gas bottle in use' and diverse others LCD control panel for monitoring of external and internal temperature, external mains supply, parallel battery circuit, battery voltage of the vehicle and leisure batteries LCD control panel for monitoring of wastewater tank and fresh water tank levels, gas level (when a gas tank is fitted),	Buttons for switching on/off, lighting, water pump and special equipment, including main switch for all consumers slarm devices, for 'wastewater tank full', 'step extended', 'fresh water tank empty', reserve gas bottle in use' and diverse others CD control panel for monitoring of external and internal temperature, external mains supply, parallel battery circuit, battery voltage of the vehicle and leisure batteries CD control panel for monitoring of wastewater tank and fresh water tank levels, gas level (when a gas tank is fitted),		
Alarm devices, for 'wastewater tank full', 'step extended', 'fresh water tank empty', reserve gas bottle in use' and diverse others LCD control panel for monitoring of external and internal temperature, external mains supply, parallel battery circuit, battery voltage of the vehicle and leisure batteries LCD control panel for monitoring of wastewater tank and fresh water tank levels, gas level (when a gas tank is fitted), charging and discharging amperage, date and time with alarm clock	CD control panel for monitoring of external and internal temperature, external mains supply, parallel battery circuit, lattery voltage of the vehicle and leisure batteries CD control panel for monitoring of wastewater tank and fresh water tank levels, gas level (when a gas tank is fitted),		
LCD control panel for monitoring of external and internal temperature, external mains supply, parallel battery circuit, battery voltage of the vehicle and leisure batteries LCD control panel for monitoring of wastewater tank and fresh water tank levels, gas level (when a gas tank is fitted),	CD control panel for monitoring of external and internal temperature, external mains supply, parallel battery circuit, battery voltage of the vehicle and leisure batteries CD control panel for monitoring of wastewater tank and fresh water tank levels, gas level (when a gas tank is fitted),		
battery voltage of the vehicle and leisure batteries LCD control panel for monitoring of wastewater tank and fresh water tank levels, gas level (when a gas tank is fitted),	control panel for monitoring of wastewater tank and fresh water tank levels, gas level (when a gas tank is fitted),		

CHASSIS IVECO DAILY. CHASSIS PACKAGE. DRIVING SAFETY PACKAGE

Item / Weight¹

	CHASSIS MORELO PALACE IVECO DAILY	IVECO Daily
018175 / 26	Daily "wide axle" front axle (spur widening on front axle +200 mm)	7.590,00 €
018152 / 120	Ca. 170 litres fuel tank (instead of serial standard) ³	2.520,00 €
018212D / 63	Air suspension on front and rear axle, automatic leveling and various special features (only combined with light metal rims - serial standard for PALACE 90 G)	10.290,00 €
018186 / 08	Light metal rims MORELO Silver on front axle with spur widening, steel rims with wheel trims on rear axle	2.990,00 €
018186-01 / 08	Light metal rims MORELO Graphite on front axle with spur widening and steel rims with wheel trims on rear axle	2.990,00 €
018187 / 08	Light metal rims MORELO Silver front and rear axle, on front axle with spur widening, steel valves	4.390,00 €
018187-01 / 08	Light metal rims MORELO Graphite on front and rear axle with spur widening, steel valves	4.390,00 €
018170D / 08	Spur widening on front axle, only for steel rims	590,00 €
018181 / 16	Spur widening on rear axle, only for steel rims	890,00 €
018103 / 34	Fixed trailer coupling (in combination with chassis package)	1.690,00 €
018099D / 41	Fixed trailer coupling up to max. 3.500 kg (incl. electrical and technical preparation for trailer coupling)	2.490,00 €
018120D / 03	Surcharge for removable trailer coupling head (only in combination with trailer coupling)	500,00 €
017006 / 0	LED headlights 12 V (only combined with rear axle air suspension)	2.240,00 €
018256 / 99	Hydraulic leveling jacks with automatic leveling ² incl. touch display	9.290,00 €
017307 / 04	MORELO leather steering wheel, removable to improve seat rotation and deter theft	990,00 €
052130 / 45	Luxury driver's cab seats, air suspended and heated, with lumbar support, armrests	4.190,00 €
024954 / 05	Flush, double-glazed driver's cab side windows, electrically activated	1.250,00 €
021039 / 06	Double horn air fanfare (only in combination with luxury driver's cab seats)	990,00 €
018321 / 55	Spare wheel with steel rim and bracket, situated underneath lowered rear end	490,00 €
		.,0,00
017058 / 01	Additional noise insulation for engine compartment, front side walls and front wheel arches	1.590,00 €
		1.590,00 €
017058 / 01	Additional noise insulation for engine compartment, front side walls and front wheel arches	1.590,00 €
017058 / 01	Additional noise insulation for engine compartment, front side walls and front wheel arches Chassis Package IVECO Daily 70 C 18	1.590,00 €
017058 / 01	Additional noise insulation for engine compartment, front side walls and front wheel arches Chassis Package IVECO Daily 70 C 18 L Engine version C 21, 154 kW / 207 HP	1.590,00 €
017058 / 01	Additional noise insulation for engine compartment, front side walls and front wheel arches Chassis Package IVECO Daily 70 C 18 L Engine version C 21, 154 kW / 207 HP L ZF 8-gear torque converter transmission	1.590,00 €
017058 / 01	Additional noise insulation for engine compartment, front side walls and front wheel arches Chassis Package IVECO Daily 70 C 18 Lengine version C 21, 154 kW / 207 HP LZF 8-gear torque converter transmission Leather steering wheel with multifunctional buttons (not removable)	1.590,00
017058 / 01	Additional noise insulation for engine compartment, front side walls and front wheel arches Chassis Package IVECO Daily 70 C 18 Lengine version C 21, 154 kW / 207 HP LZF 8-gear torque converter transmission Leather steering wheel with multifunctional buttons (not removable) Lelectrical and technical preparation for trailer coupling	1.590,00 €
017058 / 01	Additional noise insulation for engine compartment, front side walls and front wheel arches Chassis Package IVECO Daily 70 C 18 Lengine version C 21, 154 kW / 207 HP LZF 8-gear torque converter transmission Leather steering wheel with multifunctional buttons (not removable) Lelectrical and technical preparation for trailer coupling	
017058 / 01	Additional noise insulation for engine compartment, front side walls and front wheel arches Chassis Package IVECO Daily 70 C 18 Lengine version C 21, 154 kW / 207 HP LZF 8-gear torque converter transmission Leather steering wheel with multifunctional buttons (not removable) LElectrical and technical preparation for trailer coupling L Differential lock for rear axle	9.990,00 €
017058 / 01	Additional noise insulation for engine compartment, front side walls and front wheel arches Chassis Package IVECO Daily 70 C 18 Lengine version C 21, 154 kW / 207 HP LZF 8-gear torque converter transmission Leather steering wheel with multifunctional buttons (not removable) Lelectrical and technical preparation for trailer coupling L Differential lock for rear axle Driving safety package	9.990,00 €
017058 / 01	Additional noise insulation for engine compartment, front side walls and front wheel arches Chassis Package IVECO Daily 70 C 18 Lengine version C 21, 154 kW / 207 HP LZF 8-gear torque converter transmission Leather steering wheel with multifunctional buttons (not removable) Lelectrical and technical preparation for trailer coupling L Differential lock for rear axle Driving safety package L Electric parking brake	9.990,00 €

STRUCTURE . KITCHEN . LIVING ROOM

Item / Weight¹

022004 / 60		
	Electrically operated roof awning 6.0 m, with LED lighting, dimmable with remote control ²	3.040,00 \$
022051 / 03	LED lighting underneath of roof profile on driver's side, dimmable with remote control	790,00 (
025244 / 08	Midi roof window in bedroom (instead of standard mini heki)	790,00 \$
024955 / 05	Flush, double-glazed driver's cab side windows, electrically activated	1.250,00 (
025092 / 13	Panoramic roof window Heki 3 in bedroom (instead of standard mini heki)	1.390,00
025106 / 26	Double panoramic roof window, 2 x Heki 3, in living room (not in combination with folding bed)	1.690,00
037500 / 07	Furniture safe with electronic locking, motor-driven locking system, 8.3 l volume	390,00
020320 / 02	Carbon look exterior for side walls and front mask	1.890,00
031945 / 05	Double floor lighting	690,00
021031 / 03	Parking sensors in the rear bumper	890,00
036112 / 03	Clothes rail in rear garage (only for scooter garage)	290,00
020314 / 05	Illuminated MORELO logo on the vehicle front	690,00
020397 / 0	High-performance paint coating on ceramic basis for optimal paint protection of the side walls, front and rear. Optimal vehicle care and value preservation.	2.990,00
020110 / 12	Aluminium chequer plate on the rear garage floor	690,00
043030 / 30	Luxury dishwasher, pull-out underneath cooker (230 V via mains connection, not in combination with dishwasher or double pull-out drawers)	2.290,00
025167 / 05	Extractor fan instead of standard mini heki	790,00
043470 / 08	SILWY glass assortment: magnetic wine and sparkling wine glasses in the dinette upper cabinet and coffee cups, whiskey and water glasses in the kitchen upper cabinet, 4 of each with MORELO logo (instead of the standard)	990,00
045565 / 20	177 litres AES refrigerator with seperate freezer compartment, dark-mirrored fridge door, automatic and manual energy selection incl. gas oven (instead of the standard)	
		1.490,00
		1.490,00
050600 / 05	Wall and ceiling covering in smooth finish, with artificial leather	
050600 / 05 035330 / 106	Wall and ceiling covering in smooth finish, with artificial leather Bar seating group (passenger's side) with adjustable single seat (incl. homologation for one additional person)	1.490,00 (1.790,00 (2.390,00 (
		1.790,00
035330 / 106	Bar seating group (passenger's side) with adjustable single seat (incl. homologation for one additional person)	1.790,00 ± 2.390,00 ±
035330 / 106 035984 / 45	Bar seating group (passenger's side) with adjustable single seat (incl. homologation for one additional person) Seat belts for 2 persons on multifunctional seating bench	1.790,00 2.390,00 990,00

Prices in Euro (incl. 19 % VAT)

SPECIAL EQUIPMENT MORELO PALACE

BEDROOM . BATHROOM . ELECTRONICS

Item / Weight ¹		all models
052205 / 54	Electrically activated folding bed (instead of front overhead lockers)	2.590,00
036242 / 05	Rear bed with multizone mattress and "watergel" topping	590,00
035990 / 05	Greywater pump for transfer of wastewater into the toilet tank	990,00
036033 / 03	Extensible shower next to the toilet	390,00
034216 / 15	Additional 6 litres hot water boiler (ALDE Flow)	1090,00
036088 / 13	EMPIRE rain shower (reduced headroom)	990,00
036068 / 0	Towel radiator in chrome finish instead of white	890,00
036025 / 06	Raised toilet seat (ca. 50 mm) for fixed-tank toilets	390,00
025268 / 05	Extractor fan instead of standard mini heki	890,00
031053 / 02	Alarm system	1.390,00
025043 / 40	Roof air conditioning, for living area with infrared remote control (total vehicle height + 130 mm)	3.390,00
025044 / 40	Roof air conditioning, for bedroom with infrared remote control (total vehicle height + 130 mm, not in combination with panoramic roof window)	3.390,00
037161 / 23	Solar panels, with 2 x 130 W maximum power	1.990,00
037163 / 44	Solar panels, with 4 x 130 W maximum power (if sufficient space on the roof)	3.490,00
037164 / 67	Solar panels, with 6 x 130 W maximum power (if sufficient space on the roof)	4.990,00
031481 / 0	Electrical Package "Energy Lithium Power" (instead of serial standard) Lithium battery 1 x 210 Ah (discharging level 100% = 210 Ah), combined charger / inverter 120 A / 3.000 W, with power sharing, fully automatic top class battery protection, Premium control panel	8.190,00
031448 / 28	Additional Lithium battery 210 Ah (only combined with electrical package "Lithium Power", max. 4 batteries in total)	3.690,00
025057 / 0	230 V appliances on inverter operation (min. 2 lithium batteries necessary)	250,00
031450 / 05	300 W (with separate socket for continuous us of small appliances, f.e. a respirator)	590,00
031909 / 01	Additional USB socket (specify exact position)	150,00
037114 / 08	Navigation system: removable 10" touch screen panel with vehicle-specific navigation, steering wheel remote control, twin reversing camera with shutter, integrated DAB+ tuner, hands-free set for telephone with Bluetooth and four loudspeakers	3.990,00
037103 / 04	Twin reversing camera with shutter	1.290,00
018932 / 56	TV package with 40" LED flat screen TV electrically lowerable in overhead locker (passenger's side) with glasses and soundbar and 27" TV in the bedroom (incl. Smart TV function); with wiring, without SAT system	5.590,00
037077 / 15	Soundbar Select with subwoofer (only in combination with 40" TV)	990,00
	LTE Wifi router with DualSim card slot	2.190,00

Prices in Euro (incl. 19 % VAT)

MULTIMEDIA . SUPPLY . UPHOLSTERY + DECORATION

Item / Weight ¹		
034225 / 01	Central filter unit for cleaning and declacifying the fresh water supply	990,00
034202 / 03	External shower on the driver's side in the rear	350,00
018143 / 02	Pressure sensors for precise mesuring of fresh water and wastewater tank levels	690,00
018142 / 03	Pressure sensors for precise mesuring of fresh water, wastewater and toilet tank levels	990,00
018145 / 02	Bluetooth box for precise mesuring of levels (only in combination with pressure sensors)	690,00
033022 / 02	Gas alarm, to monitor living area	490,00
018600 / 15	Diesel auxiliary heating, with continuous heating via heat exchanger (5.200 W) incl. timer	3.190,00
033026 / 03	External gas connection, on side wall at passenger's side	290,00
033004 / 88	70 litres gas tank, with remote filling in the side wall and level indicator in control panel display	2.690,00
033005 / 111	120 litres gas tank, with remote filling in the side wall and level indicator in control panel display	2.890,00
023103 / 77	2.600 W fuel generator with 10 litres petrol tank, fixed installation	5.190,00
036024 / 03	Electrical opening for waste water	890,00
036024-01 / 03	Electrical opening for toilet tank	890,00
036096 / 01	Camera next to electrical openings	1.290,00
050100 / 0	Microfibre upholstery, in variety of patterns	
050524 / 20	Fabric-Leather "Trendline" upholstery combination, in variety of patterns	standar 3.590,00
050524 / 20 050500 / 27	Fabric-Leather "Trendline" upholstery combination, in variety of patterns Leather upholstery, in variety of patterns	3.590,00 4.190,00
050524 / 20 050500 / 27 050506 / 27	Fabric-Leather "Trendline" upholstery combination, in variety of patterns Leather upholstery, in variety of patterns BiColor leather upholstery, in variety of patterns	3.590,00 4.190,00 4.490,00
050524 / 20 050500 / 27 050506 / 27 051305 / 20	Fabric-Leather "Trendline" upholstery combination, in variety of patterns Leather upholstery, in variety of patterns	3.590,00 4.190,00 4.490,00 990,00
050524 / 20 050500 / 27 050506 / 27	Fabric-Leather "Trendline" upholstery combination, in variety of patterns Leather upholstery, in variety of patterns BiColor leather upholstery, in variety of patterns	3.590,00 4.190,00 4.490,00 990,00
050524 / 20 050500 / 27 050506 / 27 051305 / 20	Fabric-Leather "Trendline" upholstery combination, in variety of patterns Leather upholstery, in variety of patterns BiColor leather upholstery, in variety of patterns Living area carpet in Sisal Sierra or velours colours Coco 830 beige, 865 grey-brown and 2051 schoko	3.590,00 4.190,00 4.490,00 990,00 1.140,00
050524 / 20 050500 / 27 050506 / 27 051305 / 20 051311 / 20	Fabric-Leather "Trendline" upholstery combination, in variety of patterns Leather upholstery, in variety of patterns BiColor leather upholstery, in variety of patterns Living area carpet in Sisal Sierra or velours colours Coco 830 beige, 865 grey-brown and 2051 schoko Living area carpet in special velours colour Decoration package "Trendline" consisting of 8 cushions and Trendline decorative side curtains	3.590,00 4.190,00 4.490,00 990,00 1.140,00
050524 / 20 050500 / 27 050506 / 27 051305 / 20 051311 / 20 051276 / 05	Fabric-Leather "Trendline" upholstery combination, in variety of patterns Leather upholstery, in variety of patterns BiColor leather upholstery, in variety of patterns Living area carpet in Sisal Sierra or velours colours Coco 830 beige, 865 grey-brown and 2051 schoko Living area carpet in special velours colour Decoration package "Trendline" consisting of 8 cushions and Trendline decorative side curtains instead of the standard ones, in variety of patterns	3.590,00 4.190,00 4.490,00
050524 / 20 050500 / 27 050506 / 27 051305 / 20 051311 / 20 051276 / 05	Fabric-Leather "Trendline" upholstery combination, in variety of patterns Leather upholstery, in variety of patterns BiColor leather upholstery, in variety of patterns Living area carpet in Sisal Sierra or velours colours Coco 830 beige, 865 grey-brown and 2051 schoko Living area carpet in special velours colour Decoration package "Trendline" consisting of 8 cushions and Trendline decorative side curtains instead of the standard ones, in variety of patterns Venetian blinds in the living room, pleated blinds in the bedroom	3.590,00 4.190,00 4.490,00 990,00 1.140,00 690,00 1.190,00
050524 / 20 050500 / 27 050506 / 27 051305 / 20 051311 / 20 051276 / 05 051271 / 0 051272 / 0	Fabric-Leather "Trendline" upholstery combination, in variety of patterns Leather upholstery, in variety of patterns BiColor leather upholstery, in variety of patterns Living area carpet in Sisal Sierra or velours colours Coco 830 beige, 865 grey-brown and 2051 schoko Living area carpet in special velours colour Decoration package "Trendline" consisting of 8 cushions and Trendline decorative side curtains instead of the standard ones, in variety of patterns Venetian blinds in the living room, pleated blinds in the bedroom Venetian blinds in the living room and in the bedroom	3.590,00 4.190,00 4.490,00 990,00 1.140,00 690,00 1.190,00
050524 / 20 050500 / 27 050506 / 27 051305 / 20 051311 / 20 051276 / 05 051271 / 0 051272 / 0	Fabric-Leather "Trendline" upholstery combination, in variety of patterns Leather upholstery, in variety of patterns BiColor leather upholstery, in variety of patterns Living area carpet in Sisal Sierra or velours colours Coco 830 beige, 865 grey-brown and 2051 schoko Living area carpet in special velours colour Decoration package "Trendline" consisting of 8 cushions and Trendline decorative side curtains instead of the standard ones, in variety of patterns Venetian blinds in the living room, pleated blinds in the bedroom Venetian blinds in the living room and in the bedroom	3.590,00 4.190,00 4.490,00 990,00 1.140,00 690,00 1.190,00 1.090,00
050524 / 20 050500 / 27 050506 / 27 051305 / 20 051311 / 20 051276 / 05 051271 / 0 051272 / 0 051280 / 05	Fabric-Leather "Trendline" upholstery combination, in variety of patterns Leather upholstery, in variety of patterns BiColor leather upholstery, in variety of patterns Living area carpet in Sisal Sierra or velours colours Coco 830 beige, 865 grey-brown and 2051 schoko Living area carpet in special velours colour Decoration package "Trendline" consisting of 8 cushions and Trendline decorative side curtains instead of the standard ones, in variety of patterns Venetian blinds in the living room, pleated blinds in the bedroom Venetian blinds in the living room and in the bedroom Panel blinds in living room and bedroom High-performance paint coating on ceramic basis for optimal paint protection of the side walls, fornt and	3.590,00 4.190,00 4.490,00 990,00 1.140,00 690,00 1.190,00 1.090,00
050524 / 20 050500 / 27 050506 / 27 051305 / 20 051311 / 20 051276 / 05 051271 / 0 051272 / 0 051280 / 05	Fabric-Leather "Trendline" upholstery combination, in variety of patterns Leather upholstery, in variety of patterns BiColor leather upholstery, in variety of patterns Living area carpet in Sisal Sierra or velours colours Coco 830 beige, 865 grey-brown and 2051 schoko Living area carpet in special velours colour Decoration package "Trendline" consisting of 8 cushions and Trendline decorative side curtains instead of the standard ones, in variety of patterns Venetian blinds in the living room, pleated blinds in the bedroom Venetian blinds in the living room and in the bedroom Panel blinds in living room and bedroom High-performance paint coating on ceramic basis for optimal paint protection of the side walls, fornt and	3.590,00 4.190,00 4.490,00 990,00 1.140,00 690,00 1.190,00 1.090,00
050524 / 20 050500 / 27 050506 / 27 051305 / 20 051311 / 20 051276 / 05 051271 / 0 051272 / 0 051280 / 05	Fabric-Leather "Trendline" upholstery combination, in variety of patterns Leather upholstery, in variety of patterns BiColor leather upholstery, in variety of patterns Living area carpet in Sisal Sierra or velours colours Coco 830 beige, 865 grey-brown and 2051 schoko Living area carpet in special velours colour Decoration package "Trendline" consisting of 8 cushions and Trendline decorative side curtains instead of the standard ones, in variety of patterns Venetian blinds in the living room, pleated blinds in the bedroom Venetian blinds in the living room and in the bedroom Panel blinds in living room and bedroom High-performance paint coating on ceramic basis for optimal paint protection of the side walls, fornt and	3.590,00 4.190,00 4.490,00 990,00 1.140,00 690,00

 $\textbf{Prices in Euro} \ (\textbf{incl.} \ 19 \ \% \ \textbf{VAT})$

